

~~Coal Tar Disinfectant~~

label copy

COAL TAR DISINFECTANT
COEF. 5

FOR LIVESTOCK PREMISES

U. S. Bureau of Standards --

Commercial Spec. CS 70/41

Phenol coefficient 5

by A.O.A.C. Method

(18 pt. type) warning
(12 pt. type) keep out of reach of children
See side panel for additional Warnings

ACTIVE INGREDIENTS:	90%
Coal Tar Neutral Oils	
Soap	
Coal Tar Phenols	
INERT INGREDIENT	10%
water	
total	100%

NET CONTENTS 1 GALLON

Distributed by
ECONOMY PRODUCTS CO., INC.
Shenandoah, Iowa 51601

(side panel)

DIRECTIONS FOR USE

GENERAL INFORMATION

FOR DISINFECTION AGAINST SALMONELLA CHOLERAESUIS AND PSEUDOMONAS
AERUGINOSA: Use the following procedure in treating premises. Clean
and remove all filth and dirt from the premises and then use a solution
of Coal Tar Disinfectant diluted with water as specified for treating.

ACTIVE INGREDIENTS:	90%
Coal Tar Neutral Oils	
Soap	
Coal Tar Phenols	
INERT INGREDIENT	10%
water	10%
total	100%

NET CONTENTS 1 GALLON

Distributed by
ECONOMY PRODUCTS CO., INC.
Shenandoah, Iowa 51601

- - - - -

(side panel)

DIRECTIONS FOR USE

GENERAL INFORMATION

FOR DISINFECTION AGAINST SALMONELLA CHOLERAESUIS AND PSEUDOMONAS AERUGINOSA: Use the following procedure in treating premises. Clean and remove all filth and dirt from the premises and then use a solution of Coal Tar Disinfectant diluted with water as specified for mopping, scrubbing, sprinkling or cleaning purposes.

Do not use in milking stalls, milking parlors, milk houses, or poultry houses.

Remove all animals, poultry and feeds from premises, cars, boats, trucks, coops and crates.

Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals.

Empty all troughs, racks, and other feeding and watering appliances. Saturate all surfaces with accepted disinfecting solution.

Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers.


Ventilate buildings, cars, boats, coops, and other closed spaces. Do not house poultry, livestock or employ equipment until treatment has been absorbed, set or dried.

All treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly scrubbed with detergents and rinsed with potable water prior to reuse.

label copy - Coal Tar Disinfectant - continued

side panel

Page -2-



LIVESTOCK PREMISES
(Except Dairy Barns and Poultry Houses)

TO CONTROL LIVESTOCK BUILDING CONTAMINATION: Remove all livestock from the building to be disinfected. Thoroughly clean and protect or remove from the building all equipment including feeders or waterers. Remove all litter or bedding and clean the building thoroughly.

Apply disinfectant at the recommended rate of 1 cup to a 10 quart pail of water. When feeding and watering equipment are disinfected thoroughly scrub with detergent and rinse with potable water. Ventilate the building and do not house poultry or livestock until treatment has been absorbed, set or dried.

Do not make any disinfectant applications when animals are in the building.

Strict adherence to regular scheduled cleaning and disinfecting program aids in reducing contamination in animal quarters.

LICE ON HORSES

Mix 1 part Coal Tar Disinfectant with 100 parts warm water and dip, mop or spray the animal completely with the solution. Repeat as often as necessary. Be careful not to allow solution to get in animal's eyes.

GARBAGE CANS AND SPITOONS

This product should be used to disinfect emptied and pre-cleaned garbage cans and spittoons. Use 1/2 cup Coal Tar Disinfectant to each 10 quart pail of water. Rinse the empty can with some of the solution and leave the wash in the can. Coal Tar Disinfectant helps to prevent the breeding of flies.

FLOORS

Use 1/2 cup Coal Tar Disinfectant to a 10 quart pail of water when scrubbing or mopping

Do not make any disinfectant applications when animals are in the building.

Strict adherence to regular scheduled cleaning and disinfecting program aids in reducing contamination in animal quarters.

LICE ON HORSES

Mix 1 part Coal Tar Disinfectant with 100 parts warm water and dip, mop or spray the animal completely with the solution. Repeat as often as necessary. Be careful not to allow solution to get in animal's eyes.

GARBAGE CANS AND SPITOONS

This product should be used to disinfect emptied and pre-cleaned garbage cans and spittoons. Use 1/2 cup Coal Tar Disinfectant to each 10 quart pail of water. Rinse the empty can with some of the solution and leave the wash in the can. Coal Tar Disinfectant helps to prevent the breeding of flies.

FLOORS

Use 1/2 cup Coal Tar Disinfectant to a 10 quart pail of water when scrubbing or mopping

WATER CLOSETS AND URINALS

Wash the closet and urinal bowls regularly with solution of one-half cup Coal Tar Disinfectant in a gallon of water. Scrub the floors and seat frequently.

WARNING: Keep away from children and domestic animals. May Be Fatal If Swallowed Or Absorbed Through The Skin. May produce severe burns. Avoid contact of undiluted material with skin; wash well with water if spilled on hands. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor, fumes or spray mist. Avoid contamination of food, water and feedstuffs. Wash thoroughly with soap and water after handling. Do not use on poultry, pets, dairy animals, or meat animals.

If swallowed, give white of egg, mucilage or starch paste as antidote. Use 1 tablespoonful of mustard in glass of water as an emetic. Call a physician.

Discard empty container after repeated rinsing with water.

NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.