# Economy 3% CIODRIN® INSECTICIDE ACCEPTE use in conventional hand and power dusters. No feed-off period is required when used on and

**Livestock Dusting Powder** 

ED UNDER N. 3770 - STEEL A Ciodrin INSECTICIDE Dust for Direct Application to

For the control of Horn Flies and Lice

<b>ACTIVE INGREDIENTS</b>	BY WEIGHT
Dimethyl Phosphate of	Alpha-Methylbenzyl
3-hydroxy-cis-crotone	ate 3.0%*
INERT INGREDIENTS	97 <b>.</b> 0%
Total	100.0%
*CIODRIN® Insecticide	§Shell Chemical Company

## CAUTION

## KEEP OUT OF REACH OF CHILDREN

Avoid prolonged or repeated inhalation of dust and contact with skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water, or foodstuffs. Do not contaminate any body of water, by direct application, cleaning of equipment, or disposal of wastes or containers. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal.

**DESTROY USED CONTAINERS:** Do not re-use for any purpose. Destroy container by burning or burying in an isolated area. If burned, keep out of smoke.

**NET WEIGHT** 

Manufactured by

# **Economy Products Company, Inc.**

SHENANDOAH, IOWA 51601

## GENERAL DIRECTIONS

3' CIODRIN<sup>RI</sup> Insecticide is a specially prepared ready-to-use live-

being fed for slaughter. Do not treat calves under 6 months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates.

# FOR ECONOMIS POSSIN E GISTER AND DIRECTIONS FOR APPLICATION

**DUSTING POWDER** 

FUNGIFIED AND RODUK CODE ACT

For the control of horn flies on beef and lactating dairy animals, apply 1 to 2 heaping tablespoonsful to the backline of the animal, covering in addition the poll, neck, and upper portions of the sides. Repeat above application as necessary to maintain control, but not more often than once every 14 days. Wash hands thoroughly after usc.

For the control of lice on dairy and beef cattle treat animals thoroughly. If required, repeat this thorough application in 3 - 4 weeks.


### DUST BAG — ANIMAL **DUSTING STATIONS**

For control of horn flies, and as an aid in the control of lice, on dairy cattle and beef cattle, 3%

CIODRIN Insecticide Dust may bè applied daily when application is made with Dust Bags. To prepare dust bags for animal use, place 4 - 8 pounds of 3% CIODRIN Insecticide Dust in cotton cloth or double burlap bags and suspend bags near mineral or salt blocks, in alleyways leading to or from animal building, or dairy barns. Dust bags may also be suspended in livestock holding pens, feed lots, and loafing sheds where possible. Protect bags from weather by placing them under shelter.

NOTICE: Seller's guarantee shall be limited to the terms of the label. and subject thereto the buyer assumes all risk to persons or roperty arising out of use or handling and accepts the product on these conditions.

USDA Reg. No. 3770-165 1756A-MBEPCO



CIODRIN® Insecticide is a spe-. . : when used on animals

or and lactating dairy animals,

apply 1 to 2 heaping tablespoons-

and to the backline of the animal.

overing ir addition the poll, neck.

being fed for slaughter. Do not

ACTIVE NO BY WEIGHT or Alpino Muchylbenzyl

3.0% INERT TO TENT 97 0%

#### KEELS OF A RELACTION CHILDREN

in the thoroughly with soop and water the state of the best of the street application. rics there. If swallewed, into strong on Atroone is antidotal. uce v n' ' LIFO . . . . . . . . . . . . . . . . . . . Destroy conthe second trained keep out of smake

Economy Products Company, Inc.

and upper portions of the sides. 100.0% Repeat above application as neces-Stell Chemical Company sary to maintain control, but not CAUTION ore often than once every 14 ways. Wash hands thoroughly after

> For the control of lice on dairy and or freatale treat animals thoreachly If required, repeat this \* group application in 3 - 4 weeks

#### DUST BAG - ANIMAL DUSTING STATIONS

For control of horn flies and as and a the control of hee, on with rattle and beef cattle, 3%

made with Dust Bags. To prepare dust bags for animal use, place 4 - 8 pounds of 3% CIODRIN Insecticide Dust in cotton cloth or double purlap bags and suspend bags near mineral or salt blocks, in alleyways leading to or from animal building, or dairy barns. Dust bags may also 'e suspended in liveatock holding pens, feed lots, and loafing sheds where possible. Protect bags from weather by placing them under

NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes all risk to persons or propcrty arising out of use or handling and accepts the product on these conditions.

1.36 v. Reg., No. 3770-163 (1756A-MBEPCO)

treat calves under 6 months of age Brahman cattle should not be treated as they may show they sensitivity to organic phos-