

LABET COPY

(front panel)

RECOMMENDATION

CAUTION

Contains 1.85 lbs. Vapona, 1.25 lbs. Dieldrin per gal.

ACTIVE INGREDIENTS:

*2,2-dichlorovinyl dimethyl phosphate

9.65%

*Related Compound:

.70%

dimethyl phosphate of Alpha-Methylbenzyl

3-Hydroxy-cis-crotonate

**14.78%

Heavy Aromatic Naphtha

4.57%

INERT INGREDIENTS:

10.50%


total 100.00%

*Vapona Insecticide **Dieldrin Insecticide Shell Chemical Co.

(16 pt. type) LUNG - POISON (shell chemical co.)
(in red) (in red)

(12 pt. type) KEEP OUT OF REACH OF CHILDREN

See antidote ~~XXXXXX~~ statement and other warnings on side panel.



DO NOT USE ON THE FOLLOWING: (in red)

1. Contaminated water

Manufactured by:

Shell Chemical Co., Inc.

Shelton, Iowa 51581

(back panel)

INSTRUCTIONS FOR USE

1. This product is a contact insecticide. It is effective against a wide range of insects, including flies, mosquitoes, gnats, and lice. It is also effective against ticks and mites. It is not effective against beetles, ants, and termites.

2. (in red)

3. For use on horses, apply to the head, neck, and body. It is also effective against flies, mosquitoes, gnats, and lice.

4. For use on dogs and cats, apply to the head, neck, and body. It is also effective against flies, mosquitoes, gnats, and lice. Do not exceed 2 courses daily per adult animal. Reduce dosage 1/2 for younger animals. Do not contaminate food, feed or drinking water.

HORSES (INCLUDING RACE HORSES)--Flies (Bee, Horn, House, Stable), Mosquitoes, Gnats, Lice

1-3-68 continued - Economy Di-Pona Spray Concentrate

1-3-68 continued

1-3-68 continued - Economy Di-Pona Spray Concentrate

1000 sq. ft. or to point of run-off. Improved house and face fly control may be achieved by adding 1 lb. of sugar per 10 gallons of spray solution. Do not contaminate food, feed, or drinking water.

POISON
(in red)

Skull & Crossbones
(in red)

ANTIDOTE

Do not contaminate lakes or streams. Do not contaminate feed, water or foodstuffs. Keep out of reach of children. Transport the patient immediately to the nearest physician.

INTERNAL: If material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving salt water (1 tablespoon of salt to a glass of water). Never give anything by mouth to an unconscious person.

EXTERNAL: If spilled on the skin, immediately remove person from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If material gets into the eyes, wash immediately

with running water for at least 10 minutes, get medical attention.

WARNING

Poisonous if swallowed, inhaled or absorbed through skin or eyes.

Rapidly absorbed through skin.

Keep away from children, in eyes, or on clothing.


Do not breathe fumes.

Avoid prolonged exposure to fumes.

Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions.

Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for DDVP (Vapona* Insecticide).

Keep all unprotected persons out of operational area.



~~Immediately to the nearest physician.~~

INTERNAL: If material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving salt water (1 tablespoon of salt to a glass of water). Never give anything by mouth to an unconscious person.

SKIN: If spilled on the skin, immediately remove person from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If material gets into the eyes, wash immediately with running water for at least 10 minutes, get medical attention.

WARNING

Poisonous if swallowed, inhaled or absorbed through skin or eyes.

Rapidly absorbed through skin.

Do not get on skin, in eyes, or on clothing

Do not breathe fumes

Avoid prolonged exposure to fumes

Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions.

Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for DDVP (Vapona* Insecticide).

Keep all unprotected persons out of operational area.

In case of contact, wash immediately with soap and water.

Wash hand, arms and face thoroughly with soap and water before eating or smoking.


Wash all contaminated clothing with soap and hot water before reuse.

KEEP OUT OF REACH OF CHILDREN

Store at temperatures above 32°F.

NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on those conditions.

MSDA Reg. No. 3770-



3770-184

MR. [illegible]