

RECOMMENDATIONS

STOCK TOX-V is recommended as a spray for immediate kill along with added protection on beef cattle. Pour recommended amount of this material into nearly filled spray tank. Add balance of water to fill tank. Keep agitator running during filling, mixing and spraying operations. Care should be taken that this mixture be kept well-mixed during spraying operations.

Dilution Rates

STOCK TOX-V	Amount of water
1 gallon	100 gallons
1/2 gallon	50 gallons
1 quart	25 gallons

BEEF CATTLE

TICKS (Lone Star Tick and Gulf Coast Tick): Mix at the rate of 1 gallon of this material to 100 gallons of water. This concentration will kill ticks on the animals and will afford residual protection for up to two weeks after treatment. Thorough wetting of animals is important for best results. Repeat application when necessary.

HORN FLIES: Mix at the rate of one gallon of this material to 100 gallons of water. Approximately two quarts of the diluted material should be applied to each adult animal. This concentration will give residual protection for up to three weeks.

LICE: Mix at the rate of one gallon of this material to 100 gallons of water. A single thorough application is usually all that is necessary for these pests.

NOTE: Do not use **STOCK TOX-V** on dairy animals, in dairy barns, in milk rooms, or on feed to be fed to livestock. Do not use on beef cattle within 28 days of slaughter.

STOCK TOX-V

TOXAPHENE PLUS VAPONA^R
EMULSIFIABLE INSECTICIDE

KILLS LONE STAR TICK, GULF COAST TICK, CATTLE LICE
AND HORN FLIES ON BEEF CATTLE

ACTIVE INGREDIENTS:

Toxaphene (technical chlorinated camphene*)	35.00%
Xylene	3.89%
2,2-dichlorovinyl dimethylphosphate	1.40% **
Related Compounds10% **
Methylated naphthalenes	50.00%
INERT INGREDIENTS	9.61%

R Shell Chemical Company
Containing 67% to 69% Chlorine
Equivalent to 1.50% Vapona^R Insecticide

WARNING
KEEP OUT OF REACH OF CHILDREN

See side panel for additional Warnings.

**DO NOT USE POUR, SPILL OR
STORE NEAR HEAT OR OPEN FLAME**

Net Contents — — — — Gallon(-)

Manufactured by:

ECONOMY PRODUCTS COMPANY, INC.
SHENANDOAH, IOWA 51601

10 - 27

STOCK TOX-V

TOXAPHENE PLUS VAPONA^R
EMULSIFIABLE INSECTICIDE

KILLS LONE STAR TICK, GULF COAST TICK, CATTLE LICE
AND HORN FLIES ON BEEF CATTLE

ACTIVE INGREDIENTS:

Toxaphene (technical chlorinated camphene*)	35.00%
Xylene	3.89%
2,2-dichlorovinyl dimethylphosphate	1.40% **
Related Compounds10% **
Methylated naphthalenes	50.00%
INERT INGREDIENTS	9.61%

*Shell Chemical Company

**Containing 67% to 69% Chlorine

***Equivalent to 1.50% Vapona^R Insecticide

WARNING

KEEP OUT OF REACH OF CHILDREN

See side panel for additional Warnings.

DO NOT USE, POUR, SPILL OR
STORE NEAR HEAT OR OPEN FLAME

Net Contents — — — Gallon(s)

Manufactured by:

ECONOMY PRODUCTS COMPANY, INC.
SHENANDOAH, IOWA 51601

WARNING: May be fatal if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or clothing. Do not breathe spray mist. Use respirator or goggles for protection. Wash thoroughly with soap and water after handling and using. Do not contaminate food, feedstuffs and water. Do not use on pets. Do not use on dairy animals, in dairy barns, in milk rooms or on feed to be fed to livestock.

This product is toxic to fish and wildlife. Do not contaminate streams, lakes or ponds with this material. Birds feeding on treated areas may be killed. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes and container.

Do not reuse empty container. Rinse equipment and containers and dispose of wastes by burying in non-croplands away from water supplies.

POISON — ANTIDOTE — HUMAN

Internal — Call a physician immediately. Do not induce vomiting. If swallowed, give 1-2 glasses of water. If vomited, repeat until empty. Report to nearest poison center.

External — Wash with soap and water. Do not use solvents.

NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

EPA Reg. No. 3770-215

8208A-MBPCO

10-27