

DIRECTIONS FOR USE

LAWN INSECTS (Ants, Chinch Bugs, Earwigs, Fall army-worm, Fleas, Millipedes, Sod Webworm or Lawn Moth): For best results mow the lawn first, remove the clippings, and water before treatment. Use 2 lbs. 10% Sevin Granular per 1000 sq. feet of lawn area and wet it down with a water spray. Do not water for at least 2 days after application. Repeat in 2 or 3 weeks if necessary. Caution: Keep children and pets off treated areas until this material is washed into the soil and

VEGETABLES

Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Lima Beans, Peas, Radish (cutworm): Broadcast: Apply 1 lb. per 2180 sq. ft. (1 oz. per 135 sq. feet) over entire seedbed and disk or work into the top 3 - 4 inches of soil before seeding.

Corn (corn rootworm larvae): Apply 1 lb. per 726 linear feet (4 oz. per 180 ft. of row) at planting time in a 5 to 7 inch band over row as soil application.

Beans, Beets, Eggplants, Lettuce, Okra, Pepper, Spinach, Strawberry, Swiss Chard, Tomato, Turnip (cutworm): As a broadcast soil treatment apply 1 lb. per 2180 sq. feet (1 oz. per 135 sq. feet) immediately before planting. Work into the top 2 - 3 inches of soil.

Cantaloupe, Cucumber, Melon, Pumpkin, Squash (winter and summer), **Watermelon** (cutworm): Apply 1 lb. per 4356 sq. feet (1 oz. per 272 sq. feet) broadcast uniformly over the soil surface when insects first appear. Repeat at 7 - 10 day intervals or as required.

EPA Reg. No. 3770-265

9801A-MBEPCC

LAWN and GARDEN INSECT CONTROL

10% Sevin Granular Insecticide

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate) 10%

INERT INGREDIENTS: 90%

*Trade Mark of Union Carbide Corp. for the active ingredient, 1-naphthyl N-methylcarbamate U. S. Pat. No. 2,903,478; 3,000,855

CAUTION

KEEP OUT OF REACH OF CHILDREN

Do not breathe dust. Do not take internally. Harmful if swallowed or inhaled. Avoid contact with skin; wash thoroughly with soap and water after handling, and before eating or smoking. Avoid storage near feed and food products.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not reuse empty container. Bury or discard in a safe place.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor.


Atropine is antidotal.

NET WEIGHT 1 POUND

Manufactured by:

ECONOMY PRODUCTS COMPANY

SHELANDOAH, IOWA 51601



3770-265