

Dacthal 50W

VEGETABLES

For Beans, Peas, String Beans, Cabbage, Cauliflower, Onions, Peppers, Sweet

STRAWBERRIES

Japanese English Latin Japanese andromeda Japanese Japanese Pachystima
Black Pine Japanese Variegated privet Wilson Yax New Variegatum Mysum
Black Black Breeding heart Chrysanthemum Candle Larkspur Caucus Columbine
Chrysanthemum Dahlia Evening primrose Fernleaf Yellow Forget-me-not Gladiolus
Golden Marguerite Golden Bell Lupine Marigold Mourning bride Mourning pinks
Japanese Pink Pink Purple conflower Rose moss Savilla Scarlet sage Shapdragon
Vegetable Zinnia DO NOT use on the following plants Bugle weed Butter pink Carnation
Gum Geranium Muscadinthe Penx Phlox Sweet W. yam Telandra Violet

2

VEGETABLE CROPS: When seed (e.g., see lists) applications of Daath should be made to the soil surface prior to or immediately following the sowing. When transplanting (e.g., see Daath) should be applied immediately after transplanting and prior to the germination and emergence of susceptible weed species. Daath when applied directly over these susceptible plants does not damage them.

On established structures, germinating bacteria should be apparent before weed seeds germinate. The bacteria will migrate to the growing root system of the weed sprout.

In the first case, the $\mathcal{L}$ -subalgebra $\mathcal{L}'$ of $\mathcal{L}$ is not a $\mathcal{L}$ -subalgebra. Therefore $\mathcal{L}'$ must be a $\mathcal{L}$ -subalgebra of $\mathcal{L}$ and $\mathcal{L}'$ is not a $\mathcal{L}$ -subalgebra of $\mathcal{L}$. If $\mathcal{L}'$ is not a $\mathcal{L}$ -subalgebra, then $\mathcal{L}'$ is not a $\mathcal{L}$ -subalgebra of $\mathcal{L}$.

the seed bank is often the cultivated crop. In the case of *Hordeum*, the effect is only when the seed bank is restricted to low light levels. A weed seed at a low surface concentration before weed germination occurs, applications of herbicide, is not integrated a case.

Before use, always stir the thoroughly mixed in the spray water. Proper agitation should be maintained throughout to keep the material in suspension, and insure uniform coverage. For best results, the spray should be applied in a series of overlapping, uniform small plots, each plot overlapping the next one. Apply and move on to be treated.

RATE: (Strawberries) Acreage planted in 1994 was 1,000 acres, up from 900 acres in 1993. The 1994 crop was 100,000 bushels, up from 90,000 bushels in 1993. The 1994 crop was valued at \$10,000,000, up from \$9,000,000 in 1993. The 1994 crop was valued at \$10,000,000, up from \$9,000,000 in 1993.

[illegible]

NOTICE: This is a public hearing. The purpose of this hearing is to present the information that will be used to make the final decision on the proposed rule. The public is invited to attend and to present comments. The hearing is open to the public. The hearing is held at the location and time specified. The hearing is held at the location and time specified. The hearing is held at the location and time specified.

ACCEPTED
FEB 11 1964
COMMUNICATIONS SECTION
U.S. DEPARTMENT OF JUSTICE
FEDERAL BUREAU OF INVESTIGATION
TO ATTACHED COMM-INTS

2,4-D ISOOCTYL ESTER 6-E

LOW VOLATILE WEED KILLER

EMULSIFIABLE LIQUID FOR DILUTION WITH WATER

CONTAINS 6 LBS. ACID PER GALLON

ACTIVE INGREDIENTS	
Isopropyl Ester of 2,4-Dichlorophenoxyacetic Acid	93.00%
INERT INGREDIENTS	7.00%

2,4-Dichlorophenoxyacetic Acid Equivalent 61%

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

Harmful if swallowed. May cause skin irritation. Avoid contact with eyes, skin and clothing. See side panel for additional cautions.

DO NOT USE POUR SPILL OR STORE NEAR HEAT OR OPEN FLAME
DO NOT USE EMPTY CONTAINER — PERFORATE, CRUSH, BURY — DO NOT BURN
Protect from temperatures below 0 F.

Net Contents ——— Gallon(s)

Manufactured by:
ECONOMY PRODUCTS COMPANY, INC.
SHENANDOAH, IOWA 51601

DIRECTIONS FOR USE

WHEN AND HOW TO APPLY

WHEN AND HOW TO APPLY

1. **When to Apply:** The application should be submitted to the appropriate authority (e.g., the local health department or the state health department) as soon as possible after the incident, but no later than 30 days after the date of the incident.

2. **How to Apply:** The application should be submitted in writing, either by mail or in person. It should be signed by the person who was the victim of the incident, or by a person who was present at the time of the incident and who can provide information about the incident.

3. **What to Include:** The application should include the following information:

- a. The name and address of the person who was the victim of the incident.
- b. The name and address of the person who was present at the time of the incident and who can provide information about the incident.
- c. A description of the incident, including the date, time, and location of the incident.
- d. A description of the injury or illness, including the date, time, and location of the injury or illness.
- e. A description of the treatment received, including the name and address of the healthcare provider.
- f. A description of the investigation conducted, including the name and address of the investigator.
- g. A description of the results of the investigation, including the name and address of the investigator.

4. **What to Expect:** The appropriate authority will review the application and may request additional information. If the application is approved, the appropriate authority will issue a citation or order to the person who was the cause of the incident. The appropriate authority may also take other actions, such as imposing fines or penalties, or referring the case to the courts.

CORN

CORN _____

SMALL GRAINS

SMALL GRAINS _____

Annual and Biennial Weeds —

Annual and Biennial Weeds —

Perennial Weeds —

Perennial Weeds —

NON CROP LAND

NON CROP LAND

SUMMER FALLOW

SUMMER FALLOW

Annual and Biennial Weeds -

Annual and Biennial Weeds —

Deep Rooted Perennials and Woody Plants

Deep Rooted Perennials and Woody Plants —

Small area treatment:


Small area treatment:

PASTURES LAWN GOLF COURSES CEMETERIES ESTATES SIMILAR
ORNAMENTAL TURF AREAS

100

NOTICE

[illegible]



2,4-D ISOOCTYL ESTER 6-E

LOW VOLATILE WEED KILLER

EMULSIFIABLE LIQUID FOR DILUTION WITH WATER

CONTAINS 6 LBS. ACID PER GALLON

ACTIVE INGREDIENTS	
Isooctyl Ester of 2,4-Dichlorophenoxyacetic Acid	93.00%
INERT INGREDIENTS	7.00%
2,4-Dichlorophenoxyacetic Acid Equivalent 6.1%	

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

Harmful if swallowed. May cause skin irritation. Avoid contact with eyes, skin and clothing. See side panel for additional cautions.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

DO NOT USE EMPTY CONTAINER — PERFORATE, CRUSH, BURY — DO NOT BURN

Protect from temperatures below 0°F.

Net Contents ——— Gallon(s)

Manufactured by:

ECONOMY PRODUCTS COMPANY, INC.
SHENANDOAH, IOWA 51601

DIRECTIONS FOR USE

Continued

RECOMMENDATIONS

NOTICE

WARNING