

DIRECTIONS FOR USE
ONE OUNCE MEASURING SCOOP ENCLOSED

CHLORDANE 33 $\frac{1}{3}$ % SEED DRESSING is designed for planter box use at the time of planting for temporary protection of seeds and germinating seedlings from attack by soil insects. Mix directly with seed and use in planters designed to give the correct dosage. **CHLORDANE 33 $\frac{1}{3}$ % SEED DRESSING** should not be mixed with water or water-containing products. Seeds should be cleaned and well-cured before treatment.

Corn (field): Seed corn beetle, seed corn maggot, southern corn rootworm, wireworms - 6 ounces equivalent to 2 ounces technical chlordane per bushel of seed.

Cotton: False wireworm, seed corn maggot, wireworms - 6 ounces equivalent to 2 ounces technical chlordane per bushel of seed.

Sorghum: False wireworm, Kafir ant, seed corn maggot, wireworms - 6 ounces equivalent to 2 ounces technical chlordane per bushel of seed.

Soybeans: Seed corn maggot, wireworms - 6 ounces equivalent to 2 ounces technical chlordane per bushel of seed.

Small Grains (Oats, Rye, Wheat): False wireworm, seed corn maggot, wireworms - 6 ounces equivalent to 2 ounces technical chlordane per bushel of seed.

Rice: False wireworm, seed corn maggot, wireworms - 6 ounces equivalent to 2 ounces technical chlordane per bushel of seed.

CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing dust. In case of

contact with skin, wash with soap and water. A contamination of food and food parts. Keep out of reach of children.

Toxic to fish, birds, and other wildlife. Runoff, other animals, or water courses may be killed. Do not use for baiting purposes. Treated seeds, especially soybeans, may be hazardous to birds and other wildlife. **DO NOT USE IN ANY MANNER NOT SPECIFIED ON THIS LABEL.**

ANTIDOTE

EXTERNAL - In case of spillage on skin, wash promptly with soap and water.

INTERNAL - Ingested: 1 tablespoon of mineral oil, tumbler of water. Call a physician.

Treated seeds should be labeled as follows:


POISON TREATED - THIS SEED TREATED WITH CHLORDANE DO NOT USE FOR FOOD, FEED OR OIL PURPOSES

CONTAINER DISPOSAL

Do not reuse empty container. Rinse equipment and dispose of wastes by burying in non-crop land away from water supplies. Destroy container by punching holes in it and burning with wastes or by burning. Stay out of smoke and fumes.

NOTICE

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.



SEED-QUIK
CHLORDANE 33 $\frac{1}{3}$ % SEED DRESSING
WITH GRAPHITE
FOR PLANTER BOX USE

ACTIVE INGREDIENT:	
Technical Chlordane*	33.34%
INERT INGREDIENTS:	66.66%
Total	100.00%
*Equivalent to 20% Octachloro-4,7-methanotetrahydroindane and 13.34% related compounds	

CAUTION
KEEP OUT OF THE REACH OF CHILDREN
See Side Panel for Antidote and Additional Precautionary Statements

NET CONTENTS 1 POUND

Manufactured by
ECONOMY PRODUCTS COMPANY, INC.
SHENANDOAH, IOWA 51601