

15  
Jura



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

APR 21 1994

JAMES J. WURZ  
BONIDE PRODUCTS INC.  
AGENT FOR: EARL MAY SEED & NURSERY L.P.  
2 WURZ AVENUE  
YORKVILLE, N.Y. 13495

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 01/27/94 in Response to PR Notice 93-7  
EPA Reg. No. 3772-13  
EARL MAY SEVIN WETTABLE POWDER


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

  
James Tompkins, Deputy Chief  
Registration Support Branch  
Registration Division (7505W)



Recycled/Recyclable  
Printed with Soy/Canola Ink on paper that  
contains at least 50% recycled fiber

1982

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated  
APR 21 1994

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

3722-13

**PRECAUTIONARY STATEMENTS  
HAZARDS TO  
HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Caution: May be harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

NOTE FOR PHYSICIAN: Carbaryl is a moderate reversible. Cholinesterase inhibitor. Atropine is anti-otol.

**ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift, expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until sprays have dried.

STORAGE: Store in original container, in a cool, dry, secure area, away from fertilizer, food or feed. Keep container closed.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

SEVEN SOW is a wettable spray powder. Measure in level tablespoonfuls. Keep spray mixture well agitated. Do not mix with lime, Bordeaux Mixture or other alkaline materials. Do not mix with oil base sprays.

**VEGETABLES**

Mix 2 tablespoonfuls per gallon of water. Apply as a full wetting spray. Apply when insects or their damage appear. Repeat at 7 to 10-day intervals or as necessary unless shorter interval is specified below.

May be used up to day of harvest on the following: BEANS: Mexican bean beetle, leafhopper, cucumber beetle, Japanese Beetle. CORN: corn rootworm adults, European corn borer, fall armyworm, corn earworm. Applications for corn earworms should be started when silks first appear. Repeat at 2 to 3-day intervals for corn earworms or until silks are dry. CARROTS: flea beetles, leafhoppers, harlequin bug. CUCUMBERS, SQUASH, PUMPKINS, MELONS: pickle-worm, melonworm, cucumber beetles, squash bug, flea beetle, leafhoppers. Avoid excessive applications. Some leaf injury may occur if treatments are made when tender foliage is wet or in the presence of prolonged high humidity. ORRA: corn earworm, stink bug.

POTATO: Colorado potato beetle, flea beetle, leafhopper. Apply as a foliage application only. TOMATO, EGGPLANT, PEPPER: tomato fruitworm, fall armyworm, tomato hornworm, European corn borer, stink bugs, lace bugs and typhus bugs. Do not apply within 3 days of harvest on the following: BEETS, TURNIPS. (do not apply within 14 days of harvest if tops are to be used as food or feed.) Leafhoppers. BROCCOLI, BRUSSEL SPROUTS, CABBAGE, CAULIFLOWER, KOHLRAB: flea beetle, harlequin bug, armyworm, cabbage caterpillar, and corn earworm. RADISHES: flea beetle, leafhopper. Do not apply within 14 days of harvest on the following: LETTUCE (LEAF), SPINACH, SWISS CHARD: armyworm, flea beetle, leafhopper.

**GRAPES**

Use 2 tablespoonfuls per 1 gallon of water for European fruit lecanium, grape leaf folder, grape leafhopper and grape leaf skeletonizer. Apply just before first brood leaf folder larvae emerge from rolls, and as needed for leafhoppers. May be applied up to day of harvest.

**STRAWBERRIES**

For meadow spittlebug, leaf roller, strawberry weevil, use 2 tablespoonfuls per gallon of water. Make 3 to 5 post bloom summer sprays as needed. May be used up to 1 day before picking.

**ORNAMENTAL INSECT CONTROL**

Ornamental plants, flowers, shrubs and shade trees including rose, carnation, gladiolus, zinnia, chrysanthemum, Mac, arbor vitae, juniper, hydrangea, azalea, elm, maple, oak, dogwood, birch and pines. Do not use on Boston Ivy.

Use 2 level tablespoonfuls per gallon of spray (2 pounds per 100 gallons) when insects or their damage appear. Repeat weekly or as needed to control: apple aphid, bagworm, birch leaf miner, blister beetles, boxelder bug, boxwood leaf miner, elm leaf beetle, elm leaf aphid, flea beetle, gypsy moth, Japanese beetle, June beetles, lace bugs, leafhoppers, leaf rollers, mealy bugs, mimosa webworm, oak leaf miners, orange tortrix, peritropical cicada, plant bugs, puss caterpillars, psyllids, rose aphid, rose-shug, scale insects, tent caterpillars, thorn bugs, thrips (exposed), willow leaf beetles.


**SMALL FRUIT INSECT CONTROL**

Use sufficient spray to obtain full coverage. Keep spray mixtures well agitated. Apply when insects or their damage appear. Repeat at 7 to 10-day intervals or as necessary.

**LAWN INSECT CONTROL**

Use one level cupful in 15 to 20 gallons of water for each 500 square feet of established lawn area for the control of ants, chinch bugs, earwigs, fall armyworm, fleas, leafhoppers, mosquitoes, SOG WEBWORMS (lawn moths) millipedes. Use GARDEN HOSE SPRAYERS or pressure type equipment and apply full water volume to insure good penetration of turf. For best results, mow lawn and apply immediately after rain or watering. Repeat 2 to 3 weeks later if necessary.

NOTICE: Buyer assumes all risk of use, storage or handling of this product when not in strict accordance with directions given herewith.



**SEVIN**  
brand carbaryl insecticide

**WETTABLE P**

**ACTIVE INGREDIENT:**  
Carbaryl: (1-Naphthyl N-Methylcarbamate)

**INERT INGREDIENTS:** .....

**TOTAL** .....

©SEVIN is the registered trademark of Rhone-Poulenc for Carbaryl.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

EPA Reg. No. 3772  
EPA Est. No. 4-NY

**NET WEIGHT 1 POUND**

Distributed by:  
**EARL MAY SEED & NUTRIMENT**  
Shenandoah, Iowa 50249

22365

**BEST COPY AVAILABLE**