

DILUTION DIRECTIONS

Dilute 2 2/3 fluid ounces of this concentrate to one gallon with water or oil to make an emulsion or oil solution containing approximately 0.5% Vapona Insecticide. IF EMULSIONS ARE MADE PREPARE THEM FRESH EACH DAY FOR MAXIMUM EFFECTIVENESS.

GENERAL DIRECTIONS FOR USE:

For use in households, restaurants, theatres, food processing plants, industrial plants and warehouses for the control of Cockroaches, Ants, Spiders, Silverfish, Flies, Mosquitoes, Wasps, Gnats, apply emulsion or oil solution, prepared as above, as a coarse wet spray to localized areas insects may infest. Treat infested areas around baseboards cracks, walls, door and window frames, and localized areas of floor. Do not apply to areas that will be contacted frequently by children and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers, or cooking utensils. Do not treat animals.

PRECAUTIONS IN USING

VAPONA Insecticide concentrate and the diluted emulsion are poisonous. Therefore, precautions must be observed when handling them. (See antidote and warnings below.)

Store the concentrate in a safe place. Children or animals must not be able to reach or handle the concentrate or diluted emulsion. It is recommended that only the amount of diluted emulsion be prepared from the concentrate that will be used immediately. Mix the concentrate into water outdoors or in a well ventilated room. Wash off the outside of the bottle of concentrate in running water before storing away. Do not contaminate lakes or streams. Do not contaminate feed, water or foodstuffs.

WARNING!

VAPONA Insecticide concentrate is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Avoid prolonged exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for DDVP (VAPONA Insecticide) protection. Keep all unprotected persons out of operational area.

In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE is the emergency antidote for DDVP (VAPONA) Insecticide poisoning. Consult your physician about obtaining an adequate supply of 1/100-grain atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED

MERCURY

DDVP-2

A Solution Containing 2 lbs. per Gallon of VAPONA Insecticide for Dilution with Water or Oil

ACTIVE INGREDIENTS:	BY WEIGHT
2,2-dichlorovinyl dimethyl phosphate.....	22.0%
Related Compounds.....	1.7%*
Petroleum Hydrocarbons.....	71.3%
INERT INGREDIENTS.....	5.0%

*Equivalent to 23.7% w/w VAPONA Insecticide.

TO BE APPLIED BY OR UNDER THE SUPERVISION OF TRAINED PERSONNEL

U. S. D. A. REGISTRATION NO. 3776-

DANGER

Keep Out of Reach of Children

SEE ANTIDOTE STATEMENTS AND OTHER WARNINGS ON SIDE PANELS

POISON



INTERNAL: If immediately. throat or by glass of water PERSON.

EXTERNAL: If remove patient contaminated. If the material water for at le
IF WARNING
pine tablets i
WARNING SY
Keep patient p
Start artificial
Transport the

WARNING SY
ness in chest,
tion, sweating

TREATMENT: A
against parasy
parasympathet
10-minute inte
atropinization

Morphine
Clear ch
Observe
Repeated
warning
of any
Allow r
generat

RINSE EO
AND DIS
IN NON-C
STIDDI.TPO

MERCURY

DDVP-2

A Solution Containing 2 lbs. per Gallon of VAPONA Insecticide
for Dilution with Water or Oil

ACTIVE INGREDIENTS:	BY WEIGHT
2,2-dichlorovinyl dimethyl phosphate.....	22.0%
Related Compounds.....	1.7%*
Petroleum Hydrocarbons.....	71.3%
INERT INGREDIENTS.....	5.0%

*Equivalent to 23.7% w/w VAPONA Insecticide.

TO BE APPLIED BY OR UNDER THE
SUPERVISION OF TRAINED PERSONNEL

U. S. D. A. REGISTRATION NO. 3776-

DANGER

Keep Out of Reach of Children

SEE ANTIDOTE STATEMENTS AND OTHER WARNINGS
ON SIDE PANELS

POISON



INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Administer two 1/100-grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARNING SYMPTOMS below). Keep patient prone and quiet.

Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred.

Morphine is contraindicated.

Clear chest by postural drainage.

Observe patient continuously for 48 hours.

Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor.

Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

RINSE EQUIPMENT & CONTAINERS
AND DISPOSE OF WASTES BY BURYING
IN NON-CROP LAND AWAY FROM WATER
SUPPLIES. CONTAINERS SHOULD BE