

DAZSECT insecticide 100

DIRECTIONS FOR USE

GENERAL:

Apply with a low-pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive run-off. Apply to all insects breeding sites and harborage. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

Roaches, Ants, Waterbugs, Silverfish, Sowbugs, Springtails, Spiders, Firebrats, Crickets, and Earwigs: Spray until wet, surface behind and beneath cabinets, refrigerators, sinks, stoves, ant trails and other localized areas infested with insects. Spray around window frames and door frames where ants enter. Repeat as necessary.

Carpet Beetles: Make localized application to areas of the floor and baseboards. Spray directly into cracks and under carpets where insects may be found. Treat crevices, cracks and infested areas of shelving in closets. Repeat as necessary.

Brown Dog Ticks: Spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of pets and localized areas of floors and floor coverings. Repeat as necessary. Fresh bedding should be placed in animal quarters after treatment. Do not treat animals.

Flies, Mosquitoes, Wasps and Flying Moths — Outdoors: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surface of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate.

ACTIVE INGREDIENTS:

O, O-diethyl O- (2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	100.00%
Pyrethrins	0.500%
Technical piperonyl butoxide (equivalent to 0.209% (butylcarbityl) (6-propylpiperonyl) ether and 0.052% other related compounds)	0.052%
Petroleum distillate	0.261%
	99.187%

CAUTION

KEEP OUT OF REACH OF CHILDREN

(See side panels for additional cautions and antidotes.)

EPA Reg. No. 3776-45

NET CONTENTS

GALLONS

Manufactured and Distributed By

MERCURY CHEMICAL CO., INC.

2443 NORTH CLYBOURN AVENUE

CHICAGO, ILLINOIS 60614

CAUTION

May be harmful if absorbed through eyes, on skin, or in contact, wash immediately with warm water. Wash thoroughly with soap after eating or smoking. Wash clothing with soap and re-use.

Should illness occur, seek medical aid. To Physician for antidote.

Do not use in edible processing plants, areas where food is prepared or processed areas while food is being spray to contact for supplies. Thoroughly wash handling utensils when they become contaminated with this product. Do not use on pets to contact treatment until the product has dried. Remove bowls (tanks) before use.

Do not use as a space spray without adequate ventilation. Do not store near heat. Do not spray plant.

Container Disposal: Do not reuse container. Destroy immediately. (Drums, if possible, return to drum recycler in a safe place away from heat.)

COMBUSTIBLE LIQUID: Do not pour or store near heat.

Seller warrants that this chemical is fit for the purpose stated on the label when used in accordance with directions under normal conditions. Neither this warranty of MERCHANTABILITY nor implied, extends to product contrary to conditions not reasonably foreseeable and buyer assumes

DAZSECT insecticide 100

ACTIVE INGREDIENTS:

100.00%

O, O-diethyl O- (2-isopropyl-6-methyl-4-pyrimidinyl)

phosphorothioate 0.500%

Pyrethrins 0.052%

Technical piperonyl butoxide

(equivalent to 0.209% (butyl-

carbityl) (6-propylpiperonyl)

ether and 0.052% other

related compounds) 0.261%

Petroleum distillate 99.187%

CAUTION

KEEP OUT OF REACH OF CHILDREN

(See side panels for additional cautions and antidotes.)

EPA Reg. No. 3776-45

NET CONTENTS GALLONS

Manufactured and Distributed By

MERCURY CHEMICAL CO., INC.

2443 NORTH CLYBOURN AVENUE

CHICAGO, ILLINOIS 60614

CAUTION

May be harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. In case of contact, wash immediately with soap and warm water. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

Should illness occur, get prompt medical aid. To Physician -- Atropine sulfate is antidotal.

Do not use in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not allow spray to contact food, feedstuffs and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

Do not use as a space spray. Provide adequate ventilation of area being treated. Do not store near feed or food products. Do not spray plants.

Container Disposal: Do not reuse empty container. Destroy by perforating or crushing. (Drums, if possible, should be returned to drum reconditioner) and burying in a safe place away from water supplies.

COMBUSTIBLE LIQUID, do not use, spill, pour or store near heat or open flame.

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes risk of any such use.

ACCEPTED

AUG 20 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 3776-45