


000000

000000



T.K.O. II INSECTICIDE

KILLS ALL EXPOSED STAGES OF
FLEAS, TICKS, ROACHES, ANTS
FLIES, SPIDERS, FLYING MOTHS

ACTIVE INGREDIENTS:	
2-(Methylethoxy) phenol methylcarbamate	1.00%
2,2-dichlorovinyl dimethyl phosphate	0.47%
Related compounds	0.03%
INERT INGREDIENTS:	
	98.50%
	100.00%

TREATS UP TO 12,000 CU. FT.

CAUTION! KEEP OUT OF REACH OF CHILDREN
(See additional precautionary statements and statement of practical treatment on side panel.)

EPA REG NO 3776-16-1
EPA EST NO 602

NET WEIGHT 12 OZ.

ACCEPTED
APR 7 1983
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 3776-59

PRECAUTIONARY STATEMENTS

CAUTION: Hazards to Humans & Domestic Animals. May be fatal if inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin or eyes. Avoid contamination of food and food dishes. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas where food is exposed. Pets should be removed and fish, birds, and house plants covered or removed during treatment.

STATEMENT OF PRACTICAL TREATMENT


IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.
IF INHALED: Remove victim to fresh air. Apply respiration if indicated.
IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

Physical or Chemical Hazards: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Use 1 can for each 12,000 cubic feet of unobstructed space. Additional units should be used for areas where mist might not flow. Place can in the middle of the room on a table or floor. Place newspapers under can to prevent marring of surface. Close all doors and windows. Shut off fans and air conditioners. Extinguish all open flames except pilot lights (keep can at least 6 feet from pilot light). Push down on the Posi-Lock actuator tab. Keep at arms length when releasing. Do not point top of can toward face or eyes. Set can down on the prepared surface and leave the building immediately. Keep undisturbed at least 2 hours. Open doors and windows and ventilate thoroughly for 4 hours. Asphalt tile and some plastics may be affected by this product. Place newspapers on asphalt tile before treatment and cover plastic items, such as plastic furniture, stereo covers, eye glasses, etc.
DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

STEP 1: Set the can on a raised spot such as a table or stand. Spread paper under can to cover area directly beneath nozzle. Remove cover.



MERCURY CHEMICAL CO., INC.
2543 NORTH CLYBOURN AVENUE CHICAGO, ILLINOIS 60614

DO NOT ALLOW CHILDREN TO LIE
OR SLEEP IN TREATED AREAS
UNTIL AT LEAST 6 HOURS
FOLLOWING TREATMENT.

BEST DOCUMENT AVAILABLE

* INCREASE THE AIRING OUT TIME IN
THESE AREAS.