## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

All of the object and one of the

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash af-ter handling. Avoid breathing vapors, Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissi-

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with

water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

PICARD CHEMICAL, INC. 1670 S. Congress Avenue West Palm Beach, FL 33406

EPA REG. NO. 3787-2 EPA EST. NO. **NET CONTENTS** 

ACCEPTED AUE 1 5 1980 SOPHER PROPERTY HYPOCHLO SOLUTION

"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

**ACTIVE INGREDIENT** SODIUM HYPOCHLORITE INERT INGREDIENTS

**KEEP OUT OF REACH OF CHILDREN** DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes, Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

## **DIRECTIONS FOR US GENERAL CLASSIFICA**

IT IS A VIOLATION OF FEDERAL LAW TO USE TH IN A MANNER INCONSISTENT WITH ITS LA

DIRECTIONS FOR SWIMMING POOL CHLOR For a new pool or for spring start-up, superchlorinate with on-this sodium hypochlorite solution for each 2500 gallons of wat atent to 5 ppm available chlorine by weight

atent to 5 ppm available chlorine by weight

For Pool Maintenance

A) Adjust pool water pH to 7.6 - 7.2 range and maintain

B) Add manually or by a feeder device this sodium hypochic
maintain an available chlorine residual of 0.6 to 1.0 ppm 0

of this sodium hypochlorite solution for each 6000 gallor

1.0 ppm available chlorine by weight Frequency of additio
ppm available chlorine will depend upon temperature and
Use test kit to make declain the pH and chlorine residual

DIAECTIONS FOR DISINFECTION OF POTABL
FOR HOME WELL WATER SYSTEMS

Dilute this sodium hypochlorite solution in the ratio of one or

Dilute this sodium hypochlorite solution in the ratio of one pisolution to 9 parts softened water. Mix sodium hypochlorite is outlined in the ratio of one pisolution to 9 parts softened water. Mix sodium hypochlorite is oughly and begin feeding of solution with a hypochlorinator it aim a free available chicrine residual of at least 0.2 ppm and throughout the distribution system, as determined by a DPD is ological sampling must be conducted at a frequency no less the National Interim Primary Drinking Water Regulations. With a DPD chlorine test kit. "Contact your local Health Department for further details."

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR Clean equipment in the normal manner. Just before using, rins by with this sodium hypochlorie solution containing 200 ppms lain contact with disinfectant for a minimum of two minutes fler treatment with sodium hypochloure solution. Do not so one fluig oz. (2 bisss.) of this sodium hypochlorie solution po provide approximately 200 ppus available childrine by weight NOTE: #his product degrades with age. Use a chiorine test is as necessary, to obtain the required level of available chloring

STORAGE AND DISPOSAL: store from direct sunlight. In case of spill, flood area with large quempty container thoroughly with water and either return to red by placing in trash collection or burying in agapticulal landfill cannot be used, should be diluted with water and disposed of not contaminate food of feed by storage, disposal or cleaning

30

TIONARY STATEMENTS ARDS TO HUMANS DOMESTIC ANIMALS

Corrosive, may cause severe skin irritairns to broken skin. Causes eye damage. Do n skin or on clothing. Wear goggles or face gloves when handling this product. Wash af-l breathing vapors. Vacate poorly ventilated ossible. Do not return until odors have dissi-

NTAL HAZARDS: This pesticide p out of lakes, streams or ponds. Treated efischarged into lakes, streams, ponds or pub-a valid discharge permit. For guidance, con-lice of the Environmental Protection Agency.

AND CHEMICAL HAZARDS: KIDIZING AGENT: Mix only with

label directions. Mixing this product with feces, urine, etc., or with ammonia, acids, er chemicals may release hazardous gases ings and mucous membranes.

manufactured by

RD CHEMICAL, INC. S. Congress Avenue Palm Beach, FL 33406

3787-2 EPA EST. NO. CONTENTS

ACCEPTED 3787-2 AUG 1 5 1980 Under the Federal Insecticide HYPOCHLO

"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

SOLUTION

**ACTIVE INGREDIENT** SODIUM HYPOCHLORITE **INERT INGREDIENTS** 

9.2**%** 90.8**%** 

**KEEP OUT OF REACH OF CHILDREN** DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

## **DIRECTIONS FOR USE** GENERAL CLASSIFICATION

IT IS A VIOLATION OFFEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start-up, superchlorinate with one (1) pint (15 tiu ozs.) of this sodium hypochloride solution for each 2500 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

For Pool Maintenance

A) Adjust pool water pH to 7.6 - 7.2 range and maintain

Adjust pool water pH to 7.6 - 7.2 range and maintain

Adjust pool water pH to 7.6 - 7.2 range and maintain

Adjust pool water pH to 7.6 - 7.2 range and maintain

Adjust pool water pH to 7.6 - 7.2 range and maintain

Maintain an available chlorine residual of 0.6 to 1.0 ppm. One-half pint (8 flu ozs 1.0 to 1.0 ppm available chlorine by weight Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend upon temperature and number of swimmers. Use test kit to maintain the pH and chlorine residual are in the proper range.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS.

Dilute this sodium hypochloride southon in the ratio of one part sodium hypochloride.

Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 9 parts soltened water. Mix sodium hypochlorite solution and water thoroughly and begin feeding of solution with a hypochlorinator (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system, as determined by a DPD chlorine test kit. Bacteriological sampting must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations. Check water frequently with a DPD chlorine test kit.

"Contact your local Health Department for further details."

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before using, rinse all surfaces thorough the with this schum hypochlorite solution containing 200 ppm available chlorine Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after treatment with sodium hypochborite solution. Do not soak overnight. Addition of one fluid \$0, (2 librars) of this (200 mg hypochborite solution per a gallons of water with provide approximately 200 opes available chlierine by weight.

NOTE: Firing product degrades with age, the a chlorine test kit and increase dosage as necessary, to obtain the required cret of available chlorine.

STORAGE AND DISPOSAL. Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacture or discard by placing in tresh collection or hurrying in an appropried landfill. Product or rinsate that cannot be used. Spould be diduted with water and disposed of in a sanitary sewer. Do not contaminate food or leed by should be diduted with water and deposed of in a sanitary sewer. Do

30

31