

NET CONTENTS

Gallons

RIGHT-A-WAY WEED-KILLER SEMI-CONCENTRATE

E.P.A. Reg. No. 3797-4

(A Dinitro Weed Killer)

For Controlling Most Annual Weeds and Grasses and Killing Top Growth of Herbaceous Perennial Weeds and Grasses;

USE ON: Airfields, Walks, Fence Lines, Roadsides, Driveways, Dry Yards, Railroads, Waste Places, and around Industrial Establishments, Pole Yards and Oil Tank Areas for Controlling Vegetation.

Active Ingredient:	
4, 6-Dinitro-o-sec-butylphenol	8.85%
Inert Ingredients:	91.15%
Weight Per Gallon	7.35 pounds

See Precaution and Antidote Statement Below

DIRECTIONS

Mix one gallon Right-A-Way Weed Killer in nine gallons of Kerosene. Moderate agitation is necessary for best results. Use enough spray to wet all weeds thoroughly, as it acts by contact action only. This mixture will be satisfactory for control of small seedling annual grasses such as crabgrass, foxtail and barnyard (water) grass and of all small seedling annual weeds such as pigweed, mustard, lamb's quarters and sorrel.

Mix one gallon of Right-A-Way Weed Killer in six gallons of Kerosene for control of coarse grasses. Moderate agitation is necessary for best results. Use enough spray to wet all plants thoroughly as the spray will creep down the stems to kill the crowns and prevent re-sprouting. This should control growth of foxtail, johnson grass, wild oats and resistant weeds such as chickweed, mayweed, mallow, pine-apple weed, sweet fennel and wild cherry.

Important: Do not store at temperatures below 20°F. If stored for extended periods below 20°F, bring the contents of the container up to 32°F, and agitate by rolling.

Care must be taken not get the spray on the leaves of desirable plants or the trunks of trees. Do not contaminate water used for irrigation or domestic purposes.

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

Agitate before using.

DANGER



POISON

KEEP OUT OF REACH OF CHILDREN:

Poisonous if swallowed, or absorbed through skin

Do Not Get in Eyes, on Skin, on Clothing • Do Not Take Internally
Avoid Breathing Spray Drift • Do Not Wear Contaminated Clothing or Shoes

COMBUSTIBLE

Do Not Use, Pour, Spill or Store Near Heat or Open Flame.

First Aid Treatment - Antidote

Symptoms of Poisoning: Excessive Fatigue, Sweating, Thirst and Fever. If symptoms of poisoning develop from any type of exposure, SEND FOR A PHYSICIAN.

FIRST AID: Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses by immersion in cool water.

If Swallowed, SEND FOR A PHYSICIAN. Induce vomiting by giving an emetic such as 2 tablespoons of table salt in a glass of warm water; repeat until vomit fluid is clear, then give two tablespoonfuls of baking soda in a glass of water. Treat as in FIRST AID, above.

If Splashed in Eyes, immediately flush eyes with plenty of water for at least 15

minutes and get medical attention.

If Spilled on Skin, immediately remove contaminated clothing, including shoes, wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician and treat as in FIRST AID, above. Discard contaminated clothing and shoes, or clean them thoroughly before re-use.

NOTE TO ATTENDING PHYSICIAN: Active ingredient is metabolic stimulant. Treat symptomatically.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

D-H INDUSTRIAL SUPPLY COMPANY

HOME OFFICE: BOWIE, TEXAS 76230

