



**High Pressure  
Non-Flammable  
AEROSOL  
INSECTICIDE**

Containing Pyrethrins and  
Piperonyl Butoxide

**Toxic to Humans and Pets**

**INGREDIENTS**

Pyrethrins	0.5%
Allyl Piperonyl Butoxide	4.0%
Equivalent to 3.2% (butylcarbityl) (6-propyl- onyl) ether and 0.8% other related compounds	
Paraffin Hydrocarbons	12.5%
<b>ADJUVANTS</b>	
Dichlorodifluoromethane	83.0%
Residual	100.0%

**Keep out of reach of children**

**CAUTION**

Contains a liquid under pressure. Do not drop the container  
at temperatures higher than 135° F. Do not spray directly  
on silk, plastic, or asphalt tile.  
Store in a safe place when empty.  
Do not burn in an incinerator.  
Do not use in a room where live fish or aquarium life is kept.

**NET WEIGHT 5 LBS.**

Manufactured By

**TT CHEMICAL PRODUCTS COMPANY**

1000 Locust Ave., Philadelphia, Pennsylvania 19134

and other articles so that the foggy spray can circulate  
freely and contact the contents. Direct the spray at wearing  
apparel, making sure to thoroughly treat seams and folds  
of garments. Hold nozzle three feet away to prevent stain-  
ing. Keep treated areas closed for an hour or more. Fairly  
heavy dosage is recommended, repeated monthly unless  
stored in moth-tight container.

**FLEAS:** Spray downward onto floors, baseboards, floor  
coverings, wall cracks, sleeping quarters of animals, crevices,  
and other places of refuge. Heavy treatment is recommended.  
Repeat until the infestation is under control.

**SPECIAL INSTRUCTIONS FOR CONTROLLING  
COCKROACHES, CRICKETS AND SILVERFISH**

**DOSAGE:** For initial cleanup of heavy infestations of Ger-  
man Cockroaches, apply 1/2 oz. per 100 sq. ft. of floor  
space the equivalent of 30 seconds spraying time per 100  
sq. ft. of floor space.

**PROCEDURE:** Open all cabinets, drawers, closets, etc. Ap-  
ply Barnett Brand Aerosol Insecticide into resting places  
behind sinks, iceboxes, stoves and shelves, under count-  
ers and tables, into cracks, around baseboards and door  
frames, into open cabinets and drawers, etc. This treat-  
ment is to activate the insects and should be a rapid  
operation. Apply the remaining dosage as a space aerosol.  
Close room for at least 2 hours after treatment. Treat once  
a week for four weeks and every two weeks thereafter to  
prevent reinfestation.

**Notice To Buyer:** Since it is impossible to know all conditions under  
which this product may be used, the manufacturer and seller make no  
warranty of any kind, express or implied, concerning the use of this  
product.

Buyer assumes all risk of use or handling whether in accordance with  
directions or not.

USDA Reg. No. 3837-B