

Product Code: BLACK FLY

BARNETT BRAND



High Pressure AEROSOL INSECTICIDE

IN THE FLY THROUGH

SBP 1382™

ACTIVE INGREDIENTS:

(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-	
(2-methylpropenyl) cyclopropanecarboxylate	0.440% w/w
Related Compounds	0.060%
Aromatic petroleum hydrocarbons	1.000%
Petroleum distillate	13.480%

INERT INGREDIENTS:	Dichlorodifluoromethane	85.020%
		100.000%

*Cis-trans isomers ratio: max. 30% cis and min. 70% trans

Keep out of reach of children

WARNING

This cylinder contains a liquid under pressure. Do not drop the container or expose it to temperatures higher than 125° F. Do not spray directly on food or utensils.

Place cylinder in a safe place when empty.

Do not throw in an incinerator.

Do not use in a room where live fish or aquarium life is kept.

Leave the treated area. Keep the room closed for at least 15 minutes.

Ventilate the room when treatment is completed.

NET WEIGHT 5 LBS.

Manufactured By
BARNETT CHEMICAL PRODUCTS COMPANY

3018 Frankford Ave., Philadelphia, Pennsylvania 19134

SEP 2 1971

IN THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTGENIC ACT
AND FEDERAL TOXIC SUBSTANCE
LAW REGISTER

SPECIAL INSTRUCTIONS FOR CONTROLLING ROCKROACHES AND SILVERFISH

MESSAGE: For initial clean-up of heavy infestations of cockroaches, apply 2-3 oz. per 1000 sq. ft. of floor space the equivalent of 30 seconds spraying time per 1000 sq. ft. of floor space.

PROCEDURE: Open all cabinets, drawers, closets, etc. Apply Barnett Brand Aerosol Insecticide into resting places behind sinks, iceboxes, stoves and shelves, under counters and tables, into cracks, around baseboards and door frames, into open cabinets and drawers, etc. This treatment is to activate the insects and should be a rapid operation. Apply the remaining dosage as a space aerosol. Close room for at least 2 hours after treatment. Treat once a week for four weeks and every two weeks thereafter to prevent reinfestation.

In Food Processing Plants: Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply when plant is not in operation.

Notice To Buyer: Buyer assumes all risk of use, storage, or handling of this material not in strict accordance with directions given herewith.

USDA Reg. No. 3833-6