



AD-BAC 4227

Cleaner • Disinfectant • Deodorizer • Fungicide
Designed for Hospital and Institutional use.

Active Ingredients:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl	
ethylbenzyl ammonium chlorides	2.25%
Sodium Carbonate	3.00%

Inert Ingredients:.....	92.50%
	<hr/>
	100.0%

EPA Reg. No. 4029-22

DANGER

KEEP OUT OF REACH OF CHILDREN. SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY AND FIRST AID STATEMENTS.

OIL SPECIALTIES & REFINING CO., INC.
18 Bridge Street
Brooklyn, N. Y. 11201

AUTHORIZED FOR USE IN FEDERALLY INSPECTED MEAT, POULTRY AND EGG PROCESSING PLANTS

USE DIRECTIONS

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi. For best results, use AD-BAC with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm (2.8 ounces per 5 gallons). After sanitizing items, rinse with potable water.

For heavy soil or organic matter, a precleaning step is recommended.

PHENOL COEFFICIENTS:

Guaranteed	Minimum
<i>S. aureus</i>	42
<i>S. typhosa</i>	27

Rinse empty container thoroughly with water and discard it.

AD-BAC, when used on environmental inanimate hard surfaces at 2 ounces per gallon of water, is effective against influenza A₂, Herpes Simplex, Adenovirus type 2, and Vaccinia Viruses.

NET CONTENT:

