

**Precautionary Statements
Hazards to Humans and Domestic
Animals**

CAUTION: Keep out of reach of children.
Avoid contamination of food. Harmful if
swallowed. Avoid contact with skin and
eyes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by
storage or disposal.

Open dumping is prohibited

Do not reuse empty container

PESTICIDE DISPOSAL Wastes resulting
from the use of this product may be
disposed of on site or at an approved
waste disposal facility.

CONTAINER DISPOSAL

PLASTIC CONTAINERS Triple rinse (or
equivalent). Then offer for recycling or
reconditioning, or puncture and dispose of
in a sanitary landfill, or incineration, or, if
allowed by state and local authorities, by
burning. If burned, stay out of smoke.

EPA Registration No. 3837-5
EPA Est. 3837-MO-1

Only For Sale To, Use And
Storage By Service Persons.

KRYSTAL

- GERMICIDE
- FUNGICIDE
- DISINFECTANT
- DEODORANT

NEW HARD WATER EFFICIENCY

Effective in water up to 850 ppm according to
recently revised Appendix F of the U.S.P.H.S. milk
ordinance and code.


Active Ingredients—N-Alkyl (C14, 50%, C12, 40%, C16, 10%) dimethyl Benzyl Ammonium Chloride	10%
Inert Ingredients	90%
	100%

Phenol Coefficients (A.O.A.C. method 20° C.)	
Salmonella typhosa	35
Micrococcus pyogenes var. aureus	50

KEEP OUT OF REACH OF CHILDREN CAUTION

Avoid contamination of food.
Harmful if swallowed
Do not get in eyes. In case of contact, flush
copiously with water. If eye irritation persists,
get medical attention.
Avoid contact with skin. In case of contact,
flush copiously with water.

See Side Panel for Additional Precautionary
Statements.



Toll Free 1-800-821-5207 / 816-471-2560

It is
proc
label

In
solu
Fc
as c
prior

S:
thor
difut
wate
air c
for f

S
plar
equ
of
Flus
use
as
san

A
Cle
solu
of v

1.

2 of 2

KRYSTAL

- GERMICIDE
- FUNGICIDE
- DISINFECTANT
- DEODORANT

NEW HARD WATER EFFICIENCY

Effective in water up to 850 ppm according to recently revised Appendix F of the U.S.P.H.S. milk ordinance and code.

Active Ingredients—N-Alkyl (C14, 50%, C12, 40%, C16, 10%) dimethyl Benzyl Ammonium Chloride	10%
Inert Ingredients	90%
	100%

Phenol Coefficients (A.O.A.C. method 20° C.)	
Salmonella typhosa	35
Micrococcus pyogenes var. aureus	50

KEEP OUT OF REACH OF CHILDREN CAUTION


Avoid contamination of food.

Harmful if swallowed

Do not get in eyes. In case of contact, flush copiously with water. If eye irritation persists, get medical attention.

Avoid contact with skin. In case of contact, flush copiously with water.

See Side Panel for Additional Precautionary Statements.



DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

In all cases clean surfaces prior to application of solutions recommended.

Food processing and dairy equipment, treated as directed, should be rinsed with potable water prior to use.

Sanitization of dairy equipment: Clean and rinse thoroughly. Then immerse in sanitizing solution diluted 1 ounce of disinfectant per 4 gallons of water. Milk cans and other equipment should be air dried. The same dilution is also recommended for flank and udder washing prior to milking.

Sanitization of equipment in food processing plants, including meat plants: Clean and rinse equipment thoroughly. Then scrub with a solution of 1 ounce disinfectant per 4 gallons of water. Flush equipment with a clear water rinse before re-use. On surfaces difficult to clean completely (such as meat cutting boards) increase strength of sanitizing solution to 1 ounce to 1 gallon of water.

Mold control of walls, ceiling, etc., in food plants: Clean thoroughly, rinse, then spray or sponge with solution containing 1 ounce disinfectant per gallon of water.

Disinfection and Sanitization of Fabrics. Agitate in solution containing 1 ounce of disinfectant per gallon of water to disinfect clothing and linens. Fabric may be rendered bacteriostatic by immersing in a solution containing one ounce of disinfectant per 4 gallons of water. This quantity is sufficient for treatment of 10 pounds of fabric.

Disinfection rubber goods: Clean thoroughly, then soak in solution diluted 1 ounce of disinfectant per 2 gallons of water for 10 minutes.

Non-inflammable, non-volatile, odorless.

Directions: Do not mix with soap or synthetic detergents. Article to be disinfected should first be washed and rinsed.

General disinfection in hospitals, public rooms and at home. Apply solution containing 1 ounce of disinfectant per 1 gallon of water freely to surfaces.

Disinfection of barber shop and beauty parlor equipment: Clean thoroughly, then soak combs, brushes, razors, etc., for 10 minutes in a solution of 1 ounce of disinfectant per 1 gallon of water.

Sanitization of glassware, silverware, dishes, cooking utensils, etc.: Clean with a suitable detergent, rinse thoroughly, then dip in sanitizing rinse made with 1 ounce of disinfectant in 4 gallons of water, and air dry. **DO NOT USE A TOWEL.**

ACCEPTED
APR 10 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 3837-5
EPA Reg. No.

320

5207 / 816-471-2560

1700 Campbell . P.O. Box 410588 / Kansas City, Missouri 64141-0588

BEST AVAILABLE COPY