

HiCo

PM 31 3837-21

10

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To Clean and Deodorize Walls, Floors, Tables, Refrigerators, Stoves, Sinks, Bathroom Fixtures, and Garbage Cans: Wash with a solution containing 1/2 ounce of product per gallon of water.

To deodorize particularly disagreeable odors, use a solution of 3 ounces per gallon of water.

To Disinfect: Wash previously cleaned surface with a solution of 1 ounce of product per gallon of water. Let stand for 10 minutes.

Apply solution with mop, cloth, or mechanical sprayer so as to wet all surfaces thoroughly.

For food contact surfaces, remove all food and packaging materials. After disinfecting, thoroughly rinse all treated surfaces with potable water. For non-food surfaces, let air dry.

HI-CO

CLEANER-DISINFECTANT DEODORANT-FUNGICIDE

for Hospitals, Institutional
and Industrial Use.

ACTIVE INGREDIENT	
N-Alkyl (C14 50%, C12 40%, C16 10%), Dimethyl Benzyl Ammonium Chloride	8%
INERT INGREDIENTS	94%
	100%

Effective against Staphylococcus aureus, S. choleraesuis, and P. aeruginosa.

EPA Reg. No. 3837-21
EPA Est. No. 3837-MO-1

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. If swallowed, drink egg whites, gelatin solution, or if not available, drink large quantities of water. Call a physician.

Precautionary Statements Hazards to Humans and Domestic Animals

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food. Remove and wash contaminated clothing.

Do not mix with soap or synthetic detergents.

This product fulfills the criteria of Appendix F as revised March 12, 1956, of the Milk Ordinance & Code, 1953 Recommendations of the U.S. Public Health Service in waters up to 550 ppm (32 grains per gallon) of hardness calculated as CaCO₃ when tested by the method outlined by Chambers.

Manufactured for use in hospitals, institutions and commercial establishments.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food, storage or disposal. Open dumping

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Proper disposal of excess pesticide, or rinsate is a violation of Federal Law. These wastes cannot be disposed of in a sanitary landfill, or by other means approved by state and local authorities. For disposal, contact the State Pesticide or Environmental Control Agency, or the Hazardous Waste representative nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

(for metal containers)

Triple rinse (or Equivalent). Then recycle or reconditioning, or puncture and destroy in a sanitary landfill, or by other means approved by state and local authorities.

(for plastic containers)

Triple rinse (or Equivalent). Then recycle or reconditioning, or puncture and destroy in a sanitary landfill, or by other means approved by state and local authorities. If burned, stay out of smoke.

BEST AVAILABLE COPY

ACCEPTED
APR 06 1992

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3837-21