**Precautionary Statements** Hazards to Humans and Domestic Animals

## CAUTION **KEEP OUT OF REACH OF CHILDREN**

Harmful if absorbed through same Avoid contact with eyes, skin, or clothing. PHYSICAL OR CHEMICAL HAZARDS

FIRST AID: If swallowed: Call a physician or Poison Control Center. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohoL

If on Skin: Wash with plenty of soap and water. Get medical attention. Note to Physician; This product may pose an aspiration pneumonia hazard. Contains petroleum at the nearest EPA Regional Office for guidance. distillate.

### PERSONAL PROTECTIVE EQUIPMENT

(PPE): Applicators and other handlers must wear: long-sleeved shirt and long pants; chemical-resistant gioves, and shoes plus socks.

Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washable, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: thould wash hands before eating, drinking, chewing .sing tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

GENERAL INFORMATION: A liquid weed killer. To be applied undiluted as a spray on non-cropland areas where bare ground is desired. The degree of weed control and duration of effect will vary with the amount of chemical applied, soil type, rainfall and other conditions.

The second s

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative

### CONTAINER DISPOSAL METAL CONTAINERS: Triple rinse (or

equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ENVIRONMENTAL HAZARDS: Do not apply directly to water or areas where surface water is present or intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

2 With the subset of a product of the state of the subset of the subs

# NET CONTENTS: 1 5 20 30 35 55 GALLONS

# **BROMA** WEED KILLER

Kills Most Vegetation-Weeds Can Be Killed Ouickly

## **ACTIVE INGREDIENTS:**

2.4-Dichlorophenoxyacetic acid.

isooctyl ester (2-ethylhexyl ester)*	1.09 %
Bromacil(5-bromo-3-sec-butyl-6-methyluracil)	
INERT INGREDIENTS**	<u>98.30%</u>
	100.00 %

## \*2,4-Dichlorophenoxyacetic acid equivalent 0.70 %

\*\*CONTAINS PETROL EUM DISTILLATES A C C E P T E D KEEP OUT OF THE REACH OF CHILDREN SEP 27 1999 See Side Panel For Additional Precautions

Under the Federal Insecticide . Fundigida anic Basicadie Bbr dat AS approved for the most of a registered under

Lubar Chemical Co. 1700 Campbell / F.O. Box 410588 Kansas City, Missouri 64141-0588 Toll Free: 1-800-821-5207 / 816-471-2560

#### **DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling, GENERAL PRECAUTIONS AND

**RESTRICTIONS:** Not to be used in any recreational areas or in or around homes. Apply anytime of year except when the ground is frozen. Best results are obtained after predominate species are well established in the late spring or early summer. Before treating, calibrate equipment to ensure uniform cover of the area to be treated. Measure out the proper amount and apply.

Do not apply to, or otherwise permit it to come into contact with susceptible plants, such as vegetables, flowers, fruit trees, ornamentais, cotton, grapes, or other desirable plants and do not permit spray mists containing it to drift onto them. (Coarse sprays are less likely to drift.) Vapors from this product may injure susceptible plants in the immediate vicinity.

Do not allow people (other than applicator) or pets on treatment area during application.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift, Only protected handlers may be in the area during application. Do not enter or allow others to enter until sprays have dried.

Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (or do not use same spray equipment for other purposes).

Do not contaminate waters used for irrigation or domestic purposes.

### Do not reuse empty container.

Wash thoroughly with water and detergent. For 1 to 5 gallon containers, persons engaged in open pouring of this product must also wear coveralls or a chemical-resistant apron.

(General Precautions and Restrictions, continued:) For containers of 5 gallons or more, a mechanical system (probe and pump) must be used for transferring the contents of this container. If the contents of a nonrefillable pesticide container are emptied, the probe must be rinsed before removal.

 $(\lambda)$ 8

APPLICATION INSTRUCTIONS: Power sprayers, compressed air hand sprayers, knapsack sprayers or an ordinary sprinkler can be used to apply.

GENERAL WEED CONTROL: To control most weeds for an extended period of time on noncropland areas such as parking lots, fence rows, loading ramps, railroad sidings, storage yards, around buildings ramps, railroad sidings, storage yards, around buildings and industrial plant sites, apply up to 1 gallon per 1,000 sq. ft. (1 to 40 gallons per acre).

To control annual weeds and grasses such as foxtail, ryegrass, wild oats, crabgrass, cheatgrass, broomsedge, ragweed, lamb's-quarter and turkey mullein, apply up to I gallon per 1,000 sq. ft. (1 to 40 gallons per acre).

For other HARD TO KILL perennial weeds and grasses N such as Johnsongress, saltgrass, bouncing bet, bracken fern and horsetail, apply up to 1 gallon per 1,000 sq. ft. (1 to 40 gallons per acre).

Use up to 1 gallon per 1,000 sq. ft. (1 to 40 gallons per acre) to control perennial weeds and grasses, such as Smooth Brome, Canada bluegrass, purpleton, quackgrass, broomsedge, aster, dandelion, dog fennel, goldenrod, plantain and wild carrot.

Do not apply to areas underlaid by roots of desirable trees and shrubs.

The maximum number of broadcast applications per treatment site is 2 per year.

and the second states the states of the second states are the