SPT

Active	ngredients:	
P	oly [oxyethylene (dimethyliminio) ethylene-	10.00/
	(dimethyliminio) ethylene dichloride]	10.0%
Inert	ingrédient	90.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes. Avoid contact with skin. In case of contact flush with plenty of water for at least 15 minutes. If eye irritation persists get medical attention. Avoid contamination of food.

Rinse empty container thoroughly with water and discard container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies. Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Apply this product only as specified on this label.

368579

EPA Reg. No. 3837-42 EPA EST. 3837-MO-1

DIRECTIONS

SPT is used to control the growth of alg For maximum effectiveness, pools containal algae should be cleaned prior to using SI

for pools having just visible algae dose of 75 to 115 fl. oz. of SPT per 10, remove settled algae debris by cleaning.

For treatment of a freshly cleaned and 1 41 to 75 fl. oz. of SPT per 10,000 gal. 4

To maintain pools free of visible algaeditions of 13.5 to 27 fl. oz. of SPT per should be made every 5 to 7 days after

Uniform distribution of SPT throughout is necessary for maximum effectiveness.

SPT is compatible with those chemcals pools and is effective at both acid and be used in pools treated with chlorine che the amount of those chemicals normally not mix SPT with concentrated dry or lie

MANUFACTURED BY

LUBAR COMPA

1708 Campbell

Kansas

PT

yliminio) ethylenelene dichloride] 10.0% 90.0%

JTION

EACH OF CHILDREN

ot get in eyes. Avoid contact with with plenty of water for at least rsists get medical attention. Avoid

roughly with water and discard rating or crushing. Bury or discard ater supplies. Do not reuse empty ioner or destroy by perforating or place away from water supplies.

h. Treated effluent should not be in into lakes, streams, ponds, or act only as specified on this label.

DIRECTIONS

SPT is used to control the growth of algae in swimming pools. For maximum effectiveness, pools containing heavy growth of algae should be cleaned prior to using SPT.

For pools having just visible algae growth add an initial dose of 75 to 115 fl. oz. of SPT per 10,000 gal. of water and remove settled algae debris by cleaning.

For treatment of a freshly cleaned and filled pool, add initially 41 to 75 fl. oz. of SPT per 10,000 gal. of water.

To maintain pools free of visible algae growth, subsequent additions of 13.5 to 27 fl. oz. of SPT per 10,000 gal. of water should be made every 5 to 7 days after the initial treatment.

Uniform distribution of SPT throughout the water in the pool is necessary for maximum effectiveness.

SPT is compatible with those chemcals normally used to treat pools and is effective at both acid and alkaline pH. SPT can be used in pools treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix SPT with concentrated dry or liquid chlorine products.

MANUFACTURED BY

LUBAR COMPANY

1708 Campbell

1 ----

Kansas City, Missouri 64108

EPA Reg. No. 3837-42 EPA EST. 3837-MO-1