

File # 3838-34

ACCEPTED
OCT 3 0 1984
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 3838-34

KEEP OUT OF THE REACH OF CHILDREN

WARNING: Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

QUAT 42

Reg. T.M.

GERMICIDAL CLEANER

EPA Reg. No. 3838-34-48974 EPA Est. 3838-WI-1

CLEANER DISINFECTANT DEODORIZER FUNGICIDE
Designed for Hospital, Institutional and Industrial

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	2 25%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	2 25%
Sodium Carbonate	3 0 %

INERT INGREDIENTS:

(Contains compatible non-ionic detergents and builders.)	92 5 %
--	--------

DA
CAUSES
KEE
REACH
(See Additional)

"Only for Sale to, Use, and Storage by Servicepersons."

Essential Chemicals Corp. WISCONSIN

PRECAUTIONARY STATEMENTS

Hazard to Human and Domestic Animals

DANGER

Keep out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, skin or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash all contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 min. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE & DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER
- PESTICIDE DISPOSAL — Pesticides that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide.
- CONTAINER DISPOSAL — Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers.

2 of 2

QUAT 42

Reg. T.M.

GERMICIDAL CLEANER

EPA Reg. No. 3838-34-48974 EPA Est. 3838-WI-1

DISINFECTANT DEODORIZER FUNGICIDE VIRUCIDE *
Designed for Hospital, Institutional and Industrial Use

- INGREDIENTS:**
- 14. 30% C16, 5% C12, 5% C18) benzyl ammonium chlorides 2.25%
 - 12. 32% C14) dimethyl ammonium chlorides 2.25%
 - ate 3.0 %
- ADJUVANTS:**
- Compatible non-ionic surfactants and builders.) 92.5 %

DANGER
CAUSES EYE DAMAGE.
KEEP OUT OF REACH OF CHILDREN
 (See back panel for Additional precautions.)

"Only for Sale to, Use, and Storage by Servicepersons."

Central Chemicals Corp.
 WILMINGTON, DELAWARE 19806

QUAT 42 GERMICIDAL CLEANER

Detergent · Disinfectant · Deodorant · Fungicide · Virucide

Quat 42 is a fine combination Detergent, Disinfectant, Deodorant, Sanitizer and Fungicide designed for institutional use such as hospitals, nursing homes and schools, where reduction of the hazard of cross contamination by environmental surfaces is of vital importance. Pleasant to use on all walls, floors and food contact equipment. Leaves no scum or film — easy rinsing.

Effective against staphylococcus aureus, S. Choleraesuis, pseudomonas aeruginosa salmonella typhosa, E. Coli, and trichophyton interdigitale (athletes foot fungi) when used as directed.

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR GENERAL USE: 2 oz. QUAT 42 per gallon of water. This product will be an effective disinfectant and cleaner at this level. This has been substantiated by AOAC Use Dilution Confirmation Test. For best results, apply with a clean cloth or mop to wall, floors and food contact equipment. If used as a sanitizer on food equipment or other food contact items, limit the level of quaternaries to 200 ppm. (200 ppm. equals approximately 1/2 oz. per gallon of water.)

FOR SANITIZING FOOD CONTACT EQUIPMENT: Use 1/2 oz. QUAT 42 per gallon of water. Rinse equipment thoroughly with potable water prior to reuse.

FOR DAMP MOPPING AND SANITIZING ONLY: Use 1 oz. per gallon water.

FOR FUNGICIDAL USE: Use 2 oz. per gallon of water. This product will pass the AOAC Fungicidal Test at the recommended use dilution.

FOR VIRUCIDAL USE: Use 2 oz. per gallon of water. Effective against Influenza A, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses on environmental inanimate surfaces.

Contents: One Gallon