

Reg. T.M.

GERMICIDAL CLEANER DEODORANT

EPA Reg. No. 3838-36

CLEANER DISINFECTANT DEODORIZER FUNGICIDE VIRUCIDE*

Designed for Hospital, Institutional and Industrial Use


ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl	
ethylbenzyl ammonium chlorides	2.25%
Sodium Carbonate	3.0 %
Tetrasodium ethylene diamine tetraacetate	1.0 %
Essential Oils	0.2 %
INERT INGREDIENTS:	91.3 %

RT INGREDIENTS:
(Contains compatible non-ionic detergents and builders.)

DANGER: CAUSES EYE DAMAGE. KEEP OUT OF REACH OF CHILDREN

(See back panel for First Aid and Additional precautions.)



Essential Chemicals Carp. MERTON WISCONSIN 53056

QUAT 44 GERMICIDAL CLEANER DEODORANT

Detergent - Disinfectant - Deodorant - Fungicide - Virucide*

This is a fine combination Detergent, Disinfectant, Deodorant, Sanitizer and Fungicide designed for institutional use such as hospitals, nursing homes and schools, where reduction of the hazard of cross-infection by environmental surfaces is of vital importance. Pleasant to use on all walls, floors and food contact equipment. Leaves no scum or film — easy rinsing.

Effective against staphylococcus aureus, S. Choleraesuis, pseudomonas aeruginosa, salmonella typhosa, E. Coli, and trichophyton interdigitale (athletes foot fungi) when used as directed.

KEEP OUT OF THE REACH OF CHILDREN

DANGER: Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Protect eyes when handling.

FIRST AID: In cases of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before re-use. If swallowed, give milk, egg white, gelatin solution. Call a physician immediately.

DISCARD EMPTY CONTAINERS: Rinse empty container thoroughly with water and discard.

DIRECTIONS

FOR GENERAL USE: 2 oz. per gallon of water. This product will be an effective disinfectant and cleaner at this level. This has been substantiated by AOAC Use Dilution Confirmation Test. For best results, apply with a clean cloth or mop to wall, floors and food contact equipment. If used as a sanitizer on food equipment or other food contact items, limit the level of quaternaries to 200 ppm. (200 ppm. equals approximately ½ oz. per gallon of water.)

FOR SANITIZING FOOD CONTACT EQUIPMENT: Use 15 oz. per gallon of water. Rinse equipment thoroughly with potable water.

FOR DAMP MOPPING AND SANITIZING ONLY: Use 1 oz. per gallon water.

FOR FUNGICIDAL USE: Use 2 oz. per gallon of water. This product will pass the AOAC Fungicidal Test at the recommended use dilution.

*FOR VIRUCIDAL USE: Use 2 oz. per gallon of water. Effective against Influenza A₂, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses on environmental inanimate surfaces.