

Reg # 3838-37

PM-31

QUAT RINSE

DISINFECTANT · DEODORIZER · SANITIZER

EPA Reg. No. 3838-37 · EPA Est. No. 3838-WI-1

ACTIVE INGREDIENTS

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
dimethyl benzyl ammonium chlorides 5.00%
n-Alkyl (68% C12, 32% C14)
dimethyl ethylbenzyl ammonium chlorides 5.00%

INERT INGREDIENTS 90.00%

TOTAL 100.00%

DILUTE CONCENTRATE BEFORE USING

KEEP OUT OF REACH OF CHILDREN

DANGER

CAUSES EYE DAMAGE


For Commercial, Industrial
and Institutional Use Only.

SEE ADDITIONAL PRECAUTIONARY
STATEMENTS ON LEFT PANEL



ESSENTIAL Industries, Inc.

28391 Essential Rd. · Merton, WI 53056 · Phone: (414)538-1122



BEST COPY AVAILABLE

**QUAT RINSE
DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOOD PROCESSING EQUIPMENT: For sanitization of previously cleaned food processing equipment and food utensils dilute 1 ounce per 4 gallons of water to provide 200 ppm of active quaternaries. Apply with cloth, mop or sponge. Surfaces should remain wet for 1 minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when used solution becomes visibly dirty. For mechanical application used solution may not be reused for sanitizing applications.

HOSPITALS: For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use concentrate at 3-1/2 ounces per 5 gallons of water. Apply with cloth, mop, or sponge. Treated surfaces must remain wet for 10 minutes. Prepare a fresh solution daily or when used solution becomes visibly dirty. At this level concentrate will be effective against *Pseudomonas aeruginosa* PRD-10. For heavily soiled or contaminated areas, a precleaning step is required.

DAIRIES: To sanitize dairy equipment such as tanks, lines, pails, and milk cans, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce to 4 gallons of water (200 ppm). Apply with cloth, mop or sponge. Surfaces should remain wet for 1 minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when used solution becomes visibly dirty. For mechanical application, used solution may not be reused for sanitizing applications. Follow recommendations of local Health Board.

HOUSEHOLD: For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For Schools, Homes, Locker Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Offices and Shower Stalls. Apply solution with mop or cloth. Sanitize with 1 ounce to 4 gallons of water. Disinfect with 3 ounces to 5 gallons of water. Treated surfaces must remain wet for 10 minutes. Prepare a fresh solution daily or when used solution becomes visibly dirty. Kills *Staphylococcus aureus* and *Salmonella choleraesults*. For heavily soiled or contaminated areas, a precleaning step is recommended.

RESTAURANT AND BAR RINSE: 1. Scrape and prewash utensils and glasses whenever possible. 2. Wash with a good detergent or compatible cleaner (a commercial cleaner or detergent can be recommended). 3. Rinse with clean water. 4. Sanitize in a solution of 1 oz. to 4 gal. of water (200 ppm). Immerse all utensils for at least two minutes or for a contact time specified by governing sanitary code. 5. Place sanitized utensils on a rack or drainboard to air dry.

FOGGING: To minimize the danger of cross contamination as an adjunct to acceptable manual cleaning and disinfecting of room surfaces follow these special directions. 1. Remove all human, animal, and plant life from room. 2. Open closet doors and drawers. 3. Set up 34" revolving platform in center of room. 4. Mount Jet Challenger Sprayer, Model 5100C, or other fogging device delivering equivalent spray at 3 RPM. 5. Fill sprayer reservoir with 1.5 oz. of concentrate to 1 gallon of water to produce 1150 ppm active ingredients. 6. Set sprayer mechanism to deliver 1 gallon of solution. 7. Fog

for 15 minutes for an average 2100 cu.ft. room. For different room sizes proportionately to ensure complete wetting of exposed surfaces. 8. Wait 2 hours before reentry after treatment then manually disinfect room surfaces according to recommendations. Rinse fogging equipment thoroughly with clean water following use.

**PRECAUTIONARY STATEMENTS
Hazard to Human and Domestic Animals**

DANGER: CORROSIVE

KEEP OUT OF THE REACH OF CHILDREN. Causes severe eye and skin damage. Irritates eyes, skin or on clothing. Harmful if swallowed. Wear goggles or face shield when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink large quantities of water. Do not induce vomiting. If inhaled, get fresh air. If on whites, gelatin solution or if these are not available, drink large quantities of water.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.


STORAGE & DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

STORAGE: Store in a dry place no lower in temperature than 50°F or higher than 100°F. **CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of solid or liquid pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or Environmental Agency, or the Hazardous Waste representative at the nearest EPA Regional Office.

Contents: One Gallon



BEST COPY AVAILABLE