

DETERGENT/DISINFECTANT BLUE-ODORLESS

Cleaner • Disinfectant • Detergent • Fungicide (against pathogenic fungi)
Deodorizer • Virucide* • Sanitizer • Mildewstat (on hard inanimate surfaces)

ACTIVE INGREDIENTS

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides	6.25%
n-Alkyl (68% C12, 32% C14)	
dimethyl ethylbenzyl ammonium chlorides	6.25%
INERT INGREDIENTS	87.50%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

CAUSES EYE DAMAGE

For Commercial, Industrial and
Institutional Use Only.


SEE ADDITIONAL PRECAUTIONARY
STATEMENTS ON LEFT PANEL

EPA Reg. No. 3838-42 • EPA Est. No. 3838-WI-1



ESSENTIAL Industries, Inc.

MERTON, WISCONSIN 53056 • PHONE (414)538-1122



hazard of cross-contamination.
QUAT 256 when used as directed, is formulated to disinfect inanimate hard surfaces such as walls, floors, sink tops, toilet bowls, tables, chairs, telephones and bed frames. For larger areas such as operating rooms, patient care facilities and restrooms, this product is designed to provide both general cleaning and disinfecting.
QUAT 256 deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls, and other areas which are prone to odors caused by microorganisms.
In addition, QUAT 256 sanitizes previously cleaned and rinsed non-porous food contact surfaces such as tanks, chopping blocks, counter tops, drinking glasses, and eating utensils.

DISINFECTION - To disinfect inanimate, hard surfaces add 1/2 oz. QUAT 256 per gallon of water. Apply solution with a mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid.

For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

To disinfect toilet bowls, flush toilet, add 1/2 ounce QUAT 256 directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

SANITIZATION - To sanitize previously cleaned and rinsed non-porous food contact surfaces prepare a 200 ppm active quaternary solution by adding 1 ounce QUAT 256 to 5 gallons of water.

To sanitize immobile items such as tanks, chopping blocks, and counter tops, flood the area with a cloth or sponge making sure to wet all surfaces completely for at least 2 min. Let air dry. Prepare a fresh solution for each use.

To sanitize mobile items such as drinking glasses and eating utensils, immerse in a 200 ppm active quaternary solution for at least 60 seconds making sure to immerse completely. Remove and let air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

When used for sanitization of previously cleaned food equipment or food contact items, limit active quaternaries to 200 ppm. At this level NO POTABLE WATER RINSE IS REQUIRED. QUAT 256 exhibits effective disinfectant activity against the organisms: *Pseudomonas aeruginosa*, *PRD 10*, *Escherichia coli*, *Klebsiella pneumoniae*, *Salmonella schottmuelleri*, *Salmonella choleraesuis*, *Streptococcus faecalis*, *Shigella dysenteriae*, *Enterobacter aerogenes*, and *Staphylococcus aureus* and meets all requirements for hospital use.

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard, non-porous surfaces add 1/2 ounce of QUAT 256 per gallon of water. Apply solution with a cloth, mop or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

At the 1/2 ounce per gallon dilution, QUAT 256 is also fungicidal against the pathogenic fungi, *Trichophyton mentagrophytes*.

EFFICACY TESTS HAVE DEMONSTRATED THAT QUAT 256 IS AN EFFECTIVE BACTERICIDE, FUNGICIDE, AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

*** VIRUCIDAL ACTIVITY** - QUAT 256 when used on environmental inanimate hard surfaces at 1/2 ounce per gallon of water exhibits effective virucidal activity against influenza A2/Japan (representative of the common flu virus), Herpes Simplex Type 1 (causative agent of fever blisters), Adenovirus Type 5 (causative agent of upper respiratory infections), and Vaccinia virus (representative of the pox virus group).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACE OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, or eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of QUAT 256.

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Remove and wash contaminated clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink egg whites or gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE - Store in a dry place no lower in temperature than 50 deg. F. or higher than 120 deg. F.

CONTAINER DISPOSAL - Do not reuse empty container. Triple rinse empty container with water. Return metal drum then offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated, or if allowed by local authorities, by burning. If burned stay out of smoke.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Contents: One Gallon

