PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANNIALS — CAUTION

Harmful if availoused or absorbed through skin, Avoid contact with skin, eyes or clothing. Avoid breathing met. Cover or remove exposed topos: Awoid contemination of cooking useries and food preparation surfaces. Remove pets and cover fish aquatums before apraying.

STATEMENT OF PRACTICAL TREATMENT

If SWALLOWED, Contact a physician or Poison Control Center. Do not induce vomiting unless directed by a physician since appraision of it is product as a potential hazard. In EYES, in case of contact, immediately flowler, deep medical attention if irritation persists. On SKIN Wash with soap and water immediately, Get medical attention if irritation persists. On SKIN Wash with soap and water immediately. Get medical attention if irritation persists. Contains perforeum distillate.

ENVIRONMENTAL HAZARDS

Do not spray on turt or plants. This product is toxic to fish. Do not apply directly to water.

PHYSICAL AND CHEMICAL HAZARDS

Extinguish open fileme before space spraying. This formulation is combustible, DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

Effective for rapid control of flies, gnats, mosquitoes, saverfish, crickets, spiders, scorpions, wasps, hornets, sying moths and ants found in institutions and industrial buildings.

This product kills on contact the exposed states of flies, mosquitoes, gnats, silverfish, crickets, spiders, scorpions, wasps, hornets, flying moths and ants.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation.

DO NOT REMAIN IN TREATED AREAS AND VENTILATE THE AREA AFTER TREATMENT IS COMPLETED.

INSECTICIDE NO. 111

CTIVE INGREDIENTS: Piperonyl Butoxide, Technical*	0.250%
Pyrethrins	0.031%
Petroleum Oils	99.719%
	100.000%

*Consists of .200% (butylcarbity!) (6-propylpiperonyl) ether and .05% related compounds.

FOR INSTITUTIONAL AND INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Authorized by USDA for use in federally inspected meat and poulry plants

EPA PEG NO 3862-2 EPA EST NO 3862-GA-1

Batch No.:

MANUFACTURED BY:
A.B.C. Compounding Co., Inc. Morrow, GA

NET CONTENTS: 1 GALLON

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner that i inconsistent with its labeling

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dump-

STORAGE: If container is damaged: stop any leaks by repositioning the container or by patiching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of solided louids, wear protective equipment as required to prevent exposure. Clean up spilled arrass with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a sawage drum. Dispose of the wastes as below. Place any leaking container into a similar drum or glass as below. Mark the container with name of product, ingredient statement, precautionary statements, and signal word. Do not store, use, pour or spill near heat or fiame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: METAL CONTAINERS. Triple rinse (or equivalent). Then ofter for recycling of reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning it burned, stay out of smoke.

Use a

good spray or atomizer adjusted to deliver a fine mist. Treat infested areas thoroughly and repeat applications as needed. Whenever possible keep doors and windows closed for 10 minutes after spraying.

In the control of flies, mosquitoes, gnats, flying moths, direct the spray toward the upper portions of the enclosure and fill the atmosphere with mist, using 2 or 3 ounces to each 1000 cubic feet of space. In the control of wasps, and hornets, direct the spray toward the upper portions of the enclosure and fill the atmosphere with mist, using 8 to 10 ounces to each 1000 cubic feet of space. Against silverfish, crickets, scorpions, spiders and ants, treat all areas where these insects are commonly found, and direct the liquid behind baseboards, mouldings, furniture, cabinets, sinks and pipes; toward drains and dark comers, into cracks, crevices, recesses and similar places.

FOR INDUSTRIAL USE ONLY
No warranty, express or implied
merchantability, fitness or otherwise is made

BEST AVAILABLE COPY