

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SANITATION

Thoroughly wet all surfaces. Treated surfaces must remain wet for 1 minute. Fresh solution should be prepared daily or when the use solution becomes visibly dirty. For mechanical applications, use solution may not be reused for sanitizing applications.

If used for sanitization of previously cleaned or food contact items, limit the level of active quaternaries to 200 ppm (1 ounce per 4 gallons). For heavily soiled or organic matter, a pre-cleaning step is required.

Gross food particles and soil must be removed by a pre-rinse, pre-scrape or pre-soak treatment.

All surfaces must be thoroughly washed with a good detergent and rinsed with potable water before sanitizing solution is used.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.


STORAGE: If container is damaged, stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent exposure. Clean up spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of the wastes as below. Place any leaking container into a similar drum or glass as below. Mark the container with name of product, ingredient statement, precautionary statements and signal word.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL, METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. **PLASTIC CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA REG NO 3862-6

EPA EST NO 3862-GA-1



MUST BE DILUTED BEFORE USING

ACTIVE INGREDIENTS

- N-ALKYL (68% C₁₂, 32% C₁₄)
- DIMETHYL ETHYLBENZYL AMMONIUM CHLORIDES 5%
- N-ALKYL (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)
- DIMETHYL BENZYL AMMONIUM CHLORIDES 5%

INERT INGREDIENTS

- WATER 90%
- TOTAL 100.0%

DANGER
KEEP OUT OF REACH OF CHILDREN
SEE FIRST AID STATEMENT AND OTHER PRECAUTIONS
ON RIGHT PANEL

Manufactured By:

A.B.C. Compounding Co., Inc.
P.O. Drawer 585
Morrow, GA 30260

RECOMMENDED DILUTIONS

After Cleaning

1 oz. concentrate to 4 gallons water for Sanitizing Milking Machines, Milk Cans, Dishes, Glasses, Cutlery and Food Processing Equipment.

This solution is effective in water containing up to 750 P.P.M. Hardness.

After Cleaning

4 oz. per 5 gallons water for Disinfecting Floors, Wall Surfaces, etc., as found in Hospitals, Institutions, Public Rooms, Homes, Industrial Areas.

After Cleaning

1 1/2 oz. per gallon of water for Cold Disinfecting of Surgical Instruments, Barber and Beauty Shop Equipment. For Surgical Instruments, it is advisable to use one tablespoonful of Sodium Nitrate per gallon of solution as a corrosion inhibitor.

This product fulfills the criteria of Appendix F of the Grade "A" pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in waters up to 750 P.P.M. of hardness calculated as CaCO₃ when tested by the A.O.A.C. Germicidal and Detergent Sanitizers Official Method.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before use. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

THIS PRODUCT SHOULD NOT BE USED WITH SOAP OR ANIONIC DETERGENT.

NET CONTENTS

BATCH NO.

FOR INDUSTRIAL USE ONLY

For warranty, express or implied of merchantability, fitness or otherwise is made.

