

Precautionary Statements
 Hazards to Humans and Domestic Animals.
ANGER: CORROSIVE.

Causes severe eye irritation or eye damage. For eyes, wear goggles or face shield when handling the concentrate. Causes skin irritation. Wear rubber gloves when handling the concentrate. Harmful if swallowed. Avoid contamination of food, water, or animal feed. Wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician immediately. If swallowed, drink promptly a large quantity of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucousal damage may mandate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

DIRECTIONS FOR USE

This is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Does not leave any visible film on dishes or glassware. Does not affect the taste of beer. Does not leave any residual colors or flavor after rinsing.

On glassware, dishes, etc. add 1 ounce of GERM-I-SAN to 5 gallons of water in sink number one. Rinse in sink number two in clear water. Then add 1/2 ounce in sink number three and 1/2 ounce of GERM-I-SAN in 5 gallons of water. This will provide 25 ppm of available iodine. Dishes and glassware should be dry.

GERM-I-SAN acts rapidly in almost all cleaning systems. When used at full strength in heavily germ-infested areas, cut 1 part GERM-I-SAN to 3 parts water on porous surfaces, cut 1 part GERM-I-SAN to 1 part water on hard surfaces.

UNLIKE MOST OTHER CLEANER-SANITIZERS, GERM-I-SAN PROVIDES ITS OWN INDICATOR OF GERMICIDAL ACTIVITY. While the brown or amber tint of iodine remains, the GERM-I-SAN solution is active. When the color goes, the solution must be replaced. Public health inspectors require a two-minute immersion in the sanitizing solution. Even though GERM-I-SAN acts very rapidly, public health inspectors should be followed. GERM-I-SAN can be used satisfactorily in all 3-san systems. Local regulations should be followed. For circulation and its persistence in the operation areas, where food is prepared, it is with a special concentration of GERM-I-SAN in 2 1/2 parts of water. GERM-I-SAN is not adversely affected by water hardness or chlorine water.

GENERAL HOSPITAL SANITATION: Tubs, floors, walls, toilet bowls, bidets, mopans, Urinals - Rinse or store fresh solution. Use same concentration. Wash and disinfect in one operation with a solution of 5 ounces of GERM-I-SAN Concentrate to each five gallons of water.

URGICAL INSTRUMENTS may be prepared to remove a pathogenic and serious exudates and other materials in contact with the sanitizing solution.



For use in restaurants and bars, hospitals, food processing plants and federally inspected meat and poultry plants.

Active Ingredients:

Iodine*	1.75%
Phosphoric Acid	9.00%
Inert Ingredients:	89.25%
Total	100.00%

*From Nonylphenoxy 1-ethylenedioxyethanol-iodine complex.

DANGER
KEEP OUT OF REACH OF CHILDREN
AND DO NOT CONTAMINATE FEEDING STUFFS

Manufactured by:
 A.B.C. Compounding Co., Inc.
 P.O. Drawer 585
 Morrow, GA 30260

BEST AVAILABLE COPY

DIRECTIONS FOR USE (continued)

DAIRY PLANTS: Flush remaining milk from all equipment and all surfaces with lukewarm water, after processing milk. Clean and sanitize with a solution of 1 ounce GERM-I-SAN to 5 gallons of water.

MILKING MACHINE AND UTENSILS: Flush remaining milk from all equipment with lukewarm water after each milking. Take equipment apart and immerse all parts, except pulsator, in solution of 1 ounce GERM-I-SAN Concentrate to each 5 gallons of water and brush thoroughly. Use the same method to clean and sanitize strainers, wash pans, etc. in the same solution. Rinse with warm water, reassemble and rack in clean, dust-proof place. Before using equipment previously cleaned as above, sanitize with a solution of 1 ounce GERM-I-SAN Concentrate to each five gallons of water.

STORAGE AND DISPOSAL

This product must be kept under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. **PROHIBITIONS:** Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to labeling directions, contact your State Pesticide or Environmental Control Agency or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, if allowed by state and local authorities, by burning if burned, stay out of smoke. **METAL CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. **GENERAL:** Consult Federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

FOR INDUSTRIAL USE ONLY

No warranty, express or implied, or merchantability, fitness or otherwise is made.

EPA REG. NO. 3862-18-

EPA EST. NO. 3862-GA-1

Net Contents:
 Batch No.:

