

ALGICIDE

ALGICIDE When used as directed, will aid in controlling and/or preventing the development of unsanitary slime conditions which are unsightly, produce foul odors and which are often the cause of equipment breakdown.

ALGICIDE is compatible with virtually all corrosion inhibition additives, but should not be used in the presence of soap and other anionic detergents.

ALGICIDE at use dilution is non-corrosive to iron and steel surfaces.

DANGER

KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink *promptly* a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DANGER

This product is toxic to Fish. DO NOT discharge treated effluents into lakes, streams, or ponds.

ALGICIDE

CONCENTRATED SLIMICIDE FOR INDUSTRIAL RE-CIRCULATING WATER COOLING SYSTEM.

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
Dimethyl benzyl ammonium chlorides	5%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	5%

INERT INGREDIENTS:

Water (H ₂ O)	90%
Total	100%

Non-flammable, non-volatile and odorless

DANGER

KEEP OUT OF REACH OF CHILDREN

See back/side panel for required DANGERS.

Distributed by

ALGICIDE

DIRECTIONS FOR USE

Initial Dose: 1-2 gallons ALGICIDE to 5,000 gallons of water.

Periodic Dose: 1-3 Quarts ALGICIDE to 5,000 gallons of water every 7 days or sooner should visible growth appear.

For best results, rid system of organic debris if possible. If soap or anionic detergent is used, rinse thoroughly before charging with ALGICIDE.

Do not be alarmed with the sudden appearance of a considerable amount of organic debris in the system during the first week of operation. This is normal and is a good indication that ALGICIDE has effectively penetrated and dislodged dead organic material which tenaciously adheres to metal and wooden surfaces as living matter.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD

DANGER: Avoid contamination of food.

EPA NO. 3862-23

ACCEPTED WITH COMMENTS