

3862-28

05/07/1972

DIRECTIONS

Outdoor for temporary relief from the annoyance of mosquitoes, flies and certain other small flying insects. Spray or fog at the rate of 48 gallons per hour at a maximum vehicle speed of 5 M.P.H. for hand equipment, walking at a moderate pace. Wind should not be greater than 5 M.P.H. for optimum results apply early in the morning when conditions are favorable and when temperatures are expected to go above 65 F.

Apply .5 to 2.5 gallons of Malathion Fogging Concentrate per acre.

CAUTION

Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.

**MALATHION
FOGGING
CONCENTRATE**

ACTIVE INGREDIENTS:

* MALATHION	2.5%
PETROLEUM DISTILLATE	97.5%

TOTAL	100.0%
* O, O-DIMETHYL PHOSPHORODITHIOATE OF DIETHYL MERCAPTOSUCCINATE	

CAUTION

KEEP OUT OF REACH OF CHILDREN
See Other Precautions on the Side Panel

MANUFACTURED FOR:
A.B.C. COMPOUNDING CO., INC.
P. O. BOX 932
ATLANTA, GEORGIA 30301

CAUTION

DO NOT APPLY TO FOOD CROP OR ALLOW FOG TO DRIFT ON FOOD CROPS. HARMFUL IF SWALLOWED: KEEP OUT OF REACH OF CHILDREN AVOID CONTAMINATION OF FOOD STUFFS.

Avoid contact with skin. In case of spillage wash thoroughly. Avoid breathing of spray mist.

CAUTION

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

NET CONTENTS -----GALLONS
E. P. A. 3862-28

1/2

ACCEPTED

MAY 7 1972

UNDER THE FEDERAL INSECTICIDE-
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. *302-28* SUBJECT
TO ATTACHED COMMENTS.

e/g