

ACCEPTED

MAY 2 1989

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3862-46

10F1
PM31
3862-46

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or in clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before use. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SANITATION

Thoroughly wet all surfaces. Treated surfaces must remain wet for 1 minute. Fresh solution should be prepared daily or when the use solution becomes visibly dirty. For mechanical applications, use solution may not be reused for sanitizing applications.

If used for sanitization of previously cleaned or food contact items, limit the level of active quaternaries to 200 ppm (1 ounce per 4 gallons). For heavily soiled or organic matter, a pre-cleaning step is required.

Gross food particles and soil must be removed by a pre-rinse, pre-scrub, or pre-soak treatment.

All surfaces must be thoroughly washed with a good detergent and rinsed with potable water before sanitizing solution is used.

COLD DISINFECTION

For disinfection of surgical instruments which have been cleaned previously to remove all adhering blood and serous exudates, previously cleaned barber tools and dental equipment, simply submerge instruments into solution containing 1 1/2 oz. concentrate per gallon of water.

For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For Schools, Locker Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Offices and Shower Stalls. Apply solution with mop or cloth. Sanitize with 1 ounce concentrate to 4 gallons of water. Disinfect with 3 ounces concentrate to 5 gallons of water. Kills Staphylococcus and Salmonella choleraesuis.

PA REG NO 3862-46

EPA EST NO 3862-GA-1

**MAGIC
GERMICIDE
DISINFECTANT • SANITIZER
DEODORIZER**

ACTIVE INGREDIENTS:

- n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides 5%
- n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides 5%
- INERT INGREDIENTS** 90%
- 100%**

DANGER

KEEP OUT OF REACH OF CHILDREN

SEE OTHER PRECAUTIONARY STATEMENTS ON LEFT SIDE OF PANEL

Manufactured By:

A.B.C. Compounding Co., Inc.
P.O. Drawer 585
Morrow, GA 30260

DIRECTIONS FOR USE (CONTINUED)
STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged, stop any leaks by repositioning the container or by patching or otherwise repairing the leak. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent exposure. Clean up spills/leaks with generous amounts of absorbent material such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of the wastes as below. Place any leaking container into a similar drum or glass as below. Mark the container with name of product, ingredient statement, precautionary statements and signal word.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. **PLASTIC CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

RESTAURANT AND BAR RINSE

Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent, rinse thoroughly and immerse in a sanitizing solution containing 1 ounce concentrate to 4 gallons of water. No Terminal Potable Water Rinse is Required.

HOSPITALS

For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use concentrate at 3 1/2 ounces per 5 gallons of water. At this level it will be effective against Pseudomonas aeruginosa PRD-10.

FOOD PROCESSING EQUIPMENT

For sanitization of food processing equipment and food utensils dilute 1 ounce concentrate per 4 gallons of water to provide 200 ppm of active quaternary. At this level, No Potable Water Rinse is Required.

DAIRIES

To sanitize dairy equipment, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce concentrate to 4 gallons of water (200 ppm) At this level, No Potable Water Rinse is Required.

FOR INDUSTRIAL USE ONLY

NET CONTENTS:

BATCH NO:

No warranty, express or implied of merchantability, fitness or otherwise is made.

BEST AVAILABLE COPY

1/1