


**ACCEPTED**  
**APR 26 1993**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 3862-46 EPA Reg. No.



**PRECAUTIONARY STATEMENTS**  
 Hazards to Humans and Domestic Animals.

**DANGER**  
 Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed.

**NOTE TO PHYSICIAN**  
 Probable mucosal damage may contraindicate the use of gastric lavage. Measures against ocular injury, respiratory depression, and emphysema may be needed.

**STATEMENT OF PRACTICAL TREATMENT**  
 In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before use. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

**ENVIRONMENTAL HAZARDS**  
 This pesticide is toxic to fish. Do not discharge into lakes, ponds, streams, estuaries, oceans or other waters unless this product is specifically registered and addressed in an NPDES permit. Do not discharge effluent containing this product into water systems without previously notifying the appropriate plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Do not use water containing residue from use of this product to irrigate areas used for food or feed.  
**DIRECTIONS FOR USE**  
 It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**SANITATION**  
 Thoroughly wet all surfaces. Treated surfaces must remain wet for 1 minute. Fresh solution should be prepared daily or when the use solution becomes visibly dirty. For mechanical applications, use solution may not be reused for sanitizing applications.  
 If used for sanitation of previously cleaned or food contact areas, first the level of active ingredients to 200 ppm (1 ounce per 4 gallons) For heavily soiled or organic matter, a pre-cleaning step is required.  
 Grass feed particles and soil must be removed by a pre-flush, pre-scrub, or pre-soak treatment. All surfaces must be thoroughly washed with a good detergent and rinsed with potable water before sanitizing solution is used.

**COLD DISINFECTION**  
 For disinfection of surgical instruments, which have been cleaned previously to remove all adhering blood and serous exudates, previously cleaned barber tools and dental equipment, simply submerge instruments into solution containing 1 1/2 oz. concentrate per gallon of water.  
 For sanitizing and disinfecting floors, walls and trimline to hard surfaces. For Schools, Locker Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Offices and Shower Stalls. Apply solution with mop or cloth. Sanitize with 1 ounce concentrate to 4 gallons of water. Disinfect with 3 ounces concentrate to 5 gallons of water. Kills Staphylococcus aureus, Salmonella choleraesuis and Listeria monocytogenes.

**RESTAURANT AND BAR RINSE**  
 Dishes, glassware, silverware, eating utensils, wash with soap and synthetic detergent; rinse thoroughly and rinse in a sanitizing solution containing 1 ounce concentrate to 4 gallons of water. No Terminal Potable Water Rinse is Required.

**HOSPITALS**  
 For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use concentrate at 3 1/2 ounces per 5 gallons of water. At this level it will be effective against Pseudomonas aeruginosa PFD-10.

**FOOD PROCESSING EQUIPMENT**  
 For sanitization of food processing equipment and food utensils dilute 1 ounce concentrate per 4 gallons of water to provide 200 ppm of active quaternary. At this level, No Potable Water Rinse is Required.

**DAIRIES**  
 To sanitize dairy equipment, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce concentrate to 4 gallons of water (200 ppm). At this level, No Potable Water Rinse is Required.

**STORAGE AND DISPOSAL**  
 Do not contaminate water, food, or feed by storage or disposal. Open burning is prohibited.  
**STORAGE:** If container is damaged, wrap any leaks by reapplying the container or by patching or by otherwise repairing the leaks. Use care to avoid contact with pesticides and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent exposure. Clean up spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of the wastes as below. Place any leaking container into a similar drum or glass as above. Mark the container with the name of the product, ingredient statement, precautionary statements and signal word.  
**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of waste is a violation of Federal Law. If these wastes cannot be disposed of by you according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL: METAL CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or remanufacturing, or purchase and dispose of in a sanitary landfill, or by other procedure approved by state and local authorities. **PLASTIC CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or remanufacturing, or purchase and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA REG NO 3862-46  
 EPA EST NO 3862-GA-1

# MAGIC GERMICIDE

## DISINFECTANT • SANITIZER DEODORIZER • ALGAEICIDE

- Hard Surface Disinfectant and Sanitizer
- Concentrated Slimicide for Industrial Recirculating Water Cooling Systems
- Swimming Pool Algaecide

**ACTIVE INGREDIENTS**

n-Alkyl (60% C <sub>14</sub> , 30% C <sub>15</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides .....	5%
n-Alkyl (65% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chlorides .....	5%
<b>INERT INGREDIENTS</b> .....	90%
	100%

**DANGER**  
 KEEP OUT OF REACH OF CHILDREN

SEE OTHER PRECAUTIONARY STATEMENTS ON LEFT SIDE OF PANEL

No warranty, express or implied  
 of merchantability, fitness or otherwise is made.

Net Contents: 1 Gal.  
 Batch No.

MANUFACTURED BY:

A.B.C. COMPOUNDING CO., INC.  
 P.O. DRAWER 585  
 MORROW, GA 30260

**DIRECTIONS FOR USE (CONTINUED)**  
**COOLING SYSTEMS**

For (open system) recirculating cooling towers and evaporative condenser system. When used as directed, this product will aid in controlling and/or preventing the unnecessary slime conditions which are unsightly, produce foul odors and which are of equipment breakdown.  
 Concentrated Slimicide is compatible with virtually all corrosion inhibition additives to be used in the presence of soap and other anionic detergents.  
 This product at use dilution is non-corrosive to numerous surfaces.

Begin treatment when the system is in jeopardy of becoming affected or after an outage efficiency is already impaired. Apply at a point in the system where the uniformly mixed. Badly fouled systems must be cleaned before treatment is begun.

**Initial Dose:** 1-2 gallons concentrate to 5,000 gallons of water in the system. Periodic Dose: 1-3 Quarts concentrate to 5,000 gallons of water in the system a scanner should visible growth appear.  
 For best results, rid system of organic debris if possible. If soap or anionic detergent thoroughly before changing with slimicide.

Do not be alarmed with the sudden appearance of a considerable amount of organ system during the first week of application. This is normal and is a good indicator has effectively penetrated and dissolved dead organic material which tenaciously and wooden surfaces as living matter.

**SWIMMING POOLS**

THIS PRODUCT IS COMPATIBLE WITH MANY SWIMMING POOL CHEMICAL USED AS DIRECTED IT IS NOT HARMFUL TO THE METAL PAINT, PLAS SURFACES OF THE SWIMMING POOL.

WHEN USED AS DIRECTED, WILL HELP IMPROVE THE APPEARANCE AND C OF THE SWIMMING POOL WATER.

HELPS INHIBIT THE GROWTH OF UNSIGHTLY ALGAE.

WHEN PROPERLY STORED FOR PROLONGED PERIODS OF TIME, WILL IN EFFECTIVENESS OR STRENGTH.

REQUIRES NO SPECIAL EQUIPMENT FOR TREATING SWIMMING POOL W CORRECT USE-DILUTION MAY BE ADDED DIRECTLY TO THE POOL IN AN ADDED TO THE WATER-CIRCULATION EQUIPMENT.

**INITIAL APPLICATION FOR SWIMMING POOLS**  
 (To clean a pool)

One gallon to each 50,000 gallons of water or less thereof. If Algae growth is va initial dose. Vacuum pool after 24 hours to remove dead algae. If algae is still visible as necessary until pool is free of visible algae.

**CONTINUED APPLICATION**

One quart in 50,000 gallons of water every 3-5 days or as needed to maintain 2 pp

**BOOSTER APPLICATION**

One quart in 50,000 gallons after a heavy or prolonged rainfall or when there is a lead.

The above directions should be followed even when the pool is not in use

If algae growth is noticeable, apply the initial dose

**For Shell Egg Sanitizing:** Use \_\_\_\_\_ at use dilution 1/4 ounce per gallon of water that have been sanitized \_\_\_\_\_ should be subjected to a thorough potable water only if they are to be immediately broken for use in the manufacture of egg prod  
**For Hand Sanitizing:** The hands must be washed and thoroughly rinsed prior to san. Sanitize by dipping hands into a solution of 1/4 ounce \_\_\_\_\_ per gallon of water hands need not be rinsed with potable water following the use of the compound.