

SEP 11 2003

Mr. Michael Rekhelman
Vice President Technical Services
ABC Compounding Co., Inc.
P.O. Box 16247
Atlanta, GA 30321

Subject: Majic Germicide
EPA Registration No. 3862-46
Application Date: 5/23/03
Receipt Date: 6/16/03

Dear Mr. Rekhelman:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable:

Response to PR Notice 2001-1

LABEL COMMENTS

1. The following sentence must be added to the "For Shell Egg Sanitizing Directions":
Note: Only clean, whole eggs can be sanitized. Dirty, cracked or punctured eggs cannot be sanitized.
2. Under the "Diaries Directions". insert the statement: 1 to 2 ounces of this product per 4 gallons of water (or equivalent use dilution) (200-400 ppm active quaternary) and delete the sentence "1 ounce of product in 4 gallons of water (200 ppm). Also, this sentence applies for the "Food Processing Equipment Directions" and the "Restaurant and Bar Rinse Directions".
3. According to PR Notice 83-3, the Storage and Disposal statements must be expanded to add the language for containers more than 1 gallon and for containers 1 gallon or less.

GENERAL COMMENTS

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

CONCURRENCES

SYMBOL	7510C							
SURNAME	M. J. Rezel							
DATE	8-19-03							

Should you have any questions or comments concerning this letter, please contact Zenobia Jones at (703) 308-6198.

Sincerely,




Velma Noble
Product Manager 31
Regulatory Management Branch 1
Antimicrobial Division (7510C)

3 7 4

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 11 2003
Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 3862-46

LA-206 BLACK
(gallon screen) (4-26-00 CHANGED ICON PER EPA)
epa update 05-20-03 stan



Manufactured by:
A.B.C. COMPOUNDING CO, INC.
Atlanta, GA 30321

EPA REG. NO.: 3862-46-
EPA EST. NO.: 3862-6A-1

ACTIVE INGREDIENTS
n-Allyl (60% C14, 30% C16, 5% C12,
5% C18) dimethyl benzyl ammonium
chlorides..... 5.00%
n-Allyl (68% C12, 32% C14) dimethyl
ethylbenzyl ammonium chlorides..... 5.00%
INERT INGREDIENTS..... 80.00%
TOTAL..... 100.00%

Magic Germicide

- DISINFECTANT ● DEODORIZER ● SANITIZER ● ALGAEICIDE
- Hard Surface Disinfectant and Sanitizer
- Concentrated Slimicide for Industrial Recirculating Water Cooling Systems
- Swimming Pool Algaecide

Sanitarizador no-enjuague

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand this label, find someone to explain it to you in detail.)

DANGER
KEEP OUT OF REACH OF CHILDREN
SEE OTHER PRECAUTIONARY STATEMENTS ON SIDE PANELS
Net Contents: 1 gallon (3.8 L) Batch No: 1013



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed.

FIRST AID:

If in eyes	<ul style="list-style-type: none"> ● Hold eye open and rinse slowly and gently with water for 15-20 minutes. ● Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. ● Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> ● Take off contaminated clothing. ● Rinse skin immediately with plenty of water for 15-20 minutes. ● Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> ● Call a Poison Control Center or doctor immediately for treatment advice. ● Have person sip a glass of water if able to swallow. ● Do not induce vomiting unless told to do so by the poison control center or doctor. ● Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> ● Move person to fresh air. ● If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. ● Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN- Probable mucosal damage may contraindicate the use of gastric lavage.	

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not use water containing residue from use of this product to irrigate crops used for food or feed.

DIRECTIONS FOR USE- It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **SANITATION-** Thoroughly wet all surfaces. Treated surfaces must remain wet for 1 minute. Fresh solution should be prepared daily or when the use solution becomes visibly dirty. For mechanical applications, use solution may not be reused for sanitizing applications. If used for sanitation of previously cleaned or food contact items, limit the level of active quaternary to 200 ppm (1 ounce per 4 gallons) For heavily soiled or organic matter, a pre-cleaning step is required. Gross food particles and soil must be removed by a pre-flush, pre-scrape, or pre-soak treatment. All surfaces must be thoroughly washed with a good detergent and rinsed with potable water before sanitizing solution is used. **COLD DISINFECTION-** For disinfection of previously cleaned barber tools simply submerge instruments into solution containing 1 1/2 oz. concentrate per gallon of water. For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For Schools, Locker Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Offices and Shower Stalls. Apply solution with mop or cloth. Sanitize with 1 ounce concentrate to 4 gallons of water. Disinfect with 3 ounces concentrate to 5 gallons of water. Kills Staphylococcus aureus, Salmonella choleraesuis and Listeria monocytogenes.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

DIRECTIONS FOR USE (CONTINUED) RESTAURANT AND BAR RINSE: Dishes, glassware, silverware, cooking utensils, wash with soap and synthetic detergent; rinse thoroughly and immerse in a sanitizing solution containing 1 ounce concentrate to 4 gallons of water. No Terminal Potable Water Rinse is Required. **HOSPITALS:** For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use concentrate at 3 1/2 ounces per 5 gallons of water. At this level it will be effective against Pseudomonas aeruginosa PRD-10. **FOOD PROCESSING EQUIPMENT:** For sanitization of food processing equipment and food utensils dilute 1 ounce concentrate per 4 gallons of water to provide 200 ppm of active quaternary. At this level, No Potable Water Rinse is Required. **DAIRIES:** To sanitize dairy equipment, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce concentrate to 4 gallons of water (200 ppm). At this level, No Potable Water Rinse is required. **FOR SHELL EGG SANITIZING:** To sanitize clean shell eggs intended for food or food products, spray with a solution of 1 ounce of product in 4 gallons of water (providing 200 ppm active). The solution must be equal to or warmer than the eggs, but not to exceed 130° F. Wet eggs thoroughly and allow to drain. Eggs that have been sanitized with this quaternary ammonium compound shall be subjected to a thorough potable water rinse only if they are to be immediately broken for use in the manufacture of egg products. Eggs must be reasonably dry before casing or breaking. The solution must not be reused for sanitizing eggs. **FOR HAND SANITIZING:** The hands must be washed and thoroughly rinsed prior to sanitizing. Sanitizing by dripping hands into solution of 1/4 ounce per gallon of water. The hands need not be rinsed with potable water following the use of the compound. **COOLING SYSTEMS:** For (open system) recirculating cooling towers and evaporative condenser systems. When used as directed, this product will aid in controlling and or preventing the development of unsanitary slime conditions which are unsightly, produce foul odors and which are often the cause of equipment breakdown. Concentrated Slicimicide is compatible with virtually all corrosion inhibition additives, but should not be used in the presence of soap and other anionic detergents. This product at use dilution is non-corrosive to inanimate surfaces. Begin treatment when the system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impaired. Apply at a point in the system where the product will be uniformly mixed. Badly fouled systems must be cleaned before treatment is begun. **Initial Dose:** 1-2 gallons concentrate to 5,000 gallons of water in the system. **Periodic Dose:** 1-3 quarts concentrate to 5,000 gallons of water in the system every 7 days or sooner should visible growth appear. For best results, rid system of organic debris if possible. If soap or anionic detergent is used, rinse thoroughly before charging with Slicimicide. Do not be alarmed with the sudden appearance of a considerable amount of organic debris in the system during the first week of operation. This is normal and is a good indication that Slicimicide has effectively penetrated and dislodged dead/organic material which tenaciously adheres to metal and wooden surfaces as living matter. **SWIMMING POOLS:** THIS PRODUCT IS COMPATIBLE WITH MANY SWIMMING POOL CHEMICALS AND WHEN USED AS DIRECTED IT IS NOT HARMFUL TO THE METAL PAINT, PLASTIC OR TILE SURFACES OF THE SWIMMING POOL. WHEN USED AS DIRECTED, WILL HELP IMPROVE THE APPEARANCE AND CLEANLINESS OF THE SWIMMING POOL WATER. HELPS INHIBIT THE GROWTH OF UNSIGHTLY ALGAE. WHEN PROPERLY STORED FOR PROLONGED PERIODS OF TIME, WILL NOT LOSE ITS EFFECTIVENESS OR STRENGTH. REQUIRES NO SPECIAL EQUIPMENT FOR TREATING SWIMMING POOL WATER. THE CORRECT USE-DILUTION MAY BE ADDED DIRECTLY TO THE POOL IN ANY SPOT, OR ADDED TO THE WATER-CIRCULATION EQUIPMENT. **INITIAL APPLICATION FOR SWIMMING POOLS (to clean a pool)** One gallon to each 50,000 gallons of water or ratio thereof. If algae growth is visible apply the initial dose. Vacuum pool after 24 hours to remove dead algae. If algae is still visible repeat dose as necessary until pool is free of visible algae. **CONTINUED APPLICATION:** One quart in 50,000 gallons of water every 3-5 days or as needed to maintain 2 ppm. active. **BOOSTER APPLICATION-** One quart in 50,000 gallons after a heavy or prolonged rainfall or when there is a heavy bathing load. The above directions should be followed even when the pool is not in use. If algae growth is noticeable, apply the initial dose. **FOR INDUSTRIAL USE ONLY** Seller warrants that this product corresponds to all claims and descriptions on the label thereof and is reasonably fit for use for any purpose stated on such label only when used in accordance with directions under normal use conditions. Seller makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. **STORAGE:** If container is damaged, stop any leaks by repositioning the container or by patching or by otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent exposure. Clean up spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of the wastes as below. Place any leaking container into a similar drum or glass as below. Mark the container with the name of the product, ingredient statement, precautionary statements and signal word. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. **PLASTIC CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

4
2
4