


300 411 811-1



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

HARMFUL IF INHALED, SWALLOWED OR ABSORBED THROUGH THE SKIN. Malathion is a cholinesterase inhibitor. Note to Physician: Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine. Avoid breathing spray mist. Avoid contact with skin, eyes, and clothing. Store away from children and domestic animals. Avoid contact with feed and foodstuffs. Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surface until sprays have dried.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and borooses). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must specifically instruct workers not to enter treated areas without protective clothing until sprays have dried. Workers should also be instructed of appropriate actions to take in case of accidental exposure (see "Caution" statement and the first aid procedures on the Material Safety Data Sheet). When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written warnings must include the following: "CAUTION: Area treated with Malathion-50 Spray. Do not enter without appropriate protective clothing until sprays have dried. In case of contact, wash with soap and water. For eyes, flush with water and get medical attention." Application for control of aphids and mites on flowers: mix 1 1/2 teaspoonfuls per gallon of water. For control of leaf hoppers and thrips on cabbages and clover mite on tomatoes, mix 1.0 lb. per acre (x 1 1/2 oz. product per 100 gallons of water). For control of Japanese beetles on pears, use 1 teaspoonful per gallon of water. For control of Mexican bean beetles on beans mix 1 1/2 teaspoonfuls per gallon of water. For control of tent caterpillars, canker worms, certain leaf miners and certain scale crawlers on ornamentals, use 2 teaspoonfuls per gallon of water (2 lbs. in 100 gallons). Spray when insects appear and repeat when necessary. Do not apply to food crops later than 7 days before harvest. Injury may occur on certain ferns and some species of crassula. May injure Bosc pears in Northeast. May injure McIntosh and Cortland varieties of apples applied within four weeks of harvest. **FLEA CONTROL.** To control fleas in kennels, yards, lawns and under houses, dilute 5 ounces in one gallon of water and apply at the rate of one gallon of diluted spray per 1000 square feet. Clean area before treatment. Fresh bedding should be placed in animal quarters following treatment. Repeat as necessary. **DO NOT APPLY TO PETS OR ANIMALS.** **MOSQUITO CONTROL.** For the control of adult mosquitoes, fleas, and small flying insects in outdoor areas, dilute 1 to 28 with water (4 1/2 fl. oz. per gallon). Apply as fine mist or fog. Three fluid ounces of concentrate will treat one acre. Repeat application as necessary. May cause spotting on automobile paintwork. Cars should not be sprayed directly. If accidental exposure occurs, the car should be washed immediately.

MALATHION-50 SPRAY

ACTIVE INGREDIENT	
Malathion*	50.0%
INERT INGREDIENTS**	50.0%
	Total 100.0%

*O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate
This product contains 4.3 lbs. of malathion per gallon.
**Contains Xylene

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

If inhaled - Remove person to fresh air.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY:

A.B.C. COMPOUNDING CO., INC.
P.O. Drawer 585
Morrow, GA 30260

DIRECTIONS FOR USE (Continued)

ANT MOUNDS. Spray holes thoroughly using 1 1/2 teaspoonfuls per gallon of water. Mix moist earth in the top of the hole. For other small ant mounds on lawns, spray lightly in the treated area. Repeat in 10 - 15 days if necessary.

ROACH CONTROL. For control of roaches, ants, spiders and clover mites inside and about homes, institutes and industrial plants, dilute 4 ounces per gallon of water. Apply by means of a coarse spray or a paint brush to window frames, baseboards, under sinks, drain boards, stoves, and other areas frequented by insects. Repeat as necessary. Do not contaminate food or utensils. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not use where milk is stored.

MILLIPEDES, SPRINGTAILS & SOWBUGS. Inside and around greenhouses and homes. Mix 1 teaspoon in 1 gallon of water and apply at the rate of 1 gallon per 150 square feet (10 ft. x 15 ft.) of soil surface where insects congregate. Repeat in 7 - 10 days if necessary. Do not apply to soil where crops are grown.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. **STORAGE:** If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorption to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into similar drum or glass container. Do not store, use, pour, or spill near heat or open flame. **PESTICIDE DISPOSAL.** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to above instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL - METAL CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling, or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. **PLASTIC CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling, or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FOR INDUSTRIAL USE ONLY

No warranty, express or implied,
of merchantability, fitness or otherwise is made.

INSECTICIDE, LIQUID, N.O.S., FLAMMABLE LIQUID, NA 1993

EPA REG. NO. 3862-47

EPA EST. NO. 3862-GA-1

CONTROL NUMBER

NET CONTENTS: 1 GALLON

Use of this product shall be in accordance with
United States Product Guidance for Phase 2
of the 2012 Action to Inert Change in Status.