

DIRECTIONS FOR USE

DANGER: CONTAINS ARSENIC - CAUSTIC POISON

GENERAL WEED CONTROL

For use in tank farms, substations and similar enclosed industrial areas. Dosage rates in excess of 50 pounds arsenic trioxide equivalent per acre are limited to areas to be covered by pavement after treatments. Do not contaminate water used for irrigation or domestic purposes. Avoid spray drifts to desirable plants. Not to be used for home uses.

TIMING: For best results apply when weeds are less than 6 inches high.

APPLICATION: Mix recommended amounts of water and apply with sprayer or sprinkling can.

PERENNIAL WEED AND GRASS CONTROL: For use in sprayer, mix 1 part with 5 parts water. For sprinkling can application, mix 1 part with 40 parts water. Thoroughly wet foliage, stems and exposed root crowns with spray mixture.

ANNUAL WEED AND GRASS CONTROL: For use in sprayer, mix 1 part with 20 parts water. For sprinkling can application, mix 1 part with 40 parts water. Thoroughly wet foliage, stems and exposed root crowns with spray mixture.

PLANT GROWTH PREVENTION: Apply 2 to 3 quarts, mixed with 5 or more gallons of water, per 100 square feet. Use higher rate for heavy soils or where ground is not bare of vegetation.

TREE AND STUMP KILLING: Mix 1 part with 3 parts water

For tree killing, cut deep gashes into bark and wood of tree, around tree trunk, two or three inches apart. Fill each gash with this mixture. For best results, make treatment during spring or early summer.

For stump treatment, soak freshly cut surface with this mixture to prevent sprouting.

DANGER: CONTAINS ARSENIC - CAUSTIC POISON

DANGER: POISON. May be fatal if swallowed. Do not breathe vapors. Avoid contact with skin and eyes. Wash thoroughly after handling.

WARNING: Spraying operator should wear gauntlet, rubber gloves and a respirator mask. After spraying, operator must take a shower, washing thoroughly with soap and water, and put on clean clothing. Never wear clothing that has been used in spraying operation before a minimum of 24 hours or eyes, flush off immediately with water. Keep children and pets away from treated areas. Rinse container several times with water. Do not use in any connection with food or drinking water. In case of accidental poisoning, flush with water - see a physician for treatment.

40% Sodium Arsenite Solution

(COLORED)

Contains 4 Lbs. of Arsenic Trioxide (As₂O₃) Per Gal.

GENERAL WEED CONTROL, TERMITE TREATMENT and BARK TREATMENT

ACTIVE INGREDIENTS

Sodium Arsenite 40.0%

Total Arsenic, expressed as metallic, all in water-soluble form 24.2%

INERT INGREDIENTS

Water 60%

100%

POISON: KEEP OUT OF REACH OF CHILDREN. KEEP CHILDREN AND ANIMALS OFF TREATED AREA. DO NOT USE OR STORE IN OR AROUND THE HOME. SEE OTHER PRECAUTIONS ON SIDE PANEL.

DO NOT REUSE CONTAINER DESTROY WHEN EMPTY.



DANGER



KEEP OUT OF REACH OF CHILDREN

DANGER: CONTAINS ARSENIC - CAUSTIC POISON

ACCEPTED stamp with handwritten date 'June 27 1972' and various regulatory text including 'CONTAINS ARSENIC', 'CONTAINS CAUSTIC', 'POISON', 'ANTIDOTE', and 'FEDERAL INSECTICIDE AND FUNGICIDE ACT'.

APPLICATION: The undiluted 40% Sodium Arsenite Solution should be applied to the exposed sapwood and the edge of the bark above the exposed sapwood as soon as possible after the bark is removed. Coverage must be thorough since only bark above treated sapwood will be affected. The addition of 1/4 cupful of phenol to one gallon of the undiluted solution will help make it distasteful to animals. Application may be made with a sprayer or a brush with nylon bristles. Trees on which bark treatment is usually effective include Red Pine, White Pine, Norway Spruce, Balsam, White Cedar, Aspen, Ironwood, Birch, Beech, Elm, Black Cherry, Hemlock, Hard Maple and Red Maple. Bark treatment is usually ineffective on White Ash.

SOIL TREATMENT FOR TERMITES

WARNING - WARNING FOR INDUSTRIAL USE ONLY. NOT TO BE USED AROUND HOMES

A dosage of 1 gallon of solution per linear foot of trench should be required for those trenches over 15 inches deep and a dosage of 2 gallons of solution per 5 linear foot of trench for trenches 8 to 15 inches deep should be required. This product is limited to use around industrial type structures only. Do not allow domestic animals to graze treated area.

ANTIDOTE: External First Aid treatment: If skin should be irritated or blistered, see a physician immediately. Treat as for caustic burn. Internal antidote: Call Physician at once. Give a tablespoon of salt per glass of warm water until vomit is clear. Then give 2 tablespoons of epsom salts per pint of warm water, followed by plenty of milk and water. Do not eat or drink until advised by a physician.

This product is toxic to wildlife. Make and other wildlife in the area aware of the danger and advise them of the safety hazards.

DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

APPLY THIS PRODUCT ONLY AS SPECIFIED ON THE LABEL

Manufactured by ... Liquid Grade

LPA Reg. No. 3862-41

ACCEPTED WITH COMMENTS