

10F1
PM 31
3862-54

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

O-DIS 19-30 is a cleaner, disinfectant, and sanitizer designed for general household and light commercial cleaning. For use on walls, floors and any nonporous hard surfaces. When used as directed, O-DIS 19-30 will also deodorize those areas which are hard to keep fresh smelling, such as garbage cans, entry ways and bathroom areas which are prone to odors caused by the growth of micro-organisms. Effective against *Staphylococcus aureus* and *Salmonella* cholerae at 2 times per gallon. Also effective against pathogenic fungi, *Trichophyton interdigitale*, at the use dilution.

3 ounces per gallon is hospital & contracting claim against *Pseudomonas aeruginosa* can be made when used for sanitization of food processing and food contact items. Limit the active quaternaries to 200 ppm. Grease, food particles and soil must be removed by a pre-rinse, scrubbing, or pre-soak treatment.

Surfaces must be thoroughly washed with good detergent and need with potable water before sanitizing solution is used.

Use 11.5 ounces per gallon. This product will provide 500 ppm quaternary to the use solution. This is enough for general disinfection, fungicidal activity against pathogenic fungi and deodorizing.

For best results, use O-DIS 19-30 with a cloth or mop and apply to walls, floors, table tops, counters and garbage pails.

For use in hospitals, 3 ounces per gallon will be required for disinfection against *Pseudomonas aeruginosa*.

For heavy and a pre-cleaning step is required before using O-DIS 19-30. Thoroughly wet all surfaces. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

SANITIZATION

When used for sanitization of previously cleaned food processing or food contact items, limit the level of active quaternaries to 200 ppm (4 ounces per 5 gallons of water, and submerge article in sanitizing solution or apply sanitizing solution with cloth or sponge. For heavily soiled areas, a preliminary cleaning is required. Thoroughly wet all surfaces. Treated surfaces must remain wet for 1 minute. Fresh solution should be prepared daily or when the use solution becomes visibly dirty. For mechanical applications, use solution only. R&I be needed for sanitizing applications.

EPA EST NO 3942-GA
EPA REG NO 3942-34

O-DIS 19-30

CLEANER
DEODORIZER

DISINFECTANT
FUNGICIDE

DISINFECTANT

ACTIVE INGREDIENTS:
4-chlorophenyl C12, 20% C12, 1% C12, 1% C12
Quaternary Ammonium Chloride 1.0%
4-chlorophenyl C12, 20% C12, 1% C12, 1% C12
Polybutylamine chloride 1.0%
Sodium carbonate 1.0%
SALT INGREDIENTS 10.0%

KEEP OUT OF REACH OF CHILDREN
DANGER

See full site panel for additional
precautionary statements

MANUFACTURED FOR:

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER
Keep Out of Reach of Children. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed.

NOTES TO PHYSICIAN

Probable mucousal damage may contraindicate the use of gastric lavage. Monitor against respiratory shock, respiratory depression, and convulsion may be needed.

STATEMENT OF PRACTICE TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before use. If swallowed, drink milk, tea, water, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

STORAGE AND DISPOSAL

Do not reuse container. Rinse thoroughly before discarding in trash. Store in dry place no lower in temperature than 50°F. Do not store above 120°F.

Only for sale to, use, and storage
by general purpose

NET CONTENTS:

BATCH NO.:

FOR INDUSTRIAL USE ONLY

ACCEPTED
JUL 01 1987
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 3862-54

BEST AVAILABLE COPY