

PSEUDOMONACIDAL STAPHYLOCIDAL FUNGICIDAL

This product effectively eliminates odors at their source. It kills Athlete's Foot Fungus, antibiotic resistant Staph, and many other dangerous disease-causing germs on inanimate environmental surfaces.

This product is effective against all of the following organisms:

- Pseudomonas aeruginosa*
- Staphylococcus aureus*
- Salmonella Choleraesuis*
- Trichophyton interdigitale*
- Candida albicans*

Virucidal against *HIV-1 (AIDS Virus)

- Concentrate 1.32 4 ounces per gallon
- Dilution 1.32 4 ounces per gallon

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

USES: Floors, walls, metal surfaces, painted surfaces, exterior bowl surfaces, empty basins, garbage cans, showers, athletic equipment, conductive flooring, and lavatory fixtures in institutions, schools and hospitals.

APPLICATION: Use 4 ounces of concentrate per gallon of water for a minimum contact time of 10 minutes. For disinfecting, remove dirt and heavy soil deposits. Pre-clean all surfaces prior to disinfection then thoroughly wet surfaces. This product is extremely versatile and can be applied with a mop, sponge, or cloth as well as soaking. Rinsing is not necessary on floor surfaces unless floors are to be waxed or polished. Fresh solution should be prepared at least daily or more often if the solution becomes diluted or soiled.

TO CLEAN AND DISINFECT TOILET BOWLS

Flush toilet. Add 3 fluid oz. directly to water in toilet bowl (3.4 gallon). Brush to cover all interior surfaces of the bowl including under the rim. Allow disinfectant solution to remain at least 10 minutes. Flush toilet. To clean badly stained bowl, repeat above treatment using 4 to 5 fluid ounces. For use in urinals, add 3 fluid oz. to 3.4 gallon of water. Apply by brush to all urinal surfaces. Allow disinfectant solution to remain at least 10 minutes. Flush.

BATCH NO.:

NET CONTENTS 1 GALLON

FOR INDUSTRIAL USE ONLY

No warranty, expressed or implied, of merchantability, fitness or otherwise is made.

EPA EST. NO. 3862-GA-1

EPA REG. NO. 3862-76-



LEMON DS-32
germicidal detergent

ACTIVE INGREDIENTS:

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chlorides0.8%

n-Alkyl (50% C₁₂, 30% C₁₄, 17% C₁₆, 3% C₁₈) dimethyl ethylbenzyl ammonium chlorides0.8%

INERT INGREDIENTS:98.4%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See Side Panel For Additional Precautionary Statements

MANUFACTURED BY:
ABC COMPOUNDING COMPANY, INC.
P.O. DRAWER 585
MORROW, GA 30260

*Kills HIV-1 (AIDS virus) on prepared environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS

Personal Protection: Disposable latex gloves, gowns, masks, or eye coverings as appropriate, must be worn during a cleaning of body fluids, blood, and decontamination procedures. **Cleaning Procedures:** Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant. **Contact Time:** Effective against HIV-1 (AIDS virus) on hard non-porous surfaces in the presence of a moderate amount of organic soil (5% blood serum) when used at a 1:32 dilution (providing 500 ppm of active quaternary). Leave surface wet for 5 minutes. Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses claimed (listed on label). **Disposal Of Infectious Materials:** Blood and other body fluids should be autoclaved and disposed of according to federal, state, local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive: Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. To protect eyes, wear goggles or face shield, and to protect skin, wear rubber gloves when handling. Wash thoroughly with soap and water after handling. Harmful or fatal if swallowed. Avoid contamination of food. **NOTE TO PHYSICIAN:** Probable mucosal damage may contain catecholamine gastric lavage.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician immediately. If swallowed, drink promptly a large quantity of water. Call a physician immediately.

STORAGE AND DISPOSAL


This product must be kept under locked storage sufficient to make it inaccessible to children and persons unfamiliar with its proper use. Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. **METAL CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



ACCEPTED

DEC 06 1990

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3862-76