

ACCEPTED

JUN 17 1999

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3862-92

3862-92

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves, and
- Shoes plus socks.

Wash hands, face and arms with soap and water as soon as possible after mixing, loading, or applying this product. Wash hands, face and arms with soap and water before eating, chewing gum, using tobacco, or drinking. Wash hands and arms before using toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Do not reuse clothing worn during the previous day's mixing and loading or application of this product without cleaning first. Clothing must be kept and washed separately from other household laundry.

FIRST AID:

IF SWALLOWED: Call a physician or get medical attention.

Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

NOTE TO PHYSICIAN: May pose an aspiration pneumonia hazard.

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS:

Combustible. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Combustible. Do not use or store near heat or open flame. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

EPA Reg. No. 3862-92-

EPA Est. No. 3862-GA-1

COPY CHANGE: 05/24/99

Double KILL

READY-TO-USE NON-SELECTIVE WEED KILLER CONTROLS WEEDS AND GRASSES THROUGH FOLIAGE AND ROOT CONTACT

ACTIVE INGREDIENTS:

Isocetyl (2-ethylhexyl) Ester of 2,4-Dichlorophenoxyacetic acid*	1.09%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	0.98%
**INERT INGREDIENTS	97.93%
Total	100.00%
*2,4-Dichlorophenoxyacetic acid equivalent	0.69%

Isomer specific by AOAC Method 6.D01-5

**Contains Petroleum Distillates

This product contains 0.08 lbs of Isocetyl Ester of 2, 4-D and 0.07 lbs of Bromacil per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

See left panel for additional precautionary statements

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

ENTRY RESTRICTIONS: Do not enter or allow others to enter the treated area until sprays have dried. Not to be used in any recreational areas or in or around homes.

IMPORTANT: Damage to desirable vegetation may result from failure to observe the: Do not apply, drain or flush equipment on or near desirable vegetation, or on areas where their roots may extend or in locations where the chemical may be flushed or moved into contact with their roots. Do not use on lawns, walks, driveways, tennis courts or similar areas. Prevent drifts of spray to desirable plants. Keep from contact with fertilizers, insecticides, fungicides and seeds.

This weed killer is designed to be applied undiluted as a spray on non-cropland areas where bare ground is desired. The degree of weed control and duration of effect will vary with the amount of product used, soil type, rainfall and other conditions. Apply any time of year except when the ground is frozen. Best results are obtained after predominant species are well established in late spring or early summer. Before treating, calibrate equipment to insure uniform coverage of area to be treated. Measure out the proper amount and apply. Coarse sprays are less likely to drift.

A mechanical system (probe and pump) must be used for transferring the contents of containers 5 gallons or more in capacity. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

Can be applied with standard spray equipment. For treating small areas, a tank type hand sprayer or a sprinkler can be used.

GENERAL WEED CONTROL: To control most weeds for an extended period of time on non-cropland areas, such as: parking lots, fence rows, loading ramps, railroad sidings, storage yards, around buildings and industrial plant sites, apply 2-3½ gallons per 1,000 sq. ft. (80-150 gallons per acre). To control annual weeds and grasses such as foxtail, ryegrass, wild oats, crabgrass, cheatgrass, broomsedge, ragweed, lambsquarter and turkey mullein, apply 1-2 gallons per 1,000 sq. ft. (40-80 gallons per acre). For other hard-to-kill perennial weeds and grasses, such as Johnsongrass, saltgrass, bouncing bet, bracken fern and horsetail, apply 3½ gallons per 1,000 sq. ft. (150 gallons per acre).

NOTICE OF WARRANTY: The manufacturer makes no warranties, expressed or implied, concerning the use of this product other than those indicated on the label. Purchaser assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

Manufactured by:

A. B. C. Compounding Co., Inc., P.O. Box 16247 • Atlanta, GA 30321

Net Contents:

Batch No.:

6/17/1999

Page 1 of 1