


3862-92

3-18-2008

1/4

 <p style="text-align: center;">U.S. ENVIRONMENTAL PROTECTION AGENCY</p> <p style="text-align: center;">Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Reregistration</p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number:	Date of Issuance:
	3862-92	18 MAR 2008
	Term of Issuance:	
	Name of Pesticide Product: Double Kill	
Name and Address of Registrant (include ZIP Code): ABC Compounding Co., Inc. P.O. Box 16247 Atlanta, GA 30321		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is reregistered in accordance with FIFRA section 4(g)(2)(C) provided you agree in writing to:</p> <ol style="list-style-type: none"> 1) Based on toxicity ranking per the acute toxicity review, the First Aid statements "If on Skin or Clothing" and "If Inhaled" should appear before any other First Aid statements. 2) As specified in the acute toxicity review, a phone number for emergency medical treatment information should be added to the label. 3) Per the acute toxicity review, add the following to the Hazards to Humans and Domestic Animals section: 		

“Harmful if absorbed through skin.”

4) The PPE section must be revised to read as follows:

“Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are barrier laminate, nitrile rubber, neoprene rubber or viton. If you want more options, follow the instructions for category E on an EPA chemical-resistance category selection chart.

All applicators and other handlers must wear:

- long-sleeved shirt and long pants,
- shoes and socks, plus
- chemical resistant gloves, and
- chemical resistant apron when cleaning up spills.”

5) The text in bold type must be added to the User Safety Recommendation text currently on the label:

“User should remove clothing/**PPE** immediately if pesticide gets inside.”

6) The following text must be deleted from the Environmental Hazards section of the label:

“except as noted on appropriate labels”

7) Spray drift text must be revised to read as follows:

“**Spray Drift Management**

A variety of factors including weather conditions (e.g., wind directions, wind speed, temperature, relative humidity) and method of application can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

Wind Speed

Do not apply at wind speeds greater than 15 mph. Only apply this product if the wind direction favors on-target deposition and there are not sensitive areas (including, but not limited to, residential areas, bodies of water, known habitat for nontarget species, nontarget crops) within 250 feet downwind.

Temperature Inversions

If applying at wind speeds less than 3 mph, the applicator must determine if: a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into areas of temperature inversions or stable atmospheric conditions.

Susceptible Plants

Do not apply under circumstances where spray drift may occur to food, forage, or other plantings that might be damaged or crops thereof rendered unfit for sale, use or consumption. Susceptible crops include, but are not limited to, cotton, okra, flowers, grapes (in growing stage), fruit trees (foliage), soybeans (vegetative stage), ornamentals, sunflowers, tomatoes, beans, and other vegetables, or tobacco. Small amounts of spray drift that might not be visible may injure susceptible broadleaf plants.

Other State and Local Requirements

Applicators must follow all state and local pesticide drift requirements regarding application of 2,4-D herbicides. Where states have more stringent regulations, they must be observed.

2,4-D esters may volatilize during conditions of low humidity and high temperatures. Do not apply during conditions of low humidity and high temperatures."

8) Revise the statement "apply at a maximum rate of 1 can per 141 sq. ft." to read "apply at a maximum rate of 1 can per 174 sq. ft. per application."

9) Change "such as parking lots" to "including parking lots" under the heading "General Weed Control".

10) To the Warranty section add "To the extent consistent with applicable law" in front of "The manufacturer makes no warranties".

11) To the Storage and Disposal section change "Storage" to "Pesticide Storage" and "Disposal" to "Pesticide Disposal".

Signature of Approving Official:

Joanne J. Miller

Joanne Miller, Product Manager (23)
Herbicide Branch, Registration Division (7505P)

Date:

18 MAR 2008

EPA Form 8570-6

You will submit one copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). If you have any questions please call Erik Kraft at 703-308-9358.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is intended for use around any property or facility that functions to provide a service to the general public or to public or private organizations, including hospitals, nursing homes; schools (other than preschools and day care facilities); museums and libraries; sports facilities; and office buildings. *Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. For use on plants in non-crop and non-forest areas only. Not for use on crops, timber, or other plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. Not to be used in any recreational areas or in or around homes.*

IMPORTANT: Injury or loss of desirable trees or other plants may result from failure to observe the following: Do not apply on or near desirable trees or other plants, or on areas where their roots may extend or in locations where the chemical may be washed or moved into contact with their roots. Do not use on lawns, walks, driveways, tennis courts or similar areas. Prevent drifts of spray to desirable plants. Do not contaminate domestic waters. Keep from contact with fertilizers, insecticides, fungicides and seeds.

This weed killer is designed to be applied as a spray on non-cropland areas where bare ground is desired. The degree of weed control and duration of effect will vary with the amount of product used, soil type, rainfall and other conditions. Apply any time of year except when the ground is frozen. Best results are obtained after predominant species are well established in late spring or early summer.

Remove protective cap. Invert can and point opening in spray tip towards weeds to be sprayed. Depress the tab on the side of tip and spray weeds thoroughly.

General Weed Control: To control most weeds for an extended period of time on non-cropland areas, such as: parking lots, fence rows, loading ramps, railroad sidings, storage yards, around buildings and industrial plant sites, apply at the maximum rate of 1 can per 141 sq. ft. Limited to 2 applications per year. Maximum of 30* days between applications.

Controls annual weeds and grasses such as foxtail, ryegrass, wild oats, crabgrass, cheatgrass, broomsedge, ragweed, lambsquarter and turkey mullein, and other hard-to-kill perennial weeds and grasses, such as Johnsongrass, setgrass, bouncing bet, bracken fern and horsetail.

SPRAY DRIFT MANAGEMENT

Weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product. Do not apply at wind speeds greater than 15 mph. Only apply this product if the wind direction favors on-target deposition and there are not sensitive areas (including, but not limited to, residential areas, bodies of water, known habitat for nontarget species, nontarget crops) within 250 feet downwind. Do not apply under circumstances where spray drift may occur to food, forage, or other plantings that might be damaged or crops thereof rendered unfit for sale, use or consumption. Susceptible crops include, but are not limited to, cotton, okra, flowers, grapes (in growing stage), fruit trees (foliage), soybeans (vegetative stage), ornamentals, sunflowers, tomatoes, beans, and other vegetables, or tobacco. Small amounts of spray drift that might not be visible may injure susceptible broadleaf plants. Applicators must follow all state and local pesticide drift requirements regarding application of 2,4-D herbicides. Where states have more stringent regulations, they must be observed.

2,4-D esters may volatilize during conditions of low humidity and high temperatures. Do not apply during conditions of low humidity and high temperatures.

Notice of Warranty: The manufacturer makes no warranties, expressed or implied, concerning the use of this product other than those indicated on the label. Purchaser assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

469520SA_0710



Double Kill

NON-SELECTIVE WEED KILLER

CONTROLS WEEDS AND GRASSES THROUGH FOLIAGE AND ROOT CONTACT

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid 2-ethylhexylester*	1.09%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	0.98%
INERT INGREDIENTS	97.93%
TOTAL	100.00%

*2,4-Dichlorophenoxyacetic acid equivalent 0.70% (0.051 lbs per gallon).

KEEP OUT OF REACH OF CHILDREN
CAUTION
 SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID:	
If swallowed	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration. Call a poison control center or doctor for further treatment advice, preferably by mouth-to-mouth, if possible.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTICE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

EPA Reg. No. 3862-92

EPA Est. No. 9143-TX-1

Manufactured by:
ABC Compounding Co., Inc.
 Atlanta, GA 30321-0247
 Toll Free 800-795-9222

Net Weight: 15 oz. (425g)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if inhaled. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. Causes skin irritation. Do not enter or allow people (or pets) to enter the treated area until sprays have dried. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

PERSONAL PROTECTIVE EQUIPMENT (PPE)
 Applicators and other handlers must wear:

- Coveralls over long-sleeved shirt and pants
- Chemical-resistant gloves
- Chemical-resistant footwear plus socks
- Chemical-resistant headgear for overhead exposure
- Chemical-resistant apron when cleaning equipment, mixing, or loading
- A dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C).

User Safety Recommendations:

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.
- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Heavily contaminated or drenched clothing cannot be adequately decontaminated, and must be disposed of according to State and Local regulations.

ENVIRONMENTAL HAZARDS:
 This pesticide may be toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark except as noted on appropriate labels. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.
 This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

Physical or Chemical Hazards
 Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL
 Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. OPEN DUMPING PROHIBITED.
Storage: Do not store near heat or open flame. Store in cool dry area away from children.
Disposal: Do not puncture or incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.



ACCEPTED
 with COMMENTS
 in EPA Letter Data#

18 MAR 2008

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

3862-92