US ENVIRONMENTAL PROTECTION AGENCY	3862-9		<b>P</b> •	DATE OF ISSU	ANCE	
OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20480	TERM OF ISS					
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PE	STICIDE	RODUCT	i		
(Under the Foderal Insocticide, Fundicide, and Rodenticide Act, as amended)	$A_{\rm LC}$ at $\gamma$	$\Delta m \propto 0.2^{-5}$				
ME AND ADDRESS OF REGISTRANT (Include ZIP code)				<u> </u>		
r	•	ц.				
1176 Jonustoro Road Storrow, CA - 20166						
		1				
DTE: Changes in labeling formula differing in substance f ibmitted to and accepted by the Registration Division prio oduct always refer to the above U.S. EPA registration num is the basis of information furnished by the registrant, the	nto use of the s	label in co	ommerce. I	n any correspo	ndence	on this
e Federal Insecticide, Fungicide, and Rodenticide Act.						Ì
copy of the labeling accepted in connection with this Rej registration is in no way to be construed as an indorsement		_				
• •	n, mey at any ti	ime Susner	10 OF C.B.D.C.			ment.
The selfs and the environment, the Administrator, on his motion ide in accordance with the Act. The acceptance of any match is not to be construed as giving the registrant a right to rothers.	ime in connection o exclusive use	on with the of the nam	e registrat ne or to it:	ion of a produc a use if it has	t under	this
eith and the environment, the Administrator, on his motion ide in accordance with the Act. The acceptance of any na ct is not to be construed as giving the registrant a right to y others.	gistered in	an with the of the name a accord to the set of	e registrat ne or to its danan w a/r so c	ion of a produc a use if it has with FIFRA	tunder been cor	this rered
<pre>is the environment, the Administrator, on his motion ide in accordance with the Act. The acceptance of any match is not to be construed as giving the registrant a right to rothers.</pre>	and in connection exclusive use gistered in a for a gue a for a gue	an with the of the name a accord to the set of	e registrat ne or to its danan w a/r so c	ion of a produc a use if it has with FIFRA	tunder been cor	this rered
<pre>is the environment, the Administrator, on his motion ide in accordance with the Act. The acceptance of any match is not to be construed as giving the registrant a right to rothers.</pre>	gistered as a for a gu Y h to Ag	an with the of the nar 2 actors 2 actor	e registrat ne or to it: danan w alfrac (r agin ac (r	ion of a produc a use if it has with PIFRA with runion with runion	t under for been con Colory (* Conort	this vered
<pre>eith and the environment, the Administrator, on his motion ide in accordance with the Act. The acceptance of any match is not to be construed as giving the registrant a right to rothers.</pre>	gistered in a for a gu Y h H Ag	on with the of the name of the	e registrat ne or to its danan w alfracin alfracin 200 c	ion of a produc a use if it has with PIFRA with runion with runion	t under for been con Colory (* Conort	this vered
<pre>eith and the environment, the Administrator, on his motion ide in accordance with the Act. The acceptance of any match is not to be construed as giving the registrant a right to rothers. I die produce is conditionally red mentionally red mention 2(c)(f)(h) provided that you:</pre>	a for a gue to the formation of the form	on with the of the name of the	eregistrat me or to it: danas w el/nocing gainet gainet gainet	ion of a produc a use if it has fith FIFRA fith FIFRA fith FIFRA lith FIFRA lith FIFRA	tunder fo been con Con of Dro fb	this vered
<pre>eith and the environment, the Administrator, on his motio ide in accordance with the Act. The acceptance of any ma ct is not to be construed as giving the registrant a right to rection of the product is conditionally red wereins. ?(c)(f)(t) provided that you: </pre>	the front p tick of the first of the front p tick of the front p tick of the front p	on with the of the next below to the school of the school of the school of the school of the school of the school of the school	eregistrat me or to it: dance. w s/rolling goal r goal r dalets TE in s	ion of a produc a use if it has with PIPRA with PIPRA with PIPRA line with the Machine the Machine the	ero 40	this vered
<pre>with and the environment, the Administrator, on his motion ide in accordance with the Act. The acceptance of any ma ct is not to be construed as giving the registrant a right to rothers.</pre>	The front p content of the content of the content of the content of the content of the content of the content of the	on with the of the name of the name of the name of the name (name), of one of the of the name of the n	registrat me or to it: dance. w st/relation goal f goal f dalate t f late t f waste f waste	ion of a produc a use if it has (ith PTPRA (ith PTPRA) (ith PTPRA)	tunder been com Com Com Dro Hu Dro Hu Skir,	this vered
<pre>alth and the environment, the Administrator, on his motio ide in accordance with the Act. The acceptance of any ma ct is not to be construed as giving the registrant a right to rection. P(r)(T)(Y) provided that your is others.</pre>	The front p content of the content of the content of the content of the content of the content of the content of the	on with the of the name of the name of the name of the name (name), of the top of the top of the top of the top of the top of the top	eregistrat me or to it: dance, w alfractor gou c gou c	ion of a produc a use if it has (ith PIPRA) (ith PIPRA	tunder been com Com Com Dro Hu Dro Hu Skir,	this vered
<pre>alth and the environment, the Administrator, on his motio ide in accordance with the Act. The acceptance of any ma ct is not to be construed as giving the registrant a right to rection. P(r)(T)(Y) provided that your is others.</pre>	stration of diagonate water	on with the of the name of the name of the name of the name (name), of the top of the top of the top of the top of the top of the top	eregistrat me or to it: dance, w alfractor gou c gou c	ion of a produc a use if it has (ith PIPRA) (ith PIPRA	tunder been com Com Com Dro Hu Dro Hu Skir,	this vered
<pre>alth and the environment, the Administrator, on his motion ide in accordance with the Act. The acceptance of any ma ct is not to be construed as giving the registrant a right to rection. i(c)(f)(h) provided that you:</pre>	stration of diagonate water	on with the of the name of the name of the name of the name (name), of the top of the top of the top of the top of the top of the top	registrat me or to its dance. w a/model zou z zou z -92." dolots te in -9 f wasta dispose	ion of a produc a use if it has (ith PIPRA) (ith PIPRA	tunder been com Com Com Dro Hu Dro Hu Skir,	this vered

ł

). Smalt five (5) suppose of your final printed labeling before you release the product for shipment. There to the  $\lambda$ -79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr. Product Manager (12) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures

## BEST AVAILABLE COPY

PANEL LENTER

# ASSAULT

## **A COMBINATION OF INSECTICIDES OFFERING FLUSHING ACTION AND RESIDUAL KILL OF COCKROACHES FOR UP TO 4 WEEKS KILLS FIRE ANTS**

This product breaks the life cycle of fleas. Kills adult fleas and pre-adult fleas on contact. Keeps killing pre-adult fleas up to 42 days and adult fleas for up to 30 days. Reaches fleas hidden in carpets.

For Residual and Contact Control of Cockroaches (Waterbugs), C. Ickets, Silverfish (Firebrats), Clover Mites, Centipedes, Millipedes, Earwigs, Sowbugs (Pillbugs), Spiders, Brown Dog Ticks, Lone Star Ticks, Ants, Fire Ants, Carpet Beetles, Fleas, Including pre-adult fleas, Boxelder Bugs, Scorpions, Spider Beetles, Bed Bugs, House Flies, Mosquitoes, Gnats, Flying Moths, Confused Flour Beetles, Sawtoothed Grain Beetles, Shiny Spider Beetles, Grain Mites, Red Flour Beetles, Angoumois Grain Moths, Grain Weevils, Indian Meal Moths, Mediterranean Flour Moths, Lesser Grain Borers. Cloarette Beetles, Drugstore Beetles, Chocolate Moths, Clothes Moths.

CONTAINS DURSBAN\* INSECTICIDE

## **ACTIVE INGREDIENTS:**

**†‡-Resmethrin [5-(phenylmethyl)-3-furanyl]methyl** 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate ......0.10%w/w \*Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothloate] ..... 0.50% 100.00%w/w

†Cis/trans isomers ratio: max.30%(±)cis and min.70%(±)trans.

‡U.S. Patent Nos. 3,465,007 and 3,542,928. •Penick's SBP-1382<sup>®</sup> brand of resmethrin insecticide.

Penick Corp., 1050 Wall St. West, Lyndhurst, N.J. 07071

\*U.S. Patent No. 3,244,586. Dursban is a Trademark of Dow Chemical Co.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

## **KEEP OUT OF REACH OF CHILDREN** CAUTION

## SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

In food handling establishments, can be used in non-food areas as a contact or residual spray. In food areas, application is limited to spot and/or crack and crevice treatment. •••••

EPA Reg. No. 3862-		EPA Est. 3862-GA-1	•••••
<b>NET CONTENTS: 1 GAL</b>		BATCH NC:	٠
ACCEPTED w to CONVENTS w EPA Locier Image JUN 2 6 19-0 1 pdor the Poters' foodblock many lot for the pothton many lot for the pothton regnicing under aPA Bas. The	MANUFACTURED BY: A.B.C. COMPOUNDING COMPAN P. O. DRAWER 585 MORROW, GEORGIA 3026	0	•••••
	BEST	AVAILABLE COPY	

### DIRECTIONS FOR USE (Continued)

**CONTACT SPRAY - KILLS AND REDUCES INFESTATIONS:** Cockroaches (waterbugs), crickets, silverlish (firebrats), clover mites, centipedes, millipedes, earwigs, sowbugs (pillbugs), spiders, brown dog ticks, lone star ticks, ants, fire ants, carpet beetles, fleas, boxelder bugs, scorpions, spider beetles, bed bugs, confused flour beetles, sawtoothed grain beetles, shiny spider beetles, grain mites, red flour beetles, angoumois grain moths, grain weevils, Indian meal moths, mediterranean flour moths, lesser grain borers, cigarette beetles, drug store beetles, chocolate moths. Use as a spot treatment. When possible, spray directly on pests to reduce infestations. Apply as a coarse spray or with a paint brush into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is wet, but not to the point of run-off. Repeat as necessary.

ANTS (including Fire Ants): To kill ants, spray trails, nests and points of entry within buildings. Spray directly on ants where possible. Repeat as necessary.

FLEAS, BROWN DOG AND LONE STAR TICKS: Thoroughly apply as a spot treatment to infested areas such as pets' beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. DO NOT TREAT PETS WITH THIS PRODUCT. Treat pets with a product registered for animal application to control the source of flea and tick infestation.

**CARPET BEETLES AND CLOTHES MOTHS:** Do not spray clothing with this product. Do not allow clothing to contact areas where this product has been used. Spray edges of carpeting and under carpeting, rugs, and closets. Make localized application to the floor and baseboards. Spray directly into cracks, crevices, closets, and infested areas of shelving and/or wherever these insects are seen or suspected. Repeat as necessary. **RESIDUAL SPRAY:** AIDS IN THE CONTROL OF COCKROACHES (Waterbugs), CRICKETS, BOXELDER BUGS, SCORPIONS, SPIDER BEETLES, SILVERFISH (Firebrats), CENTIPEDES, MILLIPEDES, EAR-WIGS, SOWBUGS (Pillbugs). Kills up to 4 weeks. Apply on baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, apply in hiding places, in cracks and crevices, lower walls and dark places. Spray surfaces until wet, but not to the point of run-off.

#### PESTS OUT-OF-DOORS

DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

**PESTS ON OUTSIDE SURFACES OF BUILDINGS:** Use this product to control ants, clover mites, crickets, earwigs, millipedes, and sowbugs (pillbugs), on outside surfaces of building. To help prevent infestation of buildings treat the building foundation to a height of 2 to 3 feet (0.5 to 1 m), where pests are active and may find entrance. Also, apply as a residual spray to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages, refuse dumps, and other areas where these pests congregate or have been seen. Repeat treatment as needed to maintain effectiveness.

HOUSEFLIES, MOSQUITOES, GNATS, FLYING MOTHS OUTDOORS: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary.

ANTS, BROWN DOG TICKS, CRICKETS, FLEAS AND EARWIGS OUTDOORS: For treatment of localized infestations of these insects in outdoor areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat application as infestations warrant and as reinfestations occur.

TO CONTROL FIRE ANTS: Dilute 1.5 pints (0.71 L) of this product in 1 gallon (3.79 L) of water. Apply 1 gallon (3.79 L) of solution as a gentle rain to each fire ant mounds using a sprinkler can. Thoroughly wet the mound and surrounding area to a 4 foot diameter (1.22 m). For best results, apply in coor weather, 65-80°F (18.5-27°C), or in early morning or late evening hours. Treat new mounds as they appear. Do not disturb the mound prior to treatment. If possible, treat all mounds in the vicinity, and treat all colonies which may not as yet have constructed a mound. Larger quantities of solution can be prepared for multiple mound treatments. Equipment to deliver the diluted product as a gentle rain at the rate of 1 gallon (3.79°L) per rigourd is still required. Do not use equipment interview a pressurized spray as pressurized sprays may disturb fire ants and cause migration, reducing product effectiveness.

#### WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

PERT AFAILARE 1.4

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

PANEL

LEFT

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash hands after using. In food handling areas application is limited to crack and crevice and/or spot treatment. Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food or food processing equipment during application. Do not apply while food processing is under way in the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish aquariums before spraying.

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Get immediate medical attention. If in eyes or on skin: Flush with plenty of water for at least 15 minutes. For eyes, get medical attention. NOTE TO PHYSICIAN: Chorpyrifos is a cholinesterase inhibitor. If symptoms of cholinesterase inhibitor appear, atropine only by injection is an antidote.

## **ENVIRONMENTAL HAZARDOUS**

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to water. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning equipment, or disposal of wastes.

## PHYSICAL AND CHEMICAL HAZARDS

Do not apply this water-based product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. FOR USE IN NON-FOOD AREAS INDOORS AND OUTSIDE OF PREMISES OF HOTELS, MOTELS, PRESCHOOLS, APARTMENT BUILDINGS, COMMERCIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, RECREATIONAL BUILDINGS, BOATS, SHIP CABINS, AND HOSPITALS. IN HOSPITALS, REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS.

THIS PRODUCT CAN BE USED IN NON-FOOD AREAS SUCH AS CORRIDORS, OFFICES, FOYERS, LAVATORIES, GARAGES, UTILITY ROOMS, STORAGE PLANTS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, AND BAKERIES

IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, APPLICATION IS LIMITED TO SPOT AND/OR CRACK AND CREVICE TREATMENT.

ALSO FOR USE IN AND AROUND CAMPERS, MOBILE HOMES, BUSES AND AUTOMOBILES. THIS PRODUCT CAN BE USED IN CARGO PLANES, TRUCKS, BOXCANS AND SHIP CARGO HOLDS ONLY IF THE VEHICLES ARE NOT USED FOR TRANSPORT OF FOOD OR FOOD PRODUCTS AT ANY TIME. ALSO, FOR USE IN DOG KENNELS, AND HORSE STABLES. DO NOT SPRAY ON HORSES AND DOGS. DO NOT SPRAY DOG AND HORSE FOOD OR FEED ITEMS.

NOTE TO PEST CONTROL OPERATORS: One gallon (3.79 L) of spray is sufficient to treat 1500 linear feet (457 m) with a 6 inch (15.2 cm) spray band.

For contact and residual sprays, use this product without diluting. For repeat applications, dilute with equal parts of water.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Do not store this water-based formulation at temperatures below 32°F. For containers one gallon and under: Store product in original container in a locked storage area.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL - Metal containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

