

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DEC - 2 2010

Mr. Michael Rekhelman ABC Compounding Co., Inc. P.O. Box 16247 Atlanta, GA 30321-0247

Subject:

Hospital Surface Disinfectant Room Deodorizer

EPA Registration No.: 3862-104 Amendment Date: December 2, 2010 EPA Receipt Date: December 2, 2010

Dear Mr. Rekhelman,

The following amendment submitted in connection with registration under FIFRA, as amended, is acceptable with conditions.

Proposed Amendment

Revise fogging directions

Conditions

Revise the label as follows:

- 1.) The nomenclature for Herpes Simplex Type II and Influenza A2/Hong Kong is incomplete. It must be revised to read Herpes Simplex Virus Type II and Influenza Virus A2/Hong Kong.
- 2.) The product must support clear instructions on how to utilize this product as a fogger by adding the following statements prior to the directions:

All surfaces must be cleaned and disinfected in accordance with label directions prior to fogging. Fogging is an adjunct or supplement to normal cleaning and disinfection procedures and practices.z

General Comments

				1 C		0.1:	· · · · · ·	
	A Statil	ped label with	Conditions is	CONCURRENC	your records.	Sublint timee	(5) copies of	
SYMBOLY	ur final print	ed label befor	distributing	or selling the	product bear	ng the revise	d labeling.	
SURNAME								
DATE								
	1000 11 (100)						OFFICE	AL FILE COPY

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

D STATES ENVIRONMENTAL PROTEC

Should you have further questions concerning this letter, please contact me by telephone at (703) 308-6416 or by e-mail at Campbell-mcfarlane.jacqueline@epa.gov. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

acqueline Campbell-McFarlane

Product Manager (34)

Regulatory Management Branch II Antimicrobials Division (7510P)

Enclosure:

Stamped Label

Calling			CONCURRENC	ZS			
SYMBOL		·					
SURNAME						************	
DATE					·		
	 					OFFICE	AL EUE COPY

Hospital Surface Disinfectant and Deodorizer

SAVES MOP FROM ODOR AND DECAY

KILLS HIV-1 (AIDS VIRUS) AND HERPES SIMPLEX TYPE II VIRUSES ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS. Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu). A BROAD-SPECTRUM ANTIMICROBIAL AGENT FOR ENVIRONMENTAL SURFACES. ELIMINATES ODORS BY ATTACKING THEM AT THEIR SOURCE.

DISINFECTANT - *VIRUCIDE - FUNGICIDE (against pathogenic fungi) - MILDEWSTAT (on hard, non-porous, inanimate surfaces) - TUBERCULOCIDAL

DESINFECTANTE

SI USTED NO ENTIENDE LA ETIQUETA, BUSQUE A ALGUIEN PARA QUE SE LA EXPLIQUE A USTED EN DETALLE.

(IF YOU DO NOT UNDERSTAND THIS LABEL, FIND SOMEONE TO EXPLAIN IT TO YOU IN DETAIL)

ACTIVE INGREDIENTS:

Orthophenylphenol:	0.08%
Paratertiary amylphenol:	
INERT INGREDIENTS:	
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

CONTENTS UNDER PRESSURE SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON SIDE PANEL EPA REG. NO. 3862-104 EPA EST. NO. 9143-TX-1 NET WT.: VOLUME:

> MANUFACTURED BY: ABC COMPOUNDING CO., INC. P.O. BOX 16247 ATLANTA, GA 30321

> > ACCEPTED with COMMENTS ... EPA Letter Dated:

> > > DEC - 2 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Actas amended, for the pesticide, registered under EPA Reg. No.

3862-104

TUBERCULOCIDAL ACTIVITY: This product exhibits disinfectant efficacy against Mycobacterium tuberculosis var.bovis in 10 minutes at 20° C when used as directed on previously cleaned, hard, nonporous, inanimate surfaces.

This product exhibits disinfectant efficacy in 10 minutes against the following organisms when used as directed on hard, non-porous, inanimate surfaces in the presence of 5% blood serum:

*VIRUCIDAL - Human Immunodeficiency Virus Type I [HIV-1: A retro virus that causes "AIDS" (Acquired Immune Deficiency Syndrome)]; Herpes Simplex Type II (ATCC VR-734) and Influenza A2/Hong Kong (ATCC VR-544). BACTERICIDAL – Pseudomonas aeruginosa (ATCC 15442), Staphylococcus aureus (ATCC 6538), Methicillin resistant Staphylococcus aureus (MRSA, ATCC 33592), and Salmonella enterica (ATCC 10708). FUNGICIDAL – Athlete's Foot Fungus (Trichophyton mentagrophytes [ATCC 9533], a cause of ringworm).

Disinfects and controls mold and mildew on hard, nonporous surfaces such as metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, bathroom fixtures, empty garbage cans and diaper pails, furniture in sick rooms and nurseries, fishing equipment and sports equipment such as skate shoes and bowling shoes. Spray in the shower stalls, shoes, and walking areas. USED IN: HOSPITALS AND OTHER MEDICAL, INDUSTRIAL, INSTITUTIONAL,

COMMERCIAL AND RESIDENTIAL FACILITIES.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This product is not for use on critical or semi-critical medical device surfaces.

GENERAL: HOLD CONTAINER UPRIGHT. SHAKE OCCASIONALLY DURING USE.

ON PRE-CLEANED **ENVIRONMENTAL** SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings. CLEANING PROCEDURES: Blood and other body fluids (containing HIV-1) must be thoroughly cleaned from surfaces and objects before application of this product. DISPOSAL OF INFECTIOUS MATERIALS: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

CONTACT TIME: Allow surface to remain wet for 10 minutes.

(Note: if packaged in aerosol containers with a total release valve, use the following additional statements:) DIRECTIONS FOR FOGGING: DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights. Cover exposed food, dishes and food handling equipment. Open

cabinets and doors to area to be treated. Shut off fans and air conditioners. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry. Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet. Do not use more than one unit per average size room. TO OPERATE VALVE: Place several layers of newspaper or pad on stand or table in the center of the room. To lock fogger valve in open position for automatic discharge, press valve button all the way down hooking in catch. Then place fogger on the stand or table. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes.

ONE UNIT TREATS UP TO 6,000 CUBIC FEET

DISTUTE CTIME-IIADD SUPPLICES as directed below, lightly depress, advocatories walks: batter all the way dearen to not lock) and point can to area to be approved.

FOGGING IS TO BE USED AS AN ADJUNCT TO ACCEPTABLE MANUAL CLEANING AND DISINFECTING OF SURFACES LISTED ABOVE.

OR TUBERCULOCIDAL USE: Remove heavy soil and thoroughly clean surfaces prior to application of this roduct. Spray from 6-8" until thoroughly wet. Allow surface to remain undisturbed for at least 10 minutes at 10° C before wiping.

OR DISINFECTING and deodorizing: remove heavy soil and spray from 6-8" until thoroughly wet. Allow surface to remain undisturbed for at least 10 minutes before wiping.

O CONTROL MOLD AND MILDEW (Aspergillus niger, ATCC 6275) and the odors they cause on pre-cleaned, nard, non-porous inanimate surfaces, spray from 6-8" until thoroughly wet. Let air dry. Repeat application at weekly ntervals or when mildew growth appears.

OR DEODORIZING MOPS: Shake well before using. Rinse wet mops thoroughly with clean water and wring out prior to treatment. Shake dust and debris from dust mops prior to application. Hold can upright 6 to 8 inches rom mop and spray until yarn surfaces are wet. Turn mop over and also inside out to allow spray to contact all varn surfaces. Hang mop in well ventilated area. Allow dust mops to dry before use (at least ten minutes)

STORAGE AND DISPOSAL

GENERAL: Do not contaminate other materials, including water, food or feed during transport, use, storage, or disposal. If damaged or leaking, soak up and wrap waste, then dispose of as below. **Storage:** Keep in a cool, dry, locked area inaccessible to children and away from flames, sparks, sunlight, or other sources of heat or ignition. Containers heated above 130°F (54°C) may burst. **Disposal:** Refasten protective cap on container and discard in trash or offer for recycling, if available. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes and clothing. Do not spray on or toward eyes or face. Avoid preathing spray mist or vapors. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Do not contaminate food or feed, nor surfaces that they may contact.

	FIRST AID:				
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. 				
lf Inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 				
lf on skin or dothing	 Take off contaminated dothing. Rinse skin immediately with plenty of water for 15 20 minutes. Call a poison control center or doctor for further treatment advice. 				
If swallowed	 Call a poison control center or doctor for further treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 				
	duct container or label with you when calling a poisor or doctor, or going for treatment.				

PHYSICAL AND CHEMICAL HAZARDS

For aerosol containers (other than total release foggers):

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard. For total release foggers:

HIGHLY FLAMMABLE INGREDIENT INGREDIENTE ALTAMENTE INFLAMABLE



Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.