

3862-123

8/20/2003

1/1

**ACCEPTED**  
 AUG 20 2003  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 Registered under  
 EPA Reg. No. 3862-123

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.** Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range. **Flies, Mosquitoes, Gnats, Wasps, and Flying Moths (Millers):** Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary. **Roaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes, and Saw Bugs:** Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, whenever possible. Repeat treatment as necessary. **Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary. **Indian Meal Moths and Angoumois Grain Moths:** Close doors and windows. Direct spray into all parts of room especially around stored food product container, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed. **Carpet Beetles:** Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat treatment as necessary. **Catfaced Flea Beetles, Saw-toothed Grass Beetles, Grasshopper Weevils, Rice Weevils, Red Flea Beetles, Grain Weevils:** Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary. **Lice:** Spray on garments, bedding, mattresses, furniture, floors, carpeting and inanimate surfaces. First spray an inconspicuous area to test for possible staining or discoloration. Inspect after drying, then proceed to spray entire area to be treated. Hold can upright with nozzle away from you. Press button and spray surface to be treated from a distance of 10 inches. Spray each square foot for 3 seconds, directing spray into all infested surfaces until moist. For bedding: Make sure spray is directed in corners of fitted sheets and blankets as well as inside and outside of pillow cases. In the case of garments and headgear, close attention should be given to seams, hems, cuffs, and creases. After treatment, bedding and all garments must be either laundered in hot water or dry cleaned as required. For mattresses, furniture and carpeting: Direct spray into all folds, tucks, seams and crevices of infested areas until moist. Allow all treated surfaces to dry completely before use.



# Industrial Aqueous Spray

**A PYRENONE Insecticide**  
 Industrial Strength - Low Doseage Required  
 For Use in Schools, Hospitals, Hotels, Airports, Retail Stores,  
 Supermarkets, Restaurants, Bars, Theaters, Depots, Food  
 Processing Plants, and Animal Quarrels.  
 Prevents Food Contamination. Kills: Mosquitoes, Flying Moths (Millers),  
 Gnats, Wasps and other biting insects, Crickets, Silverfish,  
 Sawtoothed Grass Beetles, Fleas, Lice, and other insects.

## Aerosol Insecticida

*Si usted no entiende los pictogramas, busque a alguien para que se le explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)*

**ACTIVE INGREDIENTS:**

Pyrethrins.....	6.40%
* Piperonyl Butoxide, Technical.....	2.00%
<b>INERT INGREDIENTS:</b> .....	87.60%
<b>TOTAL:</b> .....	100.00%

\*Equivalent to 1.8% (Bifenthrin) (S-Pyrethrin) ester and 0.4% related compounds  
 PYRENONE - Registered Trademark of Farnham American Corporation

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See back panel for additional precautionary statements.

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
If in eyes	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If on skin or clothing	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call poison control center or doctor for treatment advice.</li> </ul>
If swallowed	<ul style="list-style-type: none"> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
If inhaled	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>



Net Wt.: 16 oz. (454g)

**Bedbugs:** Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and frames. Repeat treatment as necessary. **Fleas:** Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

**PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

### CAUTION

Avoid breathing of vapor or contact with skin or eyes. Vacate premises after treatment and ventilate before reoccupying. Avoid contamination of food and foodstuffs. When using this product in food processing plants, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment and washed with an effective cleaning compound followed by a potable water rinse before reuse. When using this product in these areas, apply only when the facility is not in operation. Remove pets, birds, and cover fish aquariums before spraying. Before spraying in medical care areas, remove all patients. After spraying ventilate area for 2 hours before returning patients.

**PHYSICAL OR CHEMICAL HAZARDS**  
 Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

### STORAGE AND DISPOSAL

**STORAGE:** Store in a cool dry place inaccessible to children and pets and away from heat or open flame. **DISPOSAL:** Replace cap, wrap in several layers of newspaper and discard in trash. Do not puncture or incinerate.

EPA REG. NO. 3862-123-  
 EPA EST. P.D. 9143-TX-1

Manufactured by:  
**A.B.C. COMPOUNDING CO., INC.**  
 Atlanta, GA 30321