



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

AUG 5 2003

Diane Kalina
Regulatory Affairs
ABC Compounding Co., Inc.
P.O. Box 16247
Atlanta, GA 30321

Subject: Amendment - Correcting KOOROC statement and updating label per PR Notice 2001-1
Assault II (aerosol)
EPA Reg. No. 3862-133
Your Submissions Dated April 25, 2003 and June 23, 2003

Dear Ms. Kalina:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

1. The new disposal instructions for household use pesticide products in PR Notice 2001-6, must be made by October 1, 2003. Revise your disposal instructions as follows:

"Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.

If party filled: Call your local solid waste agency or [toll free number which meets the criteria in paragraph II.E. of PR Notice 2001-6] for disposal instructions."

Note, based on the acute toxicity of your product, you are not required to have an If swallowed first aid statement. You may keep the statement if you wish. If you have any questions regarding this action, please contact BeWanda Alexander of my team at (703) 305-7460.

Sincerely,

A handwritten signature in black ink, appearing to read "George T. LaRocca".

George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

ACCEPTED with COMMENTS In EPA Letter Dated

AUG 5 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

3862-133

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use in the edible product areas of food/feed processing plants, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

IN THE HOME: cover all food handling surfaces and cover or remove all food and cooking utensils, or wash thoroughly after treatment. Exposed food should be covered or moved.

FOOD AREAS: This product be applied in nonfood/feed areas. Nonfood/feed establishment areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after canning or bottling).

SHAKE WELL BEFORE USING Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover fish aquariums before spraying.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers. May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. May also be used on other plants such as African violets, asters, azaleas, begonias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, Eucalyptus, fuchsia, geraniums, hibiscus, grape vine, Kangaroo palm, marigolds, rhododendrons, s, rubber plants, staghorns, succs, wandering Jews and zinnias. Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lice Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

TO CONTROL CLOTHES MOTHS AND CARPET BEETLES: Spray directly on clothes, floors, baseboards, shelves and carpets. BEBUGS: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow all sprayed articles to dry thoroughly before reuse.

IN ANIMAL QUARTERS AND MILK ROOMS: For rapid control of House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small-flying Moths. Remove animals prior to application. Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

TO TREAT LIVESTOCK: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

COCKROACHES, WATERBUGS,

PALMETTO BUGS, SILVERFISH, FIREBRATS, CRICKETS, SCORPIONS, SPIDERS, MILLIPEDES, CENTIPEDES, SOWBUGS AND PILLBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains, and plumbing, hitting insects with spray when ever possible. ANTS: Spray trails, nests and points of entry. Spray on ants where possible.

INDIAN MEAL MOTHS, ANGILOUS GRAM MOTHS: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment.

EXPOSED STAGES OF COMPOSED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, RED FLOUR BEETLES, RICE WEEVILS, GRAMMAY WEEVILS, GRAIN MITES: Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Infested stored food products in the home should be disposed of.

CARPET BEETLES: Spray directly on beetles, floors, baseboards, shelves and carpets.

BEBUGS: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow all sprayed articles to dry thoroughly before reuse.

IN ANIMAL QUARTERS AND MILK ROOMS: For rapid control of House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small-flying Moths. Remove animals prior to application. Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

TO TREAT LIVESTOCK: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.



Assault II

- CONTAINS THE SYNTHETIC PYRETHROID PERMETHRIN AND GARDEN INSECTS
FOR USE ON DOGS AND ON PREMISES TO CONTROL FLEAS AND TICKS
AN AQUEOUS STABLE MICROEMULSION
CONTROLS ANTS AND COCKROACHES FOR UP TO FOUR WEEKS
KILLS LICE AND THEIR EGGS
FOR USE ON BEDDING, FURNITURE AND OTHER INANIMATE OBJECTS INFESTED WITH LICE
NOT FOR USE ON HUMANS
FOR USE ON LIVESTOCK AND THEIR PREMISES
CONTROLS FLEAS AND TICKS ON DOGS FOR 14 DAYS

Aerosol Insecticide... para que se le explique a usted en detalle... active ingredient: Permethrin 0.25%

OTHER INGREDIENTS: 99.75% 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

Table with 2 columns: Symptom (e.g., in eyes, on skin, swallowed, inhaled) and Action (e.g., Hold eye open and rinse slowly and gently with water for 15-20 minutes, Call a poison control center or doctor for treatment advice).

NOTE TO PHYSICIAN- Probable mucosal damage may contraindicate the use of gastric lavage.

READ ENTIRE LABEL BEFORE EACH USE FOR PET USES: USE ONLY ON DOGS PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals CAUTION Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid breathing vapor or spray mist.

Environmental Hazards This product is toxic to fish. Do not apply to any body of water. Do not contaminate water when disposing of equipment washwaters.

Physical Or Chemical Hazards Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

Net Wt.: 17 oz. (482g)

FOR SWINE: Do not ship a veterinarian immediately. animals for slaughter within 5 TO KILL LICE AND LOUSE days of last treatment. EGGS: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray hair. Repeat every 3 weeks if entire area to be treated. Hold container upright with nozzle away from you. Depress valve spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

TO CONTROL POULTRY LICE, away from you. Depress valve spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

FOR CONTROL OF BEDBUGS AND MITES IN POULTRY AND MITE IN POULTRY NOUSES, spray crevices of either laundered or dry cleaned, roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

IMPORTANT: READ BEFORE USE FLEAS AND TICKS (ADULTS AND LARVAE): Remove and Use, Conditions and Disclaimer thoroughly clean or destroy pet of beddings. Spray pet sleeping quarters, bed, entire floor and product container at once.

By using this product, user or around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.


CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks ON DOGS: Starting at the tail, associated with the use of this product, ineffectiveness or other unintended consequences may result because of such factors as to insure penetrating the coat, weather conditions, presence of dampen the fur up to the head, other materials, or the manner of Repeat application every two weeks if necessary.

ANIMALS: Do not spray directly in/on eyes, mouth or genitalia of pets. Use only on dogs. Do not use on cats or kittens. Do not use on puppies less than twelve (12) weeks old. Consult a veterinarian and is reasonably fit for use before using this product on any purpose stated on such label. Sensitivities may occur after use conditions. Seller makes no using any pesticide product for warranties of merchantability or pets. If signs of sensitivity occur, fitness for a particular purpose bathe your pet with mild soap nor any other express or implied water. If signs continue, consult

DISCLAIMER OF WARRANTIES: Seller makes no using any pesticide product for warranties of merchantability or pets. If signs of sensitivity occur, fitness for a particular purpose bathe your pet with mild soap nor any other express or implied water. If signs continue, consult

STORAGE AND DISPOSAL Do not contaminate water, food or feed by spilling or disposal. Storage: Store in a cool, dry area. Do not transport or store below 32°F. Disposal: Wrap container in several layers of newspaper and dispose of in trash. Can may be disposed of with other recyclables where local law permits. Do not incinerate or puncture.

Manufactured by: A.B.C. COMPOUNDS CO, INC. Atlanta, GA 30321 EPA REG. NO. 3862-133 EPA EST. NO. 9143-TX-1



RA593/107/040301 7

14808 17908 8