

3862-145


06/15/2005

ACCEPTED

JUN 15 2005

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

3862-145



# St. Augustine Grass Broadleaf Herbicide

CONTAINS TRIMEC® HERBICIDE<sup>(1)</sup>

**KILLS: DANDELIONS – KNOTWEED – HENBIT – CHICKWEED  
PLANTAINS – SPURGE – AND MANY OTHER BROADLEAF WEEDS.  
ONE QUART COVERS UP TO 2,000 SQUARE FEET  
KEEP FROM FREEZING**

**ACTIVE INGREDIENTS:**

- \*Dimethylamine salt of 2, 4-dichlorophenoxyacetic acid ..... 0.60%
- \*\*Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid ..... 1.04%
- \*\*\*Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid) ..... 0.25%

**INERT INGREDIENTS: ..... 98.11%**  
**TOTAL 100.00%**

- \*2,4-dichlorophenoxyacetic acid equivalent 0.042 pounds per gallon or 0.50%
- \*\*2-(2-methyl-4-chlorophenoxy) propionic acid equivalent 0.072 pounds per gallon or 0.86%
- \*\*\*3,6-dichloro-o-anisic acid equivalent 0.018 pounds per gallon or 0.21%

(1) Trimec ® is a registered trademark of PBI-Gordon Corporation, U.S. Patent No. 3,284,186.

**FIRST! READ  
ENTIRE  
LABEL.**

OBSERVE ALL WARNINGS AND FOLLOW DIRECTIONS CAREFULLY. USE ONLY IN CONFORMANCE WITH FEDERAL AND STATE REGULATION

**CAUTION: KEEP OUT OF REACH OF CHILDREN  
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS.**

**FOR COMMERCIAL AND INDUSTRIAL USE ONLY. NOT FOR USE ON AGRICULTURAL ESTABLISHMENTS.**

FRONT PANEL

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is intended for use around any property or facility that functions to provide a service to the general public or to public or private organizations, including hospitals, nursing homes; schools (other than preschools and day care facilities); museums and libraries; sports facilities; and office buildings. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. For use on plants in non-crop and non-timber areas only. Not for use on crops, timber, or other plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. This broadleaf weed killer is specifically formulated for maximum safety to seedling grasses and 2,4-D sensitive grasses such as St. Augustine grass, bentgrass and buffalo grass. Sprays should be applied when broadleaf weeds are small and tender for best results. If weeds are older and hard to kill, the higher rates should be used. Avoid spraying St. Augustine grass under conditions of high temperature and moisture. Under these conditions or in cases of accidental overdose, some slight temporary discoloration of the St. Augustine foliage might occur. To insure that weeds are growing and able to absorb this product, irrigate the lawn 2-3 days prior to spraying. Do not water for 24 hours after treatment. Although spray works faster with temperatures above 70°F, sprays can be applied any time plants are growing. Spray when air is calm to avoid drift. Spray will injure or kill clover, dichondra and most ornamental and vegetable crops. Amount of water in spray is not important, except to evenly distribute this product. If directions call for 16 oz. in 2 gallons per 1,000 square feet, it may be more convenient to use 16 oz. in 4 gallons, depending on the sprayer. Generally, large volumes of water result in more uniform coverage.

**WEED CONTROL:** This product is especially effective against weeds such as Sheep Sorrel, Knotweed, Spotted Spurge, Chickweed, Oxalis and Henbit. In addition, it kills virtually all broadleaf weeds, some of which are listed below.

BEDSTRAW, GALINSOGA, PEPPERGRASS, SPURGE, BLACKMEDIC, GROUND IVY, PIGWEED, VELVET LEAF, BUCKHORN, HAWKWEED, PLANTAINS, WILD CARROT, BULL THISTLE, HEAL-ALL, POISON IVY, WILD GARLIC, BURDOCK, HENBIT, POISON OAK, WILD LETTUCE, BUTTERCUP, KNOTWEED, PURSLANE, WILD ONION, CHICORY, LAMBSQUARTER, RAGWEED, YARROW, CHICKWEED, LESPEDEZA, SHEEP SORREL, CLOVER, MALLOW, SHEPHERD'S PURSE, COCKLEBURR, MORNING GLORY, SPEEDWELL, DANDELION, MUSTARD, TANSY MUSTARD, DOCK, OXALIS, THISTLE AND MANY MORE

**HOW TO MIX:** 1. For use on St. Augustine grass, bentgrass and buffalo grass, mix 16 oz. in 2-4 gallons of water and uniformly spray 1,000 square feet. For example, an area 10 feet long and 100 feet wide. If necessary, repeat treatment in 2-3 weeks. 2. For use on most other grasses, such as bermuda, bahia, bluegrass, centipede, fescue and rye, mix 20 oz. in 2-4 gallons of water and spray uniformly over 1,000 square feet. On hard-to-kill species, older weeds or under poor growing conditions, mix 32 oz. in 2-4 gallons of water and spray on 1,000 square feet with special attention to thorough coverage.

E.P.A. Reg. No. 3862-145

E.P.A. Est. No. 3862-GA-1

MANUFACTURED BY: A.B.C. COMPOUNDING CO., INC.  
ATLANTA, GA 30321

LEFT PANEL

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Only use lawn sprayers. Avoid drifts of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Coarse spray is less likely to drift. Do not apply to areas underlaid by roots of desirable trees and shrubs. Do not contaminate domestic or irrigation water. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply directly to water. Most cases of groundwater contamination involving phenoxy herbicides such as MCPP and 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCPP and 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wear long pants, long-sleeved shirt, shoes, socks and chemical resistant gloves when mixing, loading or applying this product. Wear face shield or goggles when mixing, loading or applying this product. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. More than two (2) broadcast applications per site per year are prohibited. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried. A mechanical system (probe and pump) must be used for transferring the contents of this container. If the contents of a non-refillable container are emptied, the probe must be rinsed before removal.

**FIRST AID**

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **FOR INFORMATION ON THIS PESTICIDE PRODUCT (INCLUDING HEALTH CONCERNS, MEDICAL EMERGENCIES, OR PESTICIDE INCIDENTS), CALL THE NATIONAL PESTICIDE TELECOMMUNICATIONS NETWORK AT 1-800-858-7378.**

**STORAGE AND DISPOSAL**

**STORAGE:** Do not store with fertilizers, seeds, insecticides or fungicides.

**PROHIBITION:** Do not contaminate water, food or feed by storage or disposal or cleaning of equipment. Open dumping prohibited.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.  
Control Number: 2533

**Net Contents: 55 Gallons (208.2 L)**

RIGHT PANEL