

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs

Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460

3862-1754

EPA Reg.

Number:

DaSE Df 2squangan1

Term of Issuance: Conditional

Name of Pesticide Product:

Titanic Weed Killer

NOTICE OF PESTICIDE:

<u>x</u> Registration Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

ABC Compounding Company P.O. Box 16247 Atlanta, GA 30321-0247

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- Make the following label changes listed below before you release the product for shipment:
  - Add the phrase, "EPA Reg. No. 3862-175".
  - In the Aquatic Use Directions add the following statement that appears on the last accepted label for the cited "Metoo" product:

Do not apply to public water.

Signature of Approving Official:

Date:

SEP 2 1 2004

/s/

page 2 EPA Reg. No. 3862-175

- 3. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.
- 4. Submit the results of storage stability (GRN 830.6317) and corrosion characteristics (GRN 830.6320) studies to EPA upon completion or cite these studies conducted on a product with an identical formulation and containers.
- 5. This product must be marked in Child Resistant Packaging (CRP) since the acute inhalation LC50 is less than 1.73 mg/L and there are residential uses on the label.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller Product Manager (23) Herbicide Branch Registration Division (7505C)

Enclosure



# Weed Killer

TO PREVENT ACCIDENTAL POISONING. NEVER PUT INTO FOOD, DRINK OR OTHER CONTAINERS AND USE STRICTLY IN ACCORDANCE WITH ENTIRE LABEL

## Matador de hierva

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detaile. (If you do not understand this label, find someone to explain it to you in detail)

# **KEEP OUT OF REACH OF CHILDREN**

FIRST AID: IF SWINLLOWIED: Call a poison control center or doctor immediately for treatment advice. Have person six a class of water if able to swallow Do not induce wornling unless table to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person

IN SIGN OR CLOTHERS: Take off contaminated clothing. Plinse skin immediately with plenty of water for 15-20 minutes. Call a poison control certar or doctor for treatment achice. IF IM EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue chasing eye. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air, if person is not breathing, call 911 or an ambulance, then give artificial respiration, pretenably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this nesticide (including health concerns, medical emergencies, or posticide incidents), call the National Posticide Information Center at 1-800-858-7378 NOTE TO PHYSICIANS: To be effective, treatment for diquat poisoning must begin MIMEDIATELY. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathertics to enhance elimination, and removal of digust from the blood by charcoal hermopertusion or continuous hermodialysis.

#### Manufactured by:

ABC Compounding Co., Inc. Diquat dibromide [6,7-dihydrodipyrido P.O. Box 16247 Atlanta, GA 30321

EPA REG. NO. EPA EST. NO. 3882-GA-1

### **ACTIVE INGREDIENT:**

(1.2-a:2'.1'-c) pyrazinedijum dibromidel: ..............4.35% INERT INBREDIENTS:.... .. 95.65%

..100.00% TOTAL:...

Contains 0.2 lbs. diquat cation per gallon as 0.371 lbs. salt per gallon.

Not Contents: 55 gallon (288.2 L) Batch No.:

## PRECAUTIONARY STATEMENTS NAZAROS TO HUMANS AND DOMESTIC AND

Harmful if swallowed, inhaled or absorbed through skin, Causes skin irritation. Do not get on sidn, in eyes or on clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid breathing spray mist. Remove contaminated clothing and wash clothing before reuse. Do not feed forage from treated crops to Ilvestock. Keep livestock and pets out of treated areas.
Applicators and other handlers must wear:

e Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Coveralls over short sleeved shirt and short pants.

a Shoes oles encire

Chemical-resistant gloves such as (or made of) any waterproof material.

Protective evewer

sistant apron when cleaning equipment, mixing and loading.

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only persons applying this product may be in the area during application.

· Users should wash hands before esting, drinking, chewing gum, using tobacco or using the trillet

 Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and out on clean clothing.

e Lisers should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean

ciothing.
ENVIRONMENTAL HAZARDS (Aquatic and Nonequalic Uses) This pesticide is toxic to aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters, For aquatic uses, do not apply directly to water except as specified on this label. Treatment of dense weed areas may result in coypen loss from decomposition of dead weeds. This loss of oxygen may cause suffocation. Therefore, treat only 1/3 to 1/2 of the water body area at one time, especially if dense areas of weeds and/or signs exist, and walk 14 days between treatments.

Necessary approved and/or permits should be obtained prior to application if required. Consult

the responsible State Agencies (i.e., Fish and Game Agencies or Department of Natural Resources) before making applications to public waters.

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ ENTIRE LABEL, USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS. AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Not for use on plants being prown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modifications and being grown in interior plantscapes, ornamental gardens or parks, or on golf COURSES OF IZWINS AND GROWINGS.

Do not allow people or pets to touch treated plants distiffthe sprays have dried.

For terrestrial uses, do not allow entry of maintenance personnel into treated areas, or allow contact with treated vegetation wet with spray, dew or rain, without appropriate protective ciothing until soray has dried.

For aquatic uses, do not enter treated areas white treatments are in progress.

Do not allow swimming in treated areas within 24 hours after treatment.

Certain states may require more restrictive reentry intervals; consult your State Department of Agriculture for further information.

Written or oral warnings regarding use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers.

When oral warnings are given, warnings shall be given in a language customarily understood by workers and must indicate the specific period of time that treated areas may not be entered without protective clothing. Oral warnings must also include appropriate first aid instructions in case of accidental exposure. These instructions are given in the FIRST AID at the beginning of this label.

Written warnings must include the following information, "WARNING. Area treated with Diquat Herbicide on (date of application). Do not enter treated greas without appropriate protective clothing until soray has dried (or other reentry interval if your State has a more restrictive interval for this product). If accidental exposure occurs, follow the instructions below." (Written warnings the election of the Seller, refund of the purchase price paid for product bought, or replacement of amount must include the FIRST AID given at the beginning of this label).

DEFCTIONS

This product is recommended for use as a general weed killer and as an aquatic weed killer. Absorption and herbicidal action is usually quite rapid with effects visible in a few days. Rinse all spray equipment thoroughly with water after use. AVOID SPRAY DRIFT to crops which may be damaged during application. Atways add a 75% nonlonic spreader. Do not use dirty or muddy water for this product dilution as this product will be inactivated. Do not mix or apply with any other desiccant, pesticide or fertilizer.

MONICROP OR MONPLANTED AREAS (analised as soot aprays): Rights-of-Way, including Railroads, Highways, Roads, Dividers and Medians, Pipelines, Public Utility Lines, Including Pumping Stations, Transformer Stations and Substations, around Electric Utilities. Commercial Buildings, Manufacturing Plants, Storage Yards, Rail Yards, Fence Lines and Parkways, Edges and Nonflooded Portions of Ponds, Lakes and Ditches. Also Around Ornamental Gardens, Walkways, Patios, Beneath Greenhouse Benches, Along Driveways and Around Golf Courses. To Kill Undestrable Above-Ground Grass and Broadleaf Weed Growth - 2 ½ to 5 gallons plus 8 to 16 oz. of a nonionic surfactant per 100 gallons of water (6-2/3 oz. This product plus 1/2 teaspoon of a nonionic surfactant to 1 gallon water). Apply for full coverage and thorough weed contact. Apply to young weeds since control decreases as weeds mature. Retreatment may be necessary to control grasses and established weeds. Avoid spray contact with foliage of food crops or ornamental plants.

ADMISTIC HEE DIRECTIONS

For application only to ponds, takes, and drainage ditches where there is little or no outflow of water and which are totally under control of the product's user. Do not apply to muddy water. Avoid creating muddy water during application. Do not apply where plants are covered with mud deposits. Do not use the treated water for animal consumption, apraying, irrigation, or domestic purposes for 14 days after treatment.

Wood Species Gallegy/Surface Acres mersed Wedde(intesting Still Ponds, Lakes, Ditches or portions Thereof): Bladderwort (Unicutaria spp.) Coontail (Caratophyllum demersuri) 10-20 20 Elodes (Ediodes soo.) 20 Naied (Nejas spp.) 10 Pondwedd (*Potamogeton spp.*)\* 20 Watermilloil (*Myrigetyflum spp.*) 10-20 \*Except P. robbinsii; also Richardson Pondwed (P. richardsonii) in Minnesota

In early season where submersed weed growth has not reached the surface, apply this product by pouring directly from the container into the water while moving slowly over the water surface in a boat. Distribute eventy over intested areas in stines 40 feet agart. In mixed weed goodstations, use the high rate of application as indicated by weeds present.

In late sesson or where submersed weed growth has reached the water surface throughout the area to be treated, apply this product by pouring as above or injecting below the water surface in strips no more than 20 feet apart. Use the high rate of application as indicated by the weeds present. Where aloae are present along with the submersed weeds, pre-treatment with Copper Sulphate at recommended rate is advised for best results with this product.

Gallens/Surface Acre

Floating Woods
Pennywort (Hydrocotyle umbellata)
Salvinia (Salvinia rotundifolia) 5-7.5 5-75 Salvina (sarvina igunamena) Walerhyacinth (Eichhornta crassipes) Walerfethice (Pistia Stratioles) 5-75 5-7.5

APPLICATION: 150 to 200 gallons of water plus 1 pirst of a nonionic surfactant should be applied as an overall spray for control of the above weeds. The high rates of this product should be used for late season

Wood Species Gallons/Surface Acre

Duckweed (Jenna spp.)

APPLICATION: For control, apply this product as an overall spray in 50 to 150 pations of water per acre. Care should be taken to thoroughly cover all plants on water and on damp marginal areas. Reinfestation of Duckwood occurs readily from untreated areas. Retreatment with this product may be necessary to obtain season-long control,

Weed Species Gallens/100 Gallens Water Marghasi Weeds (Infesting the Edges and Other Postions of Ponds, Lakes & Ditches).

Cattails (Typins spp.)

APPLICATION: For top kill, apply this product in 100 callons of water, plus 1 pint of a nonionic surfactant

Baneal treatment as necessary to control regrowth. For best results, apply before flowering.

ALGAE: This product will control certain filamentous algae. For Spirogyra spp. and Pilhophora spp. Apply 0.5 to 1.5 ppm. Application methods as for submersed weeds

Formula for Parts Per Milities (PPM) Recommendations
Gallons to use = ppm recommended x acreage of water x average depth of water x 14.

For Example- 14 ppm recommendations; two acre pond; 4 feet average depth, 14 x 2 x 4 x 14 = 56 gallons

De not apply under conditions involving passible driff to lood, forage or other plantings that might be damaged or the crops thereof rendered unlift for sale, use or consumption.

IMPORTANT: Read the Entire Directions for Use and the Conditions of Sale and Warranty before using this product.

CONDITIONS OF SALE AND LIMITED WARRANTY: The Directions of tise of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions. modure with other chemicals not specifically recommended or other influencing factors in the use of this product, all of which are beyond the control of the seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fil for the purposes stated on the label, subject to the inherent risks referred to above, when used at accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to tabel instructions, or under abnormal conditions or under conditions not reasonably foresteable to or beyond the control of Seler and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY.

When Buyer or User claims losses or damage resulting from the use or handling of this product (including claims based on contract, negligence, strict liability or other legal theories). Buyer or User must promptly notify in writing Selfer of any claims to be eligible to receive either of the remedies set forth below. The EXCLUSIVE REMEDY OF BUYER OR USER and the LIMIT OF LIABILITY of Seller will be, at of product used. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THIS PURCHASE PRICE.

#### STORAGE AND DISPOSAL

PROMETTIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not contaminate feed, foodstuffs or drinking water. Do not store or transport near feed or food. Store at temperature above 32°F.

PESTICIDE DISPOSAL: This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label Instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary fandfill, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

LA501/402



1 -1 -1 - ACCEPTED WITH CONMENTS SEEP A 29 2004

Under the Federal Inneciside, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 2862-175