

Resectocide is a mixture of powerful quaternary ammonium germicides of the alkyl dimethyl benzyl ammonium chloride type and a synthetic non-ionic detergent of the polyalkyl ether fatty acid condensate type.

In the dilutions recommended it exerts a powerful germicidal action on the vegetative forms of most pathogenic and non-pathogenic organisms. Its surface active properties lower the surface tension of solutions and permit rapid penetration of the solution into crevices. Its detergent and emulsifying properties aid in the cleaning and removal of contaminating substances such as dirt, lubricant, exudate, etc. Resectocide is not intended for control of spore bearing bacteria or for disinfection of instruments that normally can be autoclaved.

1 GALLON

ACMI

RESECTOCIDE®

A powerful germicide and detergent for the cold disinfection and cleaning of cystoscopes, catheters and surgical instruments.

Aug 35-1967

ACTIVE INGREDIENTS:	
Alkyl Dimethyl Benzyl Ammonium Chloride	43.5%
Polyalkyl ether condensate of fatty acids (Detergent Non-Ionic)	13.0%
INERT INGREDIENTS:	
Water	43.5%

CAUTION See right panel for precautionary information

American Cystoscope Makers, Inc.

8 Pelham Parkway, Pelham Manor (Pelham), N.Y. 10803

DIRECTIONS FOR USE

Clean the instruments in a 1,000 P.P.M. solution of Resectocide made by diluting 2.3 cc. Resectocide concentrated solution with one quart of water. After cleaning, immerse the instruments in an aqueous solution 400 P.P.M. made by mixing 3.5 cc. Resectocide concentrated solution with one gallon of water. Instruments should be soaked in this solution for a period of not less than 20 minutes. For extended storage of instruments sodium nitrite anti-rust tablets should be added to the dilute solution.

CAUTION NO. 792


CAUTION

"Caution, harmful if swallowed; avoid contact with skin and eyes; in case of contact, flush with plenty of water; avoid contamination of food."

Resectocide is a mixture of powerful quaternary ammonium germicides of the alkyl dimethyl benzyl ammonium chloride type and a synthetic non-ionic detergent of the polyalkyl ether fatty acid condensate type.

In the dilutions recommended it exerts a powerful germicidal action on the vegetative forms of most pathogenic and non-pathogenic organisms. Its surface active properties lower the surface tension of solutions and permit rapid penetration of the solution into crevices. Its detergent and emulsifying properties aid in the cleaning and removal of contaminating substances such as dirt, lubricant, exudate, etc. Resectocide is not intended for control of spore bearing bacteria or for disinfection of instruments that normally can be autoclaved.

"USDA Reg. No. 3865-5"



DIRECTIONS FOR USE

Clean the instruments in a 1,000 P.P.M. solution of Resectocide made by diluting 2.3 cc. Resectocide concentrated solution with one quart of water. After cleaning, immerse the instruments in an aqueous solution 400 P.P.M. made by mixing 3.5 cc. Resectocide concentrated solution with one gallon of water. Instruments should be soaked in this solution for a period of not less than 20 minutes. For extended storage of instruments sodium nitrite anti-rust tablets should be added to the dilute solution.

CATALOG NO. 792

CAUTION

"Caution, harmful if swallowed; avoid contact with skin and eyes; in case of contact, flush with plenty of water; avoid contamination of food."

Resectocide is a mixture of powerful quaternary ammonium germicides of the alkyl dimethyl benzyl ammonium chloride type and a synthetic non-ionic detergent of the polyalkyl ether fatty acid condensate type.

In the dilutions recommended it exerts a powerful germicidal action on the vegetative forms of most pathogenic and non-pathogenic organisms. Its surface active properties lower the surface tension of solutions and permit rapid penetration of the solution into crevices. Its detergent and emulsifying properties aid in the cleaning and removal of contaminating substances such as dirt, lubricant, exudate, etc. Resectocide is not intended for control of spore bearing bacteria or for disinfection of instruments that normally can be autoclaved.

"USDA Reg. No. 3885-5"

4138655

BEST DOCUMENT AVAILABLE

10011011

ACMI

RESECTOCIDE

Aug 35 - 1967

ANALYSIS	
Benzyl Ammonium Chloride	
N	21.75%
Cl	13.05%
Cr	7.4%
Cu	1.3%
43.5%	

Polyalkyl ether condensate of fatty acids (Detergent Non-ionic) 13.0%

Water 43.5%

CAUTION See Right panel for precautionary information

Ammonium Chloride

BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE

Clean the instruments in a 1,000 P.P.M. solution of Resectocide made by diluting 2.3 cc. Resectocide concentrated solution with one quart of water. After cleaning, immerse the instruments in an aqueous solution 400 P.P.M. made by mixing 3.5 cc. Resectocide concentrated solution with one gallon of water. Instruments should be soaked in this solution for a period of not less than 20 minutes. For extended storage of instruments sodium nitrite anti-rust tablets should be added to the dilute solution.

CAUTION

"Caution, harmful if swallowed; avoid contact with skin and eyes; in case of contact, flush with plenty of water; avoid contamination of food."

CATALOG NO. 792