# 

# simicide March 22,1974 35710-11

# SLIME CONTROL AGENT



DO NOT TAKE INTERNALLY. May be absorbed by skin. Corrosive. Causes severe eye damage. Causes skin irritations. Avoid breathannay mist. Do not get into eyes, on skin or clothing. Wear rubber gloves, and goggles or face shield, when handling.

Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

In case of contact with skin, wash well with soap and water. In case of contact with eyes, flush promptly and thoroughly with clear water. In case of innestion or contact with eyes, secure immediate medical attention.

Do not contaminate or tore near feed or foodstuffs.

This product is loxic to fish and wildlife. Treated effuent should not be discharged where it will drain into lakes, ponds, streams, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply the product only as specified on this label.

 $\mathcal{L}_{\mathcal{A}} = \mathcal{L}^{2} - \mathcal{L}_{\mathcal{A}} = \mathcal{L}_{\mathcal{A}}$ 

Do not reuse empty container. Send to drum reconditioner, or destroy by perforating or crushing and bury in a safe place.

# DIRECTIONS FOR USE

Betz Slimicide J-9 aids in the control of objectionable forms of bacteria and fungi in industrial recirculating cooling-tower water equipment.

This product may be fed intermittently at rates of 0.1 to 0.5 pounds, or 0.012 to 0.06 gallon, per thousand gallons of water contained in the system. Begin treatment when the system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impaired. Apply at a point in the system where the product will be uniformly mixed. The frequency of feeding and the duration of treatment are dependent up on the severity of time deposits.

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ.

Contents: LIQUID

# Active Ingredients\*

Methyldodecylbenzyl trimethyl ammonium chloride ...... 20.0%

Methyldodecylxylylene bis (trimethyl ammonium

chloride) ..... 5.0%

Bis (tributyltin) oxide ..... 5.0%

# Inert Ingredienist . ..... 70.0 .

- \*Total weight of active ingradients per gallon is 2.49 pounds,
- "Inert ingredients include solubilizing and dispersing agents.

EPA Reg. No. 3876-24

NET WEIGHT AND VOLUME As Marked on Container

WEIGHT PER GALLON OF PRODUCT 8.3 Pounds (60F)

KEEP CONTAINER COVERED—PROTECT FROM FREEZING

BETZ Laboratories, Inc. TREVOSE, PENNSYLVANIA 19047

# simicide J-9

SLIME CONTROL AGENT

Much 2011974 3876

# **DANGER—TOXIC**

DO NOT TAKE INTERNALLY. May be absorbed by skin. Corrosive. Causes severe eye damage. Causes skin irritations. Avoid breathing apray mist. Do not get into eyes, on skin or clothing. Wear rubber gloves, and goggles or face shield, when handling.

Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

In case of contact with skin, wash well with soap and water. In case of contact with eyes, flush promptly and thoroughly with clear water. In case of ingestion or contact with eyes, secure immediate medical attention.

Do not contaminate or store near feed or foodstuffs.

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, ponds, streams, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply the product only as specified on this label.

Do not reuse empty container. Send to drum reconditioner, or destroy by perforating or crushing and bury in a safe place.

# DIRECTIONS FOR USE

Betz Slimicide J-9 aids in the control of objectionable forms of bacteria and fungi in industrial recirculating cooling-tower water equipment.

This product may be fed intermittently at rates of 0.1 to 0.5 pounds, or 0.012 to 0.06 gallon, per thousand gallons of water contained in the system. Begin treatment when the system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impaired. Apply at a point in the system where the product will be uniformly mixed. The frequency of feeding and the duration of treatment are dependent upon the severity of slime deposits.

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ.

# Contents LIQUID

## Active Ingredients\*

Methyldodecylbenzyl trimethyl ammonium chloride ..... 20.0%

Methyldodecylxylylene bis
(trimethyl ammonium
chloride) ..... 5.0%

Bis (tributyltin) oxide ..... 5.0%

Inert Ingredients\*\* ..... 70.0%

\*Total weight of active ingredients per gallon is 2.49 pounds.

\*\*Inert ingredients include so!ubilizing and dispersing agents.

EPA Reg. No. 3876-24

NET WEIGHT AND VOLUME
As Marked on Container

WEIGHT PER GALLON OF PRODUCT 8.3 Pounds (60F)

KEEP CONTAINER COVERED—PROTECT FROM FREEZING