BETZERT

[[000]

slimicide J-9

Slime Control Agent

EFIRST PANEL

PRECAUTIONARY STATEMENTS[146f]

HAZARDS TO HUMANS AND[12bf]
DOMESTIC ANIMALS[12bf]

DANGER[18bf]

HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes severe eye burns and skin irritation. Do not get into eyes, on skin or on clothing. Do not inhale vapor or mist. Use with adequate ventilation. Wear rubber gloves, gogtales and face shield when handling. Immeditly remove and wash contaminated clothed before reuse. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS[146f]

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE[14bf]

is a violation of Federal law to use this but in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS[126f]

BETZ Slimicide J-9 aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through filters and lagoons, industrial water scrubbing systems and brewery pasteurizers.

Slimicide J-9 may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the contamination.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

(Directions for Use continued on third panel.)

ACCEPTED

SEP 05 1985

Uniting the line state. Further into the line, and 3 to enable Act, as unended, for the possicide registered under Sept. 1997 Reg. No. 386-34

BETZ Laboratories, Inc. TREVOSE, PENNSYLVANIA 19047[Cont'd bottom 2nd panel.]

(SECOND PANEL)

Contents: LIQUID

Active Ingredients:

Methyldodecylbenzyl trimethyl ammonium chloride (80%) and

Methyldodecylxylylene bis (trimethyl ammonium chlorica)(20%)25.0%

Bis (tributyltin) oxide........5.0%

EPA Reg. No. 3876-24

WEIGHT PER GALLON OF PRODUCT 8.3 Pounds (60F)

> NET WEIGHT OR VOLUME AS MARKED ON CONTAINER

KEEP OUT OF REACH OF CHILDREN(126f)

DANGER[18bf]

STATEMENT OF PRACTICAL TREATMENT[146f]

) case of contact with skin, wash immediately with plenty of soap and water. Immediately contact physician.

In case of contact with eyes, flush promptly and thoroughly with clear water for at least 15 minutes. Immediately contact physician.

In case of ingestion, immediately contact physiclan.

A Material Safety Data Sheet containing more detailed information relative to this product is available upon request.

See left panel for additional Proceutionary Statements.

Telephone: 215-355-3300

ACCEPTED

SEP 05 1985

Umaxif. Voler I Insociaide. Pungi isa ay Refendeide Act, the same last for the posticide registed under EPA Reg. No.

FOR CONTROL OF BACTERIA, FUNGI AND ALGAE

INTERMITTENT OR SLUG METHOD INITIAL DOSE: When the system is noticeably fouled, add Slimicide J-9 at the rate of 0.1 to 0.5 pound (12 to 60 ppm) per 1000 gallons of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add Slimicide J-9 at the rate of 0.1 to 0.3 bound (12 to 36 ppm) per 1000 gallons of water in the system daily, every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOS INITIAL DOSE: when the system is noticeably fouled, add Slimicide J-9 at the rate of 0.1 to 0.5 pound (12 to 60 ppm, per 1000 gallons of water in the system. Continue until control is achieved.

3SEQUENT DOSE: Continuously feed Slimicide J-9 to vintain a dosage of 0.1 to 0.3 pound (12 to 36 ppm) per 1000 gallons of blowdown (or water loss) from the system.

STORAGE AND DISPOSAL[126f]

STORAGE: Keep container tightly closed. Store in a dry place. Protect from freezing. Do not store in elevated temperatures.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture, prinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to latel betructions, contact your State Pesticide or Environmental Control Agency or the Hazardous waste representative at the nearest EPA Regional Office for guidance.

Metal and Plastic Containers[tf]: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.

fiber Drums with LinersEbfl: Completely empty liner by shaking and tapping side and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and drum in a sanitary landfill or incinerate if allowed by state and local authorities. Do not reuse empty drum or liner.

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETI.

ACCEPTED

SEP 05 1985

Union the Peland Instanticide, Fungicide, and Bulenticide Act, as amended, for the posticide registered under 3076-29