

## FORMULA

**WARNING - TOXIC - Harmful If Swallowed**  
Causes skin irritations. Do not get on skin or clothing. Wear rubber gloves. In case of contact with skin, wash with water. In case of contact with eyes, wash and thoroughly with clear water. In case of contact with eyes, secure immediate medical attention. Do not use in drinking waters treated with this product and other aquatic life.

**CAUTION - COMBUSTIBLE.** Keep away from open flame. Keep container closed.

**DIRECTIONS FOR USE -** This product is used to control the growth of slime formed by microorganisms in water equipment. This material is applied intermittently or continuously at rates of 1 to 2 ounces per day per 1000 gallons of water connected to the system. Frequency of feedings and treatment are dependent upon the amount of deposits.

FOR INDUSTRIAL USE  
Use only as directed.

**STORE IN A DRY PLACE—KEEP AWAY FROM HEAT**

BILLY LABORATOR

FORMULA


WARNING - TOXIC - Harmful If Swallowed. Causes skin irritations. Do not get into eyes, on skin or clothing. Wear rubber gloves when handling. In case of contact with skin, wash well with soap and water. In case of contact with eyes, flush promptly and thoroughly with clear water. In case of ingestion or contact with eyes, secure immediate medical attention. Waters treated with this product may be harmful to fish and other aquatic life.

CAUTION - COMBUSTIBLE. Keep away from heat and open flame. Keep container closed when not in use

DIRECTIONS FOR USE - This product aids in the control of slime formed by microorganisms in industrial cooling water equipment. This material may be fed either intermittently or continuously at rates of 0.1 to 2 pounds per day per 1000 gallons of water contained in and/or added to the system. Frequency of feeding and duration of treatment are dependent upon the severity of slime deposits.

FOR INDUSTRIAL USE ONLY.  
Use only as directed by Betz.

STORE IN A DRY PLACE—KEEP CONTAINER COVERED



Contents: LIQUID

Active Ingredients:

Dodine (Dodecylguanidine acetate) . . . . . 10%

Isopropanol . . . . . 30%

Inert Ingredients\* . . . . . 60%

\*Inert ingredients include solubilizing and dispersive agents.

USDA Reg. No. \_\_\_\_\_

NET WEIGHT AND VOLUME

As Marked on Container

BETZ LABORATORIES, INC.

Philadelphia, Pa.