

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR CIRCULATING COOLING WATER SYSTEMS

BETZ Slimicide C-30 aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through, infilco units, filters, lagoons, etc., industrial water scrubbing systems and brewery pasteurizers.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR CONTROL OF BACTERIA AND FUNGI

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 0.5 pound to 1000 gallons or 12 to 60 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 0.1 to 0.3 pound to 1000 gallons or 12 to 36 parts per million of water in the system every 3 days or as needed to maintain control.

(Directions for Use continued on right panel.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes eye burns and skin irritations. Avoid breathing vapor or mist. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves, and goggles or face shield, when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour or store near heat or open flame.

KEEP CONTAINER COVERED

PROTECT FROM FREEZING

DO NOT STORE AT ELEVATED TEMPERATURES

Contents: LIQUID

Active Ingredients:

Bis (trichloromethyl) sulfone	20.0%
Methylenebis (thiocyanate)	5.0%
Inert Ingredients*:	75.0%

*Inert ingredients include solubilizing and dispersing agents.

EPA Reg. No. 3876-61

WEIGHT PER GALLON OF PRODUCT
8.99 Pounds (74F)

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

In case of contact with skin, wash immediately with soap and plenty of water. Immediately contact physician.

In case of contact with eyes, flush eyes immediately with plenty of clear water for at least 15 minutes and immediately contact physician.

In case of ingestion, immediately contact physician.

Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

NET WEIGHT AND VOLUME
As Marked on Container

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 0.5 pound to 1000 gallons or 12 to 60 parts per million of water in the system.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.1 to 0.3 pound to 1000 gallons or 12 to 36 parts per million of water in the system.

FOR CONTROL OF ALGAE

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 0.5 pound to 1000 gallons or 12 to 60 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When algal control is evident, add 0.1 to 0.3 pound to 1000 gallons daily or 12 to 36 parts per million daily or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 0.5 pound to 1000 gallons or 12 to 60 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.1 to 0.3 pound to 1000 gallons or 12 to 36 parts per million of water in the system.

The formulation and its use as a slime-control composition are covered by United States Patent 3,426,134.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide or rinsate that can not be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Triple rinse the container or equivalent method before sending to drum conditioner or destroying by perforation or crushing and burying in a safe place. Consult Federal, state or local authorities for approved alternative procedures.

FOR INDUSTRIAL USE ONLY

Technical advice regarding specific problems is available from BETZ.