

BETZ

1000

slimicide

C-30

Slime Control Agent

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes eye burns and skin irritations. Avoid breathing vapor or mist. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves, goggles and face shield when handling. Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS

BETZ Slimicide C-30 aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through filters and lagoons, and industrial water scrubbing systems and brewery pasteurizers.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

(Directions for Use continued on third panel.)

BLCCH033 8306

Contents: LIQUID

Active Ingredients:

Bis (trichloromethyl) sulfone	20.0%
Methylenebis (thiocyanate)	5.0%
Inert Ingredients*	75.0%
Total	100.0%

*Inert ingredients include solubilizing and dispersing agents.

EPA Reg. No. 3876-61

WEIGHT PER GALLON OF PRODUCT

8.99 Pounds (74F)

NET WEIGHT OR VOLUME

AS MARKED ON CONTAINER

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact with skin, wash immediately with plenty of soap and water. Immediately contact physician.

In case of contact with eyes, flush promptly and thoroughly with clear water for at least 15 minutes. Immediately contact physician.

In case of ingestion, immediately contact physician.

A Material Safety Data Sheet containing more detailed information relative to this product is available upon request.

See left panel for additional Precautionary Statements.

KEEP CONTAINER TIGHTLY CLOSED

PROTECT FROM FREEZING

STORE IN A DRY PLACE

DO NOT STORE AT ELEVATED TEMPERATURES

FOR CONTROL OF BACTERIA AND FUNGI

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add Slimicide C-30 at the rate of 0.1 to 0.5 pound per 1000 gallons of water or 12 to 60 parts per million in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add Slimicide C-30 at the rate of 0.1 to 0.3 pound per 1000 gallons of water or 12 to 36 parts per million in the system every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add Slimicide C-30 at the rate of 0.1 to 0.5 pound per 1000 gallons of water or 12 to 60 parts per million in the system. Continue until control is achieved.

SUBSEQUENT DOSE: Continuously feed Slimicide C-30 to maintain a dosage of 0.1 to 0.3 pound per 1000 gallons of water or 12 to 36 parts per million in the system.

FOR CONTROL OF ALGAE

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add Slimicide C-30 at the rate of 0.1 to 0.5 pound per 1000 gallons of water or 12 to 60 parts per million in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When algal control is evident, add Slimicide C-30 at the rate of 0.1 to 0.3 pound per 1000 gallons of water or 12 to 36 parts per million daily or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add Slimicide C-30 at the rate of 0.1 to 0.5 pound per 1000 gallons of water or 12 to 60 parts per million in the system. Continue until control is achieved.

SUBSEQUENT DOSE: Continuously feed Slimicide C-30 to maintain a dosage of 0.1 to 0.3 pound per 1000 gallons of water or 12 to 36 parts per million in the system.

The formulation and its use as a slime-control composition are covered by U.S. Patent 3,426,134.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse empty container.

DISPOSAL: Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in an approved pesticide landfill. Triple rinse (or equivalent) all containers before sending to drum reconditioner or destroy by perforation or crushing and burying in a safe place or dispose of in a landfill approved for pesticide containers. Consult federal, state or local disposal authorities for approved alternative procedures.


FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ.

ACCEPTED

3876-61

MAY 22 1983

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, this pesticide
registered under
EPA Reg. No.



CORROSIVE

DOT Proper Shipping Name

CORROSIVE LIQUID, N.O.S.

UN 1760